SUBJECT INDEX

Abundances of the elements

The heavy element abundance in the $z = 2.076$ absorption system towards the QSO 2206 – 199N (Rauch, M., Carswell, R.F., Robertson, J.G., Shaver, P.A., Webb, J.K.), **242**, 698
General constraints on the effect of gas flows in the chemical evolution of galaxies (Edmunds, M.G.), **246**, 678

Accretion and accretion discs

Spectroscopy of the intermediate polar FO Aquarii (Hellier, C., Mason, K.O., Cropper, M.), **242**, 250
Gravity mode instabilities in differentially rotating discs (Glatzel, W.), **242**, 338
Pre-conditions for disc-generated FU Orionis outbursts (Clarke, C.J., Lin, D.N.C., Pringle, J.E.), **242**, 439
The dynamical stability of differentially rotating, self-gravitating cylinders (Luyten, P.J.), **242**, 447
Secular brightness variation of the dwarf nova Z Cha during quiescence (van Amerongen, S., Kuulkers, E., van Paradijs, J.), **242**, 522
Massive thin accretion discs – II. Polarization (Laor, A., Netzer, H., Piran, T.), **242**, 560
White dwarf radii and boundary-layer constraints in three dwarf novae (Wood, J.H., Horne, K.), **242**, 630
The X-ray spectrum of MCG-6–30–15 and its temporal variability (Nandra, K., Pounds, K.A., Stewart, G.C.), **242**, 660
X-ray illuminated accretion discs: a model for the iron line in NGC 3227 (George, I.M., Nandra, K., Fabian, A.C.), **242**, 28P
Can the quiescent accretion discs in the dwarf novae OY Car and Z Cha be in a steady state? (Wood, J.H.), **243**, 219
Standing shocks in isothermal rotating winds and accretion – II. Effects of viscous dissipation (Chakrabarti, S.K.), **243**, 610
Statistical modelling of IR/UV spectra in AGN (Loska, Z., Czerny, B.), **244**, 43
Magneto-gravitational synchronous states in the AM Herculis variables (Campbell, C.G.), **244**, 367
Slim accretion discs with different viscosity prescriptions (Szuszkiewicz, E.), **244**, 377
Accretion disc chromospheres in active galaxies (Mobasher, B., Raine, D.J.), **244**, 652
Synchronous rotation in AM Herculis systems – I. Equilibrium configurations (King, A.R., Frank, J., Whitehurst, R.), **244**, 731
N-body simulations of planetary formation (Beauge, C., Aarseth, S.J.), **245**, 30
Whole Earth Telescope observations of the interacting binary white dwarf V803 Cen in its low state (O'Donoghue, D., Wargau, W., Warner, B., Kilkenny, D., Martinez, P., Kanaan, A., Kepler, S.O., Henry, G., Winget, D.E., Clemens, J.C., Grauer, A.D.), **245**, 140
Twisted accretion discs – V. Viscous evolution (Kumar, S.), **245**, 670
Lyman edges in AGN accretion discs (Czerny, B., Pojmański, G.), **245**, 10P
Observational evidence for tidal effects in cataclysmic variable accretion discs (O'Donoghue, D.), **246**, 29
Weber-Davis model revisited: standing magnetohydrodynamic shocks in accretion and winds (Chakrabarti, S.K.), **246**, 134
Massive thin accretion discs – III. Comparison with the observations (Laor, A.), **246**, 369
Accreting magnetofluid around a compact object with a dipolar magnetic field – Newtonian analysis (Tripathy, S.C., Prasanna, A.R., Das, A.C.), **246**, 384
Three-dimensional structured shocks in AM Herculis-type systems – I. The angular dependence of intensity and polarization from axisymmetric shocks (Wu, K., Wickramasinghe, D.T.), **246**, 686
Accretion disc atmospheres (Mineshige, S., Wood, J.H.), **247**, 43
The long-period binary UU Cancri as a system that has reversed its mass ratio (Eaton, J.A.), **247**, 62
Blob accretion in AM Herculis systems (Litchfield, S.J., King, A.R.), **247**, 200
Intermediate polars: soft X-ray machines (King, A.R., Lasota, J.P.), **247**, 214
A spin-down mechanism for accreting neutron stars (Illarionov, A.F., Kompaneets, D.A.), **247**, 219

Asteroids

The spatial density of asteroids and its variation with asteroidal mass (McBride, N., Hughes, D.W.), **244**, 513
Spectra of six asteroids obtained at La Palma (Fitzsimmons, A, Williams, I.P., Lagerkvist, C.-I., Dahlgren, M.), **247**, 26P

Astrometry

Optical positions of Seyfert galaxies – III (Argyle, R.W., Eldridge, P.), **243**, 504
Erratum: Comparisons of positions of extragalactic compact radio sources (Brosche, P., Sinachopoulos, D.), **245**, 384
Proper motion surveys with Schmidt plates – I. The North Galactic Pole (Reid, N.), **247**, 70

BL Lac objects

Why are the BL Lac objects AO 0235 + 164 and PKS 0537 – 441 not multiply imaged by gravitational lensing? (Narayan, R., Schneider, P.), **243**, 192
The optical and infrared emission of blazars (Ballard, K.R., Mead, A.R.G., Brand, P.W.J.L., Hough, J.H.), **243**, 640
A VLA and MERLIN study of extragalactic radio sources with one-sided structure (Saikia, D.J., Junor, W., Cornwell, T.J., Muxlow, T.W.B., Shastri, P.), **245**, 408

Black holes

Massive thin accretion discs – II. Polarization (Laor, A., Netzer, H., Piran, T.), **242**, 560
Standing shocks in isothermal rotating winds and accretion – II. Effects of viscous dissipation (Chakrabarti, S.K.), **243**, 610
Centrifugal-force reversal near a Schwarzschild black hole (Abramowicz, M.A., Prasanna, A.R.), **245**, 720
Lyman edges in AGN accretion discs (Czerny, B., Pojmanski, G.), **245**, 10P
Thermodynamical and evolutional properties of Kerr black holes (Okamoto, I., Kaburaki, O.), **247**, 244

Celestial mechanics

Galactic disc column density by maximum likelihood (Gould, A.), , **244**, 25
Post-Newtonian hydrodynamics and post-Newtonian gravitational wave generation for numerical relativity (Blanchet, L., Damour, T., Schäfer, G.), **242**, 289
On the density structure of galaxy merger remnants (Navarro, J.F.), **242**, 311
Gravity mode instabilities in differentially rotating discs (Glatzel, W.), **242**, 338
The dynamical stability of differentially rotating, self-gravitating cylinders (Luyten, P.J.), **242**, 447
A conservative numerical technique for collisionless dynamical systems: comparison of the radial and circular orbit instabilities (Allen, A.J., Palmer, P.L., Papaloizou, J.), **242**, 576
A code for N-body simulation of highly clustered gravitational systems (Londrillo, P., Messina, A.), **242**, 595
Satellite disruption and shell formation in galaxies (Heisler, J., White, S.D.M.), **243**, 199
$m=1$ instabilities in counter-rotating stellar systems (Palmer, P.L., Papaloizou, J.), **243**, 263

Tidal change in the energy of a spherical galaxy (Namboodiri, P.M.S., Kochhar, R.K.), **243**, 276
Unstable models of axisymmetric galaxies (Palmer, P.L., Papaloizou, J., Allen, A.J.), **243**, 282
Existence of oscillation modes in collisionless gravitating systems (Mathur, S.D.), **243**, 529
Non-linear acoustic waves in discs (Larson, R.B.), **243**, 588
cD galaxy formation and dissipationless collapse (Rhee, G., Roos, N.), **243**, 624
Kelvin-Helmholtz instabilities in swirling jets (Coleman, C.S.), **244**, 35
The flattened isochrone (Evans, N.W., de Zeeuw, P.T., Lynden-Bell, D.), **244**, 111
Faint stars and Oort's constants (Lewis, J.R.), **244**, 247
Generalized variational principle for collisional stellar dynamics (Inagaki, S., Lynden-Bell, D.), **244**, 254
Relaxation of collisionless self-gravitating matter: the lowest energy state for systems with non-vanishing total angular momentum (Stahl, B., Ziegler, H.J., Wiechen, H.), **244**, 260
Globular cluster swapping. The central region of a cluster of galaxies is a dangerous place (Rabolli, M.), **244**, 322
Oblate spheroidal mass distributions of varying ellipticity (Ryden, B.S.), **244**, 341
Rotation-dominant equilibria of isothermal clouds (Narita, S., Kiguchi, M., Miyama, S.M., Hayashi, C.), **244**, 349
Tidal transfer of energy and angular momentum to spheroidal galaxies (Som Sunder, G., Kochhar, R.K., Alladin, S.M.), **244**, 424
Round galactic spheriods with triaxial kinematics (Arnold, R.), **244**, 465
An anisotropic homological model for core collapse in star clusters (Louis, P.D.), **244**, 478
The spatial density of asteroids and its variation with asteroidal mass (McBride, N., Hughes, D.W.), **244**, 513
Torus construction in general gravitational potentials (McGill, C., Binney, J.), **244**, 634
On the dependence on inclination of capture probability of short-period comets (Yabushita, S., Tsujii, T.), **244**, 663
N-body simulations of planetary formation (Beauge, C., Aarseth, S.J.), **245**, 30
Non-radial instabilities in collapsing galaxies: an analytically solvable model (Vietri, M.), **245**, 40
A new method to solve linear pulsation problems (Gautschy, A., Glatzel, W.), **245**, 154
Spiral heating of galactic discs (Jenkins, A., Binney, J.), **245**, 305
Realistic models for evolving globular clusters – II. Post core collapse with a mass spectrum (Murphy, B.W., Cohn, H.N., Hut, P), **245**, 335
Possible chaotic pulsations in ZZ Ceti and rapidly oscillating Ap stars due to non-linear harmonic mode coupling (Verheest, F., Hereman, W., Serras, H.), **245**, 392
On highly non-adiabatic stellar pulsations and the origin of strange modes (Gautschy, A., Glatzel, W.), **245**, 597
Non-axisymmetric dynamical instability of differentially rotating self-gravitating masses (Luyten, P.J.), **245**, 614
Can elliptical galaxies be formed by merging of spirals? (Vedel, H., Sommer-Larsen, J.), **245**, 637
Twisted accretion discs – V. Viscous evolution (Kumar, S.), **245**, 670
Time-dependent dynamics of a planar galaxy model (Sridhar, S., Nityananda, R.), **245**, 713
Ellipticity behaviour of relativistic Maclaurin spheroids (Abramowicz, M.A., Miller, J.C.), **245**, 729
Centrifugal force: a few surprises (Abramowicz, M.A.), **245**, 733
von Zeipel surfaces (Chakrabarti, S.K.), **245**, 747
Erratum: Round galactic spheroids with triaxial kinematics (Arnold, R.), **246**, 368
Neighbouring equilibria to radially anisotropic spheres: possible end-states for violently relaxed stellar systems (Palmer, P.L., Papaloizou, J., Allen, A.J.), **246**, 415
A weak-interaction model for shell galaxies (Thomson, R.C., Wright, A.E.), **247**, 122
The dissipationless evolution of elliptical galaxies (Burkert, A.), **247**, 152

Comets

The spatial density of large meteoroids in the inner solar system (Hughes, D.W., McBride, N.), **243**, 312
Narrow-band photometry of comet P/Halley – OH and H_2O scalelengths and pre-perihelion production rates (Fitzsimmons, A., Williams, I.P., Williams, G.P., Andrews, P.J.), **244**, 453
On the dependence on inclination of capture probability of short-period comets (Yabushita, S., Tsujii, T.), **244**, 663
The mass distribution of comets and meteoroid streams and the shower/sporadic ratio in the incident visual meteoroid flux (Hughes, D.W.), **245**, 198
The distribution of cometary magnitudes (Donnison, J.R.), **245**, 658

Cosmic rays

Implications of the correlation between radio and far-infrared emission for spiral galaxies (Chi, X., Wolfendale, A.W.), **245**, 101
Fluctuations in the cosmic microwave background (Banday, A.J., Wolfendale, A.W.), **245**, 182
Cosmic-ray-induced desorption and high depletions in dense cores of interstellar clouds (Hartquist, T.W., Williams, D.A.), **247**, 343

Cosmology

Structure of the Universe in the two-dimensional model of adhesion (Kofman, L., Pogosyan, D., Shandarin, S.), **242**, 200
GINGA observations of Abell 2218: implications for H_0 (McHardy, I.M., Stewart, G.C., Edge, A.C., Cooke, B., Yamashita, K., Hatsukade, I.), **242**, 215
The cosmological constant and galaxy formation (Durrer, R., Straumann, N.), **242**, 221
The visibility of high-redshift galaxies (Phillipps, S., Davies, J.I., Disney, M.J.), **242**, 235
Apparent superluminal sources, comparative cosmology and the cosmic distance scale (Segal, I.E.), **242**, 423
The redshift projection – I. Caustics and correlation functions (McGill, C.), **242**, 428
Why the Universe is not a fractal (Martínez, V.J., Jones, B.J.T.), **242**, 517
The redshift projection – II. Caustics and the Lyman alpha forest (McGill, C.), **242**, 544
Reflection-dominated hard X-ray sources and the X-ray background (Fabian, A.C., George, I.M., Miyoshi, S., Rees, M.J.), **242**, 14P
Galaxy correlations on large scales (Maddox, S.J., Efstathiou, G., Sutherland, W.J., Loveday, J.), **242**, 43P
Large N-body simulations of a universe dominated by cold dark matter (Park, C.), **242**, 59P
Alternatives to the Press–Schechter cosmological mass function (Peacock, J.A., Heavens, A.F.), **243**, 133
Second-order evolution of Cold Dark Matter perturbations (Coles, P.), **243**, 171
Optimistic cosmological model (Kardashev, N.S.), **243**, 252
The linearly perturbed sky (Linder, E.V.), **243**, 362
A fluctuation analysis of the X-ray background in the *Einstein Observatory* IPC (Barcons, X., Fabian, A.C.), **243**, 366
Explosions in pancake models of galaxy formation (More, J.G., Heavens, A.F., Wilson, M.J.), **243**, 413
The evolution of inhomogeneities in expanding Newtonian cosmologies (Ellis, G.F.R.), **243**, 509
Equilibrium matter fields in the early universe (Barrow, J.D., Hawthorne, W.S.), **243**, 602
The LDSS deep redshift survey (Colless, M., Ellis, R.S., Taylor, K., Hook, R.N.), **244**, 408
The statistics of primordial density fluctuations (Barrow, J.D., Coles, P.), **244**, 188
The bimodal radio luminosity function of quasars (Miller, L., Peacock, J.A., Mead, A.R.G.), **244**, 207
Structure and formation of superclusters – XI. Voids, connectivity and mean density in the CDM universes (Gramann, M.), **244**, 214
Average Lyman absorption from simulated QSO spectra (Giallongo, E., Gratton, R., Trevese, D.), **244**, 450
Microwave background constraints on the Voronoi model of large-scale structure (Coles, P., Barrow, J.D.), **244**, 557

On the role of a strongly flattened galactic halo in the decaying dark matter hypothesis (Sciama, D.W.), **244**, 1P
Decaying dark matter and the mass model of the Galaxy (Salucci, P., Sciama, D.W.), **244**, 9P
Do Lyman α clouds cluster around galaxies? (Barcons, X., Webb, J.K.), **244**, 30P
Fluctuations in the cosmic microwave background (Banday, A.J., Wolfendale, A.W.), **245**, 182
Erratum: The clustering of peaks in a random Gaussian field (Lumsden, S.L., Heavens, A.F., Peacock, J.A.), **245**, 192
Non-Gaussian initial conditions in cosmological N-body simulations – I. Space-uncorrelated models (Messina, A., Moscardini, L., Lucchin, F., Matarrese, S.), **245**, 244
The mass function of galaxies based on correlated velocity structure (Henriksen, R.N., Lachieze-Rey, M.), **245**, 255
The mass function in biased galaxy formation scenarios (Appel, L., Jones B.B.T.), **245**, 522
An X-ray flux-limited sample of clusters of galaxies: evidence for evolution of the luminosity function (Edge, A.C., Stewart, G.C., Fabian, A.C., Arnaud, K.A.), **245**, 559
Galaxy formation in consequent clustering models (Doroshkevich, A.G., Kotok, T.V.), **246**, 10
Angular momentum of protogalaxies in a hierarchical scenario (Tissera, P.B., Lambas, D.G.), **246**, 151
The formation of dark matter in cooling flows (Thomas, P.A., Fabian, A.C.), **246**, 156
On the particle mass in the decaying dark-matter hypothesis (Sciama, D.W.), **246**, 191
Analysis of 'Coma strip' galaxy redshift catalog (Klypin, A.A., Karachentsev, I.D., Lebedev, V.S.), **246**, 193
A new model for quasar absorption clouds (Doroshkevich, A.G., Mücket, J.P., Müller, V.), **246**, 200
The classical cosmological tests applied to world models with pressure (Gudmundsson, E.H., Rögnvaldsson, O.E.), **246**, 463
The α alpha forest at 6km s^{-1} resolution (Pettini, M., Hunstead, R.W., Smith, L.J., Mar, D.P.), **246**, 545
Probabilities of voids (Betancort-Rijo, J.), **246**, 608
Are there radio voids? (Banhatti, D.G.), **246**, 7P
The redshift cut-off in the luminosity function of radio galaxies and quasars (Dunlop, J.S., Peacock, J.A.), **247**, 19
Homogeneous cosmological model in higher dimension (Chatterjee, S., Bhui, B.), **247**, 57
Merging-driven evolution of high-redshift galaxies in a universe with $\Omega_0 = 1$ (Rocca-Volmerange, B., Guiderdoni, B.), **247**, 166
The gaseous haloes of evolving galaxies: a probe using the linear sizes of radio sources (Subramanian, K., Swarup, G.), **247**, 237
Large-scale structure and the adhesion approximation (Weinberg, D.H., Gunn, J.E.), **247**, 260

Data reduction

The distributions of binary system mass ratios: a less biased sample (Trimble, V.), **242**, 79
A comparison of methods for inverting helioseismic data (Christensen-Dalsgaard, J., Schou, J., Thompson, M.J.), **242**, 353
Ultraviolet variability of NGC 4151: a study using principal component analysis (Mittaz, J.P.D., Penston, M.V., Snijders, M.A.J.), **242**, 370
Number density of filaments in a random Gaussian field (Betancort-Rijo, J.), **243**, 656
The APM galaxy survey – I. APM measurements and star-galaxy separation (Maddox, S.J., Sutherland, W.J., Efstathiou, G., Loveday, J.), **243**, 692
An improved test for periodicity (Davies, S.R.), **244**, 93
Beam-sets – a new approach to the problem of wide-field mapping with non-coplanar base lines (Wardram, E.M., McGilchrist, M.M.), **245**, 532
A homogeneous catalogue of quasar candidates found with slitless spectroscopy (Beauchemin, M., Borra, E.F., Edwards, G.), **247**, 182
The COSMOS system for crowded-field analysis of digitized photographic plate scans (Beard, S.M., MacGillivray, H.T., Thanisch, P.F.), **247**, 311

Earth

Aurora borealis during the Maunder minimum (Schlamminger, L.), **247**, 67

Galactic Centre

Infrared images and photometry of the cluster near G 0.15 – 0.05 (Glass, I.S., Moneti, A., Moorwood, A.F.M.), **242**, 55P
Localization of one of the Galactic Centre X-ray burst sources (Skinner, G.K., Foster, A.J., Willmore, A.P., Eyles, C.J.), **243**, 72
The source of luminosity at the Galactic Centre (Allen, D.A., Hyland, A.R., Hillier, D.J.), **244**, 706
Multi-colour, 8–13 μm maps of the central parsec of the Galaxy (Smith, C.H., Aitken, D.K., Roche, P.F.), **246**, 1

Galactic structure and stellar dynamics

Armchair cartography – a map of the galactic halo based on observations of local, metal-poor stars (Sommer-Larsen, J., Zhen, C.), **242**, 10
The luminosity distributions of edge-on spiral and lenticular galaxies – II. Modelling the non-thin disc light in a sample of ten galaxies (Shaw, M.A., Gilmore, G.), **242**, 59
The formation of molecular gas rings in galactic central regions (Lesch, H., Biermann, P.L., Crusius, A., Reuter, H.P., Dahlem, M., Barteldrees, A., Wielebinski, R.), **242**, 194
Starbursts superimposed on old populations: spectral evolution of the composite system over 3 x 10 yr (Bica, E., Alloin, D., Schmidt, A.), **242**, 241
On the density structure of galaxy merger remnants (Navarro, J.F.), **242**, 311
CCD photometry of the distant southern globular cluster NGC 5824 (Cannon, R.D., Sagar, R., Hawkins, M.R.S.), **243**, 151
Satellite disruption and shell formation in galaxies (Heisler, J., White, S.D.M.), **243**, 199
$m = 1$ instabilities in counter-rotating stellar systems (Palmer, P.L., Papaloizou, J.), **243**, 263
Tidal change in the energy of a spherical galaxy (Namboodiri, P.M.S., Kochhar, R.K.), **243**, 276
Unstable models of axisymmetric galaxies (Palmer, P.L., Papaloizou, J., Allen, A.J.), **243**, 282
The chemical evolution of star-forming viscous discs – II (Sommer-Larsen, J., Yoshii, Y.), **243**, 468
Inhomogeneous distribution of interstellar clouds induced by collisional fragmentations (Nozakura, T.), **243**, 543
Non-linear acoustic waves in discs (Larson, R.B.), **243**, 588
Galactic disc column density by maximum likelihood (Gould, A.), **244**, 25
On the mass-to-light ratios of dwarf spheroidal galaxies (Cuddeford, P., Miller, J.C.), **244**, 64
The flattened isochrone (Evans, N.W., de Zeeuw, P.T., Lynden-Bell, D.), **244**, 111
Faint stars and Oort's constants (Lewis, J.R.), **244**, 247
Oblate spheroidal mass distributions of varying ellipticity (Ryden, B.S.), **244**, 341
Tidal transfer of energy and angular momentum to spheroidal galaxies (Som Sunder, G., Kochhar, R.K., Alladin, S.M.), **244**, 424
Round galactic spheriods with triaxial kinematics (Arnold, R.), **244**, 465
Torus construction in general gravitational potentials (McGill, C., Binney, J.), **244**, 634
The distribution of dark matter in Draco and Ursa Minor (Lake, G.), **244**, 701
Swing excitation of galactic magnetic fields induced by spiral density waves (Chiba, M., Tosa, M.), **244**, 714
On the role of a strongly flattened galactic halo in the decaying dark matter hypothesis (Sciama, D.W.), **244**, 1P
Decaying dark matter and the mass model of the Galaxy (Salucci, P., Sciama, D.W.), **244**, 9P
Non-radial instabilities in collapsing galaxies: an analytically solvable model (Vietri, M.), **245**, 40

The shape of bars in early-type barred galaxies (Athanassoula, E., Morin, S., Wozniak, H., Puy, D., Pierce, M.J., Lombard, J., Bosma, A.), **245**, 130
The colours of low surface brightness galaxies in the Fornax cluster: automated galaxy surface photometry - VI (Evans, Rh., Davies, J.I., Phillipps, S.), **245**, 164
Bright galaxies in the Fornax cluster. Automated galaxy surface photometry – VII (Disney, M.J., Phillipps, S., Davies, J.I., Cawson, M.G.M., Kibblewhite, E.J.), **245**, 175
Spiral heating of galactic discs (Jenkins, A., Binney, J.), **245**, 305
Missing mass or missing light? (Davies, J.I.), **245**, 350
Mass decomposition of spiral galaxies from disc kinematics (Persic, M., Salucci, P.), **245**, 577
Models of elliptical galaxies: NGC 3379,4261, 4278 and 4472 (van der Marel, R.P., Binney, J., Davies, R.L.), **245**, 582
Non-axisymmetric dynamical instability of differentially rotating, self-gravitating masses (Luyten, P.J.), **245**, 614
Can elliptical galaxies be formed by merging of spirals? (Vedel, H., Sommer-Larsen, J.), **245**, 637
Time-dependent dynamics of a planar galaxy model (Sridhar, S., Nityananda, R.), **245**, 713
Kinematics of the dwarf spheroidal galaxy NGC 205 (Carter, D., Sadler, E.M.), **245**, 12P
Kinematics of the late-M giants in Baade's window (Sharples, R., Walker, A., Cropper, M.), **246**, 54
On the particle mass in the decaying dark-matter hypothesis (Sciama, D.W.), **246**, 191
NGC 5084: a massive disc galaxy with a tilted ring (Zeilinger, W.W., Galletta, G., Madsen, C.), **246**, 324
Erratum: Round galactic spheroids with triaxial kinematics (Arnold, R.), **246**, 368
Neighbouring equilibria to radially anisotropic spheres: possible end-states for violently relaxed stellar systems (Palmer, P.L., Papaloizou, J., Allen, A.J.), **246**, 415
Frequency of warped spiral galaxies at visible wavelengths (S nchez-Saavedra, M.L., Battaner, E., Florido, E.), **246**, 458
Chemical evolution of spiral galaxies: models with star formation proportional to molecular hydrogen (Tosi, M., Díaz, A.I.), **246**, 616
General constraints on the effect of gas flows in the chemical evolution of galaxies (Edmunds, M.G.), **246**, 678
A weak-interaction model for shell galaxies (Thomson, R.C., Wright, A.E.), **247**, 122
The dissipationless evolution of elliptical galaxies (Burkert, A.), **247**, 152
M giant populations and galactic structure (Feast, M.W., Whitelock, P.A., Carter, B.S.), **247**, 227
The disc contribution to rotation curves of spiral galaxies (Persic, M., Salucci, P.), **247**, 349

Galaxies

Isolated galaxies (Einasto, M.), **242**, 56
The luminosity distributions of edge-on spiral and lenticular galaxies – II. Modelling the non-thin disc light in a sample of ten galaxies (Shaw, M.A., Gilmore, G.), **242**, 59
Implications of the correlation between the radio continuum and far-infrared luminosities of spiral galaxies (Rengarajan, T.N., Iyengar, K.V.K.), **242**, 74
The rich cluster of galaxies A348 (Millington, S.J.C., Peach, J.V.), **242**, 112
The orientation of galaxies and of clusters from an objectively defined catalogue (Fong, R., Stevenson, P.R.F., Shanks, T.), **242**, 146
The giant branch of the Fornax dwarf spheroidal galaxy (Sagar, R., Hawkins, M.R.S., Cannon, R.D.), **242**, 167
The visibility of high-redshift galaxies (Phillipps, S., Davies, J.I., Disney, M.J.), **242**, 235
On the density structure of galaxy merger remnants (Navarro, J.F.), **242**, 311
The 60-μm and far-infrared luminosity functions of *IRAS* galaxies (Saunders, W., Rowan-Robinson, M., Lawrence, A., Efstathiou, G., Kaiser, N., Ellis, R.S., Frenk, C.S.), **242**, 318
Compact radio components in Sbc galaxies (Vila, M.B., Pedlar, A., Davies, R.D., Hummel, E., Axon, D.J.), **242**, 379
The molecular hydrogen content of NGC 604 and other M33 H II region complexes (Israel, F.P., Hawarden, T.G., Geballe, T.R., Wade, R.), **242**, 471
Why the Universe is not a fractal (Martínez, V.J., Jones, B.J.T.), **242**, 517
Shell-like structure in 41.9 + 58, a powerful supernova remnant in M82 (Wilkinson, P.N., de Bruyn, A.G.), **242**, 529
Further evidence of continuity between elliptical and disc galaxies (Capaccioli, M., Caon, N., Rampazzo, R.), **242**, 24P
A 450-μm continuum map of M82: comparison with the CO emission (Smith, P.A., Brand, P.W.J.L., Puxley, P.J., Mountain, C.M., Nakai, N.), **243**, 97
Satellite disruption and shell formation in galaxies (Heisler, J., White, S.D.M.), **243**, 199
Galaxy redshift survey in a narrow strip crossing the Coma cluster (Karachentsev, I.D., Kopylov, A.I.), **243**, 390
The Virgo cluster as a test for quantization of extragalactic redshifts (Guthrie, B.N.G., Napier, W.M.), **243**, 431
The APM galaxy survey – I. APM measurements and star–galaxy separation (Maddox, S.J., Sutherland, W.J., Efstathiou, G., Loveday, J.), **243**, 692
Visibility and the selection of galaxies (Davies, J.I.), **244**, 8
On the mass-to-light ratios of dwarf spheroidal galaxies (Cuddeford, P., Miller, J.C.), **244**, 64
The excitation and physical nature of megamasers (Burdyuzha, V.V., Vikulov, K.A.), **244**, 86
A surface brightness–metallicity relation for dwarf galaxies: the effect of density thresholds for star formation? (Phillipps, S., Edmunds, M.G., Davies, J.I.), **244**, 168
B and *R* CCD surface photometry of selected low surface brightness galaxies in the region of the Fornax cluster (Davies, J.I., Phillipps, S., Disney, M.J.), **244**, 385
The LDSS deep redshift survey (Colless, M., Ellis, R.S., Taylor, K., Hook, R.N.), **244**, 408
The distribution of dark matter in Draco and Ursa Minor (Lake, G.), **244**, 701
Swing excitation of galactic magnetic fields induced by spiral density waves (Chiba, M., Tosa, M.), **244**, 714
Lyα radiation pressure in galaxies (Bithell, M.), **244**, 738
A new satellite galaxy of the Milky Way in the constellation of Sextans (Irwin, M.J., Bunclark, P.S., Bridgeland, M.T., McMahon, R.G.), **244**, 16P
Implications of the correlation between radio and far-infrared emission for spiral galaxies (Chi, X., Wolfendale, A.W.), **245**, 101
The shape of bars in early-type barred galaxies (Athanassoula, E., Morin, S., Wozniak, H., Puy, D., Pierce, M.J., Lombard, J., Bosma, A.), **245**, 130
The colours of low surface brightness galaxies in the Fornax cluster: automated galaxy surface photometry – VI (Evans, Rh., Davies, J.I., Phillipps, S.), **245**, 164
Bright galaxies in the Fornax cluster. Automated galaxy surface photometry – VII (Disney, M.J., Phillipps, S., Davies, J.I., Cawson, M.G.M., Kibblewhite, E.J.), **245**, 175
Line-strengths in early-type galaxies (Gorgas, J., Efstathiou, G., Aragon Salamanca, A.), **245**, 217
Automated galaxy surface photometry - V. Detection of very low surface brightness galaxies (Irwin, M.J., Davies, J.I., Disney, M.J., Phillipps, S.), **245**, 289
Missing mass or missing light? (Davies, J.I.), **245**, 350
An investigation of galaxy clustering around QSOs using Palomar Sky Survey prints (Hayman, P.G.), **245**, 358
Mass decomposition of spiral galaxies from disc kinematics (Persic, M., Salucci, P.), **245**, 577
Models of elliptical galaxies: NGC 3379, 4261, 4278 and 4472 (van der Marel, R.P., Binney, J., Davies, R.L.), **245**, 582
Can elliptical galaxies be formed by merging of spirals? (Vedel, H., Sommer-Larsen, J.), **245**, 637
Australia Telescope observations of excited-state OH transitions in NGC 4945 (Whiteoak, J.B., Wilson, W.E.), **245**, 665
Kinematics of the dwarf spheroidal galaxy NGC 205 (Carter, D., Sadler, E.M.), **245**, 12P
Radio polarization and the environment of 3C 275.1 (Liu, R., Pooley, G.), **245**, 17P
Analysis of 'Coma strip' galaxy redshift catalog (Klypin, A.A., Karachentsev, I.D., Lebedev, V.S.), **246**, 193

NGC 5084: a massive disc galaxy with a tilted ring (Zeilinger, W.W., Galletta, G., Madsen, C.), **246**, 324
The APM Galaxy Survey – II. photometric corrections (Maddox, S.J., Efstathiou, G., Sutherland, W.J.), **246**, 433
Frequency of warped spiral galaxies at visible wavelengths (S nchez-Saavedra, M.L., Battaner, E., Florido, E.), **246**, 458
Inclination effects on galaxy photometry using finite apertures (Hesselbjerg Christensen, J.), **246**, 535
Photometry of distant clusters of galaxies: evolutionary features in the cluster 2158 + 0351 (z=0.45) (Molinari, E., Buzzoni, A., Chincarini, G.), **246**, 576
Probabilities of voids (Betancort-Rijo, J.), **246**, 608
A weak-interaction model for shell galaxies (Thomson, R.C., Wright, A.E.), **247**, 122
Inverting cluster gravitational lenses (Kochanek, C.S.), **247**, 135
The dissipationless evolution of elliptical galaxies (Burkert, A.), **247**, 152
The disc contribution to rotation curves of spiral galaxies (Persic, M., Salucci, P.), **247**, 349

Galaxies – active

Circular polarization in compact extragalactic radio sources (Björnsson, C.-I.), **242**, 158
Starbursts superimposed on old populations: spectral evolution of the composite system over 3 x 10 yr (Bica, E., Alloin, D., Schmidt, A.), **242**, 241
Coded mask X-ray images of the Virgo cluster – I. Hard X-rays from the Seyfert galaxy NGC 4388 (Hanson, C.G., Skinner, G.K., Eyles, C.J., Willmore, A.P.), **242**, 262
On the behaviour of the IR Ca II triplet in normal and active galaxies (Terlevich, E., Díaz, A.I., Terlevich, R.), **242**, 271
Ultraviolet variability of NGC 4151: a study using principal component analysis (Mittaz, J.P.D., Penston, M.V., Snijders, M.A.J.), **242**, 370
The age of high-redshift radio galaxies (Bithell, M., Rees, M.J.), **242**, 570
Models of radio galaxies with tangled magnetic fields – I. Calculation of magnetic field transport, Stokes parameters and synchrotron losses (Matthews, A.P., Scheuer, P.A.G.), **242**, 606
Models of radio galaxies with tangled magnetic fields – II. Numerical simulations and their interpretation (Matthews, A.P., Scheuer, P.A.G.), **242**, 640
Reflection-dominated hard X-ray sources and the X-ray background (Fabian, A.C., George, I.M., Miyoshi, S., Rees, M.J.), **242**, 14P
The nature of the high-velocity gas in NGC 1275: first results with TAURUS-2 on the William Herschel telescope (Unger, S.W., Taylor, K., Pedlar, A., Ghataure, H.S., Penston, M.V., Robinson, A.), **242**, 33P
Detection of Ca II absorption triplet in a circummnuclear H II region of NGC 3310 (Terlevich, E., Díaz, A.I., Pastoriza, M.G., Terlevich, R., Dottori, H.), **242**, 48P
A catalogue of faint, UV-excess objects (Boyle, B.J., Fong, R., Shanks, T., Peterson, B.A.), **243**, 1
Compact radio sources in the GB/GB2 sample – I. 10-GHz and 40-GHz observations (Machalski, J., Inoue, M.), **243**, 209
A fluctuation analysis of the X-ray background in the *Einstein Observatory* IPC (Barcons, X., Fabian, A.C.), **243**, 366
The alignment of the radio and infrared structures of 3C356 and its implications for other high-z radiogalaxies (Eales, S.A., Rawlings, S.), **243**, 1P
Imaging polarimetry of the high-z radio galaxy 3C368 (Scarrott, S.M., Rolph, C.D., Tadhunter, C.N.), **243**, 5P
The detection of four high-redshift ($0.5<<z\leq3.22$) radiogalaxies by optical spectroscopy of five blank fields (Rawlings, S., Eales, S., Warren, S.), **243**, 14P
Statistical modelling of IR/UV spectra in AGN (Loska, Z., Czerny, B.), **244**, 43
New radio observations of the Circinus Galaxy (Harnett, J.I., Whiteoak, J.B., Reynolds, J.E., Gardner, F.F., Tzioumis, A.), **244**, 130
A combined optical, infrared and radio study of the megamaser galaxy III Zw 35 (Chapman, J.M., Staveley-Smith, L., Axon, D.J., Unger, S.W., Cohen, R.J., Pedlar, A., Davies, R.D.), **244**, 281
Infall or outflow from a single AGN line profile? (Penston, M.V., Croft, S., Basu, D., Fuller, N.), **244**, 357
MERLIN images of two compact steep-spectrum sources, 3C147 and 3C295 (Akujor, C.E., Spencer, R.E., Wilkinson, P.N.), **244**, 362
Large-scale attractors: the direct effect on the X-ray background (Goicoechea, L.J., Martin-Mirones, J.M.), **244**, 493
Synchrotron thermal instabilities in extended extragalactic radio sources (Bodo, G., Ferrari, A., Massaglia, S., Trussoni, E.), **244**, 530
An optical and near-infrared polarization survey of Seyfert and broad-line radio galaxies – I. Statistical properties (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Ward, M.J., Sparks, W.B., McLean, I.S.), **244**, 577
An optical and near-infrared polarization survey of Seyfert and broad-line radio galaxies – II. The wavelength dependence of polarization (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Ward, M.J., Sparks, W.B., McLean, I.S.), **244**, 604
Accretion disc chromospheres in active galaxies (Mobasher, B., Raine, D.J.), **244**, 652
A submillimetre and millimetre halo in M82 (Hughes, D.H., Gear, W.K., Robson, E.I.), **244**, 759
Pair loading in compact sources (Done, C., Ghisellini, G., Fabian, A.C.), **245**, 1
Erratum: Comparisons of positions of extragalactic compact radio sources (Brosche, P., Sinachopoulos, D.), **245**, 384
The Sersic – Pastoriza galaxy NGC 1808 – I. Radio-continuum, optical and H I observations (Saikia, D.J., Unger, S.W., Pedlar, A., Yates, G.J., Axon, D.J., Wolstencroft, R.D., Taylor, K., Gyldenkerne, K.), **245**, 397
A VLA and MERLIN study of extragalactic radio sources with one-sided structure (Saikia, D.J., Junor, W., Cornwell, T.J., Muxlow, T.W.B., Shastri, P.), **245**, 408
The steep-spectrum low-frequency variable source 3C99: radio and optical observations (Mantovani, F., Saikia, D.J., Browne, I.W.A., Fanti, R., Muxlow, T.W.B., Padrielli, L.), **245**, 427
Profiles of emission lines in AGN – III. Observations of Hα, [NII] and [SII] profiles (Busko, I.C., Steiner, J.E.), **245**, 470
Lyman -ges in AGN accretion discs (Czerny, B., Pojmański, G.), **245**, 10P
Binary starbursts in normal and colour-selected *IRAS* galaxies (Sopp, H., Alexander, P., Riley, J.), **246**, 143
The giant bipolar reflection nebula associated with Cygnus A (3C 405) (Tadhunter, C.N., Scarrott, S.M., Rolph, C.D.), **246**, 163
1830 – 211 – gravitationally lensed images of a flat-spectrum radio core? (Subrahmanyan, R., Narasimha, D., Pramesh, A., Swarup, G.), **246**, 263
VHE γ-ray emission from active galactic nuclei (Mastichiadis, A., Protheroe, R.J.), **246**, 279
Broad emission lines in active galaxies: horns, bumps and shoulders (Robinson, A., Perez, E., Binette, L.), **246**, 349
Massive thin accretion discs – III. Comparison with the observations (Laor, A.), **246**, 369
Coherent plasma processes and the continuum emission in active galactic nuclei (Krishan, V., Wiita, P.J.), **246**, 597
The ultra-compact BLR in NGC 4151 (Clavel, J., Boksenberg, A., Bromage, G.E., Elvius, A., Penston, M.V., Perola, G.C., Santos-Lleo, M., Snijders, M.A.J., Ulrich, M.-H.), **246**, 668
X-ray observations of the radio galaxy Pictor A (Singh, K.P., Rao, A.R., Vahia, M.N.), **246**, 706
Are there radio voids? (Banhatti, D.G.), **246**, 7P
The redshift cut-off in the luminosity function of radio galaxies and quasars (Dunlop, J.S., Peacock, J.A.), **247**, 19
Merging-driven evolution of high-redshift galaxies in a universe with $\Omega_0 = 1$ (Rocca-Volmerange, B., Guiderdoni, B.), **247**, 166
The gaseous haloes of evolving galaxies: a probe using the linear sizes of radio sources (Subramanian, K., Swarup, G.), **247**, 237
An optical and near-infrared polarization survey of early-type radio galaxies (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Sparks, W.B.), **247**, 327

Galaxies – formation of

The cosmological constant and galaxy formation (Durrer, R., Straumann, N.), **242**, 221

The redshif projection – I. Caustics and correlation functions (McGill, C.), **242**, 428
Galaxy correlations on large scales (Maddox, S.J., Efstathiou, G., Sutherland, W.J., Loveday, J.), **242**, 43P
Large N-body simulations of a universe dominated by cold dark matter (Park, C.), **242**, 59P
Alternatives to the Press–Schechter cosmological mass function (Peacock, J.A., Heavens, A.F.), **243**, 133
Second-order evolution of Cold Dark Matter perturbations (Coles, P.), **243**, 171
Explosions in pancake models of galaxy formation (More, J.G., Heavens, A.F., Wilson, M.J.) **243**, 413
The chemical evolution of star-forming viscous discs – II (Sommer-Larsen, J., Yoshii, Y.), **243**, 468
The evolution of inhomogeneities in expanding Newtonian cosmologies (Ellis, G.F.R.), **243**, 509
No evidence for natural bias in elliptical galaxies (Peacock, J.A.), **243**, 517
cD galaxy formation and dissipationless collapse (Rhee, G., Roos, N.), **243**, 624
The statistics of primordial density fluctuations (Barrow, J.D., Coles, P.), **244**, 188
Structure and formation of superclusters – XI. Voids, connectivity and mean density in the CDM universes (Gramann, M.), **244**, 214
Non-radial instabilities in collapsing galaxies: an analytically solvable model (Vietri, M.), **245**, 40
Erratum: The clustering of peaks in a random Gaussian field (Lumsden, S.L., Heavens, A.F., Peacock, J.A.), **245**, 192
Line-strengths in early-type galaxies (Gorgas, J., Efstathiou, G., Aragon Salamanca, A.), **245**, 217
The mass function of galaxies based on correlated velocity structure (Henriksen, R.N., Lachieze-Rey, M.), **245**, 255
The mass function in biased galaxy formation scenarios (Appel, L., Jones B.B.T.), **245**, 522
Do quasars with radio spectra peaked at gigahertz frequencies have extremely high redshifts? (O'Dea, C.P.), **245**, 2P
Galaxy formation in consequent clustering models (Doroshkevich, A.G., Kotok, T.V.), **246**, 10
Angular momentum of protogalaxies in a hierarchical scenario (Tissera, P.B., Lambas, D.G.), **246**, 151
The Lyman α forest at 6km s^{-1} resolution (Pettini, M., Hunstead, R.W., Smith, L.J., Mar, D.P.), **246**, 545
Merging-driven evolution of high-redshift galaxies in a universe with $\Omega_0 = 1$ (Rocca-Volmerange, B., Guiderdoni, B.), **247**, 166
Te gaseous haloes of evolving galaxies: a probe using the linear sizes of radio sources (Subramanian, K., Swarup, G.), **247**, 237
Large-scale structure and the adhesion approximation (Weinberg, D.H., Gunn, J.E.), **247**, 260

Galaxies – nuclei of

The formation of molecular gas rings in galactic central regions (Lesch, H., Biermann, P.L., Crusius, A., Reuter, H.P., Dahlem, M., Barteldrees, A., Wielebinski, R.), **242**, 194
On the behaviour of the IR Ca II triplet in normal and active galaxies (Terlevich, E., Díaz, A.I., Terlevich, R.), **242**, 271
Compact radio components in Sbc galaxies (Vila, M.B., Pedlar, A., Davies, R.D., Hummel, E., Axon, D.J.), **242**, 379
Massive thin accretion discs – II. Polarization (Laor, A., Netzer, H., Piran, T.), **242**, 560
Broad infrared line emission from the nuclei of Seyfert 2 galaxies (Blanco, P.R., Ward, M.J., Wright, G.S.), **242**, 4P
X-ray illuminated accretion discs: a model for the iron line in NGC 3227 (George, I.M., Nandra, K., Fabian, A.C.), **242**, 28P
Ultraviolet spectra of a large sample of quasars – II. Variability of Lyalpha and Civ emission lines (Gondhalekar, P.M.), **243**, 443
Disentangling age and metallicity effects in the blueish nuclear population of M33, NGC 278 and NGC 404 (Schmidt, A.A., Bica, E., Alloin, D.), **243**, 620
Statistical modelling of IR/UV spectra in AGN (Loska, Z., Czerny, B.), **244**, 43
Infall or outflow from a single AGN line profile? (Penston, M.V., Croft, S., Basu, D., Fuller, N.), **244**, 357
The Sersic – Pastoriza galaxy NGC 1808 – I. Radio-continuum, optical and H I observations (Saikia, D.J., Unger, S.W., Pedlar, A., Yates, G.J., Axon, D.J., Wolstencroft, R.D., Taylor, K., Gyldenkerne, K.), **245**, 397
The steep-spectrum low-frequency variable source 3C99: radio and optical observations (Mantovani, F., Saikia, D.J., Browne, I.W.A., Fanti, R., Muxlow, T.W.B., Padrielli, L.), **245**, 427
Profiles of emission lines in AGN – III. Observations of Hα, [NII] and [SII] profiles (Busko, I.C., Steiner, J.E.), **245**, 470
Lyman edges in AGN accretion discs (Czerny, B., Pojmański, G.), **245**, 10P
VHE γ-ray emission from active galactic nuclei (Mastichiadis, A., Protheroe, R.J.), **246**, 279
Coherent plasma processes and the continuum emission in active galactic nuclei (Krishan, V., Wiita, P.J.), **246**, 597
The ultra-compact BLR in NGC 4151 (Clavel, J., Boksenberg, A., Bromage, G.E., Elvius, A., Penston, M.V., Perola, G.C., Santos-Lleo, M., Snijders, M.A.J., Ulrich, M.-H.), **246**, 668
X-ray observations of the radio galaxy Pictor A (Singh, K.P., Rao, A.R., Vahia, M.N.), **246**, 706

Galaxies – Seyfert

Coded mask X-ray images of the Virgo cluster – I. Hard X-rays from the Seyfert galaxy NGC 4388 (Hanson, C.G., Skinner, G.K., Eyles, C.J., Willmore, A.P.), **242**, 262
The X-ray spectrum of MCG-6–30–15 and its temporal variability (Nandra, K., Pounds, K.A., Stewart, G.C.), **242**, 660
The X-ray spectrum of the broad-line radio galaxy 3C445 (Pounds, K.A.), **242**, 2P
Broad infrared line emission from the nuclei of Seyfert 2 galaxies (Blanco, P.R., Ward, M.J., Wright, G.S.), **242**, 4P
X-ray illuminated accretion discs: a model for the iron line in NGC 3227 (George, I.M., Nandra, K., Fabian, A.C.), **242**, 28P
Optical positions of Seyfert galaxies – III (Argyle, R.W., Eldridge, P.), **243**, 504
X-ray spectral variations in NGC 4151 (Fiore, F., Perola, G.C., Romano, M.), **243**, 522
Simultaneous multifrequency observations of the Seyfert 1 galaxy NGC 4051: constant optical–infrared emission observed during large-amplitude X-ray variability (Done, C., Ward, M.J., Fabian, A.C., Kunieda, H., Tsuruta, S., Lawrence, A., Smith, M.G., Wamsteker, W.), **243**, 713
The response of the broad emission line region to ionizing continuum variations (Robinson, A., Pérez, E.), **244**, 138
An optical and near-infrared polarization survey of Seyfert and broad-line radio galaxies – I. Statistical properties (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Ward, M.J., Sparks, W.B., McLean, I.S.), **244**, 577
An optical and near-infrared polarization survey of Seyfert and broad-line radio galaxies – II. The wavelength dependence of polarization (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Ward, M.J., Sparks, W.B., McLean, I.S.), **244**, 604
Spectral variations in the broad-line region of NGC 6814 (Sekiguchi, K., Menzies, J.W.), **245**, 66
The stellar population and emitting gas in the inner 2–5 kpc for a sample of nine Seyfert 2 galaxies (Bergman, T.S., Bica, E., Pastoriza, M.G.), **245**, 749
The radio structore of NGC 1275 (Pedlar, A., Ghataure, H.S., Davies, R.D., Harrison, B.A., Perley, R., Crane, P.C., Unger, S.W.), **246**, 477
The ultra-compact BLR in NGC 4151 (Clavel, J., Boksenberg, A., Bromage, G.E., Elvius, A., Penston, M.V., Perola, G.C., Santos-Lleo, M., Snijders, M.A.J., Ulrich, M.-H.), **246**, 668

Galaxy clusters

Isolated galaxies (Einasto, M.), **242**, 56
The rich cluster of galaxies A348 (Millington, S.J.C., Peach, J.V.), **242**, 112
The orientation of galaxies and of clusters from an objectively defined catalogue (Fong, R., Stevenson, P.R.F., Shanks, T.), **242**, 146
GINGA observations of Abell 2218: implications for H_0 (McHardy, I.M., Stewart, G.C., Edge, A.C., Cooke, B., Yamashita, K., Hatsukade, I.), **242**, 215

Coded mask X-ray images of the Virgo cluster – I. Hard X-rays from the Seyfert galaxy NGC 4388 (Hanson, C.G., Skinner, G.K., Eyles, C.J., Willmore, A.P.), **242**, 262
Numerical study of the non-linear stage of thermal instability in cooling flows (Hattori, M., Habe, A.), **242**, 399
The redshift projection – I. Caustics and correlation functions (McGill, C.), **242**, 428
A test of Newtonian gravitation for large distances (McFarland, B.), **242**, 478
Galaxy correlations on large scales (Maddox, S.J., Efstathiou, G., Sutherland, W.J., Loveday, J.), **242**, 43P
Large N-body simulations of a universe dominated by cold dark matter (Park, C.), **242**, 59P
Three southern cD clusters of galaxies Klemola 44, Sérsic 40/6 and 2354 – 35 (Green, M.R., Godwin, J.G., Peach, J.V.), **243**, 159
Second-order evolution of Cold Dark Matter perturbations (Coles, P.), **243**, 171
Erratum: The rich cluster of galaxies A348 (Millington, S.J.C., Peach, J.V.), **243**, 349
Galaxy redshift survey in a narrow strip crossing the Coma cluster (Karachentsev, I.D., Kopylov, A.I.), **243**, 390
The Virgo cluster as a test for quantization of extragalactic redshifts (Guthrie, B.N.G., Napier, W.M.), **243**, 431
cD galaxy formation and dissipationless collapse (Rhee, G., Roos, N.), **243**, 624
Number density of filaments in a random Gaussian field (Betancort-Rijo, J.), **243**, 656
The influence of cluster cooling flows on imaging X-ray surveys (Pesce, J.E., Fabian, A.C., Edge, A.C., Johnstone, R.M.), **244**, 58
The statistics of primordial density fluctuations (Barrow, J.D., Coles, P.), **244**, 188
Structure and formation of superclusters – XI. Voids, connectivity and mean density in the CDM universes (Gramann, M.), **244**, 214
Globular cluster swapping. The central region of a cluster of galaxies is a dangerous place (Rabolli, M.), **244**, 322
B and *R* CCD surface photometry of selected low surface brightness galaxies in the region of the Fornax cluster (Davies, J.I., Phillipps, S., Disney, M.J.), **244**, 385
Large-scale attractors: the direct effect on the X-ray background (Goicoechea, L.J., Martín-Mirones, J.M.), **244**, 493
Microwave background constraints on the Voronoi model of large-scale structure (Coles, P., Barrow, J.D.), **244**, 557
The colours of low surface brightness galaxies in the Fornax cluster: automated galaxy surface photometry – VI (Evans, Rh., Davies, J.I., Phillipps, S.), **245**, 164
Bright galaxies in the Fornax cluster. Automated galaxy surface photometry – VII (Disney, M.J., Phillipps, S., Davies, J.I., Cawson, M.G.M., Kibblewhite, E.J.), **245**, 175
Non-Gaussian initial conditions in cosmological N-body simulations – I. Space-uncorrelated models (Messina, A., Moscardini, L., Lucchin, F., Matarrese, S.), **245**, 244
The mass function of galaxies based on correlated velocity structure (Henriksen, R.N., Lachieze-Rey, M.), **245**, 255
An investigation of galaxy clustering around QSOs using Palomar Sky Survey prints (Hayman, P.G.), **245**, 358
An X-ray flux-limited sample of clusters of galaxies: evidence for evolution of the luminosity function (Edge, A.C., Stewart, G.C., Fabian, A.C., Arnaud, K.A.), **245**, 559
Galaxy formation in consequent clustering models (Doroshkevich, A.G., Kotok, T.V.), **246**, 10
The formation of dark matter in cooling flows (Thomas, P.A., Fabian, A.C.), **246**, 156
Analysis of 'Coma strip' galaxy redshift catalog (Klypin, A.A., Karachentsev, I.D., Lebedev, V.S.), **246**, 193
Photometry of distant clusters of galaxies: evolutionary features in the cluster 2158 + 0351 (z=0.45) (Molinari, E., Buzzoni, A., Chincarini, G), **246**, 576
Probabilities of voids (Betancort-Rijo, J.), **246**, 608
Are there radio voids? (Banhatti, D.G.), **246**, 7P
Inverting cluster gravitational lenses (Kochanek, C.S.), **247**, 135
Large-scale structure and the adhesion approximation (Weinberg, D.H., Gunn, J.E.), **247**, 260

Gamma-ray astronomy

Gamma rays from dark clouds (Feitzinger, J.V., Stüwe, J.A.), **242**, 395
The influence of the distribution of photon and electron angles on synchrotron models of gamma-ray burst spectra (Baring, M.G.), **244**, 49
Pair loading in compact sources (Done, C., Ghisellini, G., Fabian, A.C.), **245**, 1
VHE γ-ray emission from active galactic nuclei (Mastichiadis, A., Protheroe, R.J.), **246**, 279
Synchrotron X-ray and gamma-ray haloes of ultra-high-energy gamma-ray sources (Protheroe, R.J.), **246**, 628

Gravitation and gravitational radiation

Post-Newtonian hydrodynamics and post-Newtonian gravitational wave generation for numerical relativity (Blanchet, L., Damour, T., Schäfer, G.), **242**, 289
A test of Newtonian gravitation for large distances (McFarland, B.), **242**, 478
Erratum: Higher order gravitational radiation losses in binary systems (Blanchet, L., Schäfer, G.), **242**, 704
Why are the BL Lac objects AO 0235 + 164 and PKS 0537 – 441 not multiply imaged by gravitational lensing? (Narayan, R., Schneider, P.), **243**, 192
Analysis of gravitationally lensed microwave background anisotropies (Linder, E.V.), **243**, 353
The linearly perturbed sky (Linder, E.V.), **243**, 362
Upper limit G variability derived from the spin-down of PSR 0655 + 64 (Goldman, I.), **244**, 184
1830 – 211 – gravitationally lensed images of a flat-spectrum radio core? (Subrahmanyan, R., Narasimha, D., Pramesh, A., Swarup, G.), **246**, 263
The mass of the PSR 2303 + 46 system (Lyne, A.G., Bailes, M.), **246**, 15P
Inverting cluster gravitational lenses (Kochanek, C.S.), **247**, 135

Herbig–Haro objects

Optical polarization studies of Herbig–Haro objects – VII. HH120 in cometary globule CG30 (Scarrott, S.M., Gledhill, T.M., Rolph, C.D., Wolstencroft, R.D.), **242**, 419
HCO^+ observations of the Herbig–Haro objects 1 and 2 (Davis, C.J., Dent, W.R.F., Bell Burnell, S.J.), **244**, 173

Infrared astronomy

Southern *JHKL* standards (Carter, B.S.), **242**, 1
Implications of the correlation between the radio continuum and far-infrared luminosities of spiral galaxies (Rengarajan, T.N., Iyengar, K.V.K.), **242**, 74
Velocity profiles of high-excitation molecular hydrogen lines (Moorhouse, A., Brand, P.W.J.L., Geballe, T.R., Burton, M.G.), **242**, 88
On the behaviour of the IR Ca II triplet in normal and active galaxies (Terlevich, E., Díaz, A.I., Terlevich, R.), **242**, 271
The 60-μm and far-infrared luminosity functions of *IRAS* galaxies (Saunders, W., Rowan-Robinson, M., Lawrence, A., Efstathiou, G., Kaiser, N., Ellis, R.S., Frenk, C.S.), **242**, 318
The molecular hydrogen content of NGC 604 and other M33 H II region complexes (Israel, F.P., Hawarden, T.G., Geballe, T.R., Wade, R.), **242**, 471
The extreme, possible symbiotic Mira V 407 Cyg and its relevance to the OH/IR sources (Munari, U., Margoni, R., Stagni, R.), **242**, 653
The absolute magnitudes of RR Lyrae stars – III. DH Peg (Fernley, J.A., Skillen, I., Jameson, R.F., Longmore, A.J.), **242**, 685
Broad infrared line emission from the nuclei of Seyfert 2 galaxies (Blanco, P.R., Ward, M.J., Wright, G.S.), **242**, 4P
Infrared observations of the eclipsing millisecond pulsar 1957 + 20 (Eales, S.A., Becklin, E.E., Zuckerman, B., McLean, I.S.), **242**, 17P
Infrared images and photometry of the cluster near G 0.15 – 0.05 (Glass, I.S., Moneti, A., Moorwood, A.F.M.), **242**, 55P
Red giants with unusual dust shells – I. The database (Skinner, C.J., Griffin, I., Whitmore, B.), **243**, 78

New old PN in the southern sky (Melmer, D., Weinberger, R.), **243**, 236
Carbon stars with silicate dust shells – I. Carbon stars with enhanced ^{13}C (J stars) (Lloyd Evans, T.), **243**, 336
The 3.4-μm interstellar absorption feature in Cyg OB2 no. 12 (Adamson, A.J., Whittet, D.C.B., Duley, W.W.), **243**, 400
New SiO masers associated with bright southern *IRAS* sources (Hall, P.J., Allen, D.A., Troup, E.R., Wark, R.M., Wright, A.E.), **243**, 480
Multi-frequency variations of the Wolf–Rayet system HD 193793 – I. Infrared, X-ray and radio observations (Williams, P.M., Hucht van der, K.A., Pollock, A.M.T., Florkowski, D.R., van der Huch, H., Wamsteker, W.M.), **243**, 662
Simultaneous multifrequency observations of the Seyfert 1 galaxy NGC 4051: constant optical–infrared emission observed during large amplitude X-ray variability (Done, C., Ward, M.J., Fabian, A.C., Kunieda, H., Tsuruta, S., Lawrence, A., Smith, M.G., Wamsteker, W.), **243**, 713
The alignment of the radio and infrared structures of 3C356 and its implications for other high-z radiogalaxies (Eales, S.A., Rawlings, S.), **243**, 1P
Millimetre and infrared observations of the wind from the Wolf–Rayet star γ Velorum (Williams, P.M., van der Hucht, K.A., Sandell, G., Thé P.S.), **244**, 101
An infrared sequence in the late stages of stellar evolution (Kwok, S.), **244**, 179
A combined optical, infrared and radio study of the megamaser galaxy III Zw 35 (Chapman, J.M., Staveley-Smith, L., Axon, D.J., Unger, S.W., Cohen, R.J., Pedlar, A., Davies, R.D.), **244**, 281
Dust around H II regions – II. W49A (Ward-Thompson, D., Robson, E.I.), **244**, 458
An optical and near-infrared polarization survey of Seyfert and broad-line radio galaxies – I. Statistical properties (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Ward, M.J., Sparks, W.B., McLean, I.S.), **244**, 577
An optical and near-infrared polarization survey of Seyfert and broad-line radio galaxies – II. The wavelength dependence of polarization (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Ward, M.J., Sparks, W.B., McLean, I.S.), **244**, 604
The source of luminosity at the Galactic Centre (Allen, D.A., Hyland, A.R., Hillier, D.J.), **244**, 706
Erratum: Infrared images and photometry of the cluster near G 0.15–0.05 (Glass, I.S., Moneti, A., Moorwood, A.F.M.), **244**, 767
G25.5 + 0.2: a very young supernova remnant or a galactic planetary nebula? (White, R.L., Becker, R.H.), **244**, 12P
Implications of the correlation between radio and far-infrared emission for spiral galaxies (Chi, X., Wolfendale, A.W.), **245**, 101
H_2 profiles of C-type bow shocks (Smith, M.D., Brand, P.W.J.L.), **245**, 108
Effective temperatures of RCB stars (Goldsmith, M.J., Evans, A., Albinson, J.S., Bode, M.F.), **245**, 119
The nature of the bipolar nebula associated with *IRAS* 07131 - 0147 (Scarrott, S.M., Rolph, C.D., Wolstencroft, R.D., Walker, H.J., Sekiguchi, K.), **245**, 484
Direct observation of radioactive cobalt decay in Supernova 1987A (Varani, G.-F., Meikle, W.P.S., Spyromilio, J., Allen, D.A.), **245**, 570
Multi-colour, 8–13 μm maps of the central parsec of the Galaxy (Smith, C.H., Aitken, D.K., Roche, P.F.), **246**, 1
The 1989 outburst of the recurrent nova V745 Sco (Sekiguchi, K., Whitelock, P.A., Feast, M.W., Barrett, P.E., Caldwell, J.A.R., Carter, B.S., Catchpole, R.M., Laing, J.D., Laney, C.D., Marang, F., van Wyk, F.), **246**, 78
Binary starbursts in normal and colour-selected *IRAS* galaxies (Sopp, H., Alexander, P., Riley, J.), **246**, 143
Modelling the *IRAS* zodiacal emission (Rowan-Robinson, M., Hughes, J., Vedi, K., Walker, D.W.), **246**, 273
Optical constants of hydrous silicates from 7 to 400 μm (Koike, C., Shibai, H.), **246**, 332
Massive thin accretion discs – III. Comparison with the observations (Laor, A.), **246**, 369
Compact radio and infrared sources near the centre of the bipolar outflow NGC 2264D (Mendoza, E.E., Rodriguez, L.F., Chavarria, K., Neri, L.), **246**, 518
Infrared photometry and spectroscopy of nova PW Vul 1984 (Evans, A., Callus, C.M., Whitelock, P.A., Laney, D.), **246**, 527
Infrared imaging polarimetry and photometry of S106 (Aspin, C., Rayner, J.T., McLean, I.S., Hayashi, S.S.), **246**, 565
The 8190-Å sodium doublet in cataclysmic variables – II. Too cool for comfort (Friend, M.T., Martin, J.S., Connon Smith, R., Jones, D.H.P.), **246**, 637
The 8190-Å sodium doublet in cataclysmic variables – III. Too cool for credibility (Friend, M.T., Martin, J.S., Connon Smith, R., Jones, D.H.P.), **246**, 654
Excitation and de-excitation of interstellar PAH emitters (Duley, W.W.), **246**, 18P
IRAS 07027–7934: a probable new [WC11] star (Menzies, J.W., Wolstencroft, R.D.), **247**, 177
The absolute magnitudes of RR Lyrae stars – IV. V445 Ophiuchi, SS Leonis and VY Serpentis (Fernley, J.A., Skillen, I., Jameson, R.F., Barnes, T.G., Kilkenny, D., Hill, G.), **247**, 287
Carbon atom clusters in random covalent networks: PAHs as an integral component of interstellar HAC (Jones, A.P.), **247**, 305
An optical and near-infrared polarization survey of early-type radio galaxies (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Sparks, W.B.), **247**, 327

Instruments and techniques

A millimetre/submillimetre common user photometer for the James Clerk Maxwell Telescope (Duncan, W.D., Robson, E.I., Ade, P.A.R., Griffin, M.J., Sandell, G.), **243**, 126
Controlled bending of a thin mirror to regain figure after warping due to edge-cutting (Humphries, C.M.), **243**, 177
Detection of a bright feature on the surface of Betelgeuse (Buscher, D.F., Haniff, C.A., Baldwin, J.E., Warner, P.J.), **245**, 7P
Multi-frequency synthesis: a new technique in radio interferometric imaging (Conway, J.E., Cornwell, T.J., Wilkinson, P.N.), **246**, 490
Proper motion surveys with Schmidt plates – I. The North Galactic Pole (Reid, N.), **247**, 70
A new form of spectrograph camera (Wynne, C.G.), **247**, 173

Intergalactic medium

The kinematics of warm clouds in cooling flows; a case for turbulence (Loewenstein, M., Fabian, A.C.), **242**, 120
GINGA observations of Abell 2218: implications for H_0 (McHardy, I.M., Stewart, G.C., Edge, A.C., Cooke, B., Yamashita, K., Hatsukade, I.), **242**, 215
Numerical study of the non-linear stage of thermal instability in cooling flows (Hattori, M., Habe, A.), **242**, 399
The redshift projection – II. Caustics and the Lyman α forest (McGill, C.), **242**, 544
QSO absorption lines – minimal clustering models (Liu, X.D., Jones, B.J.T.), **242**, 678
Thermal stability of one-dimensional optically thin steady flows – I. Cooling by bremsstrahlung radiation (Ibañez, M.H.), **243**, 267
The influence of cluster cooling flows on imaging X-ray surveys (Pesce, J.E., Fabian, A.C., Edge, A.C., Johnstone, R.M.), **244**, 58
Average Lyman absorption from simulated QSO spectra (Giallongo, E., Gratton, R., Trevese, D.), **244**, 450
Extended emission-line gas around the quasars 3C 254 and 3C 309.1; very massive cooling flows (Forbes, D.A., Crawford, C.S., Fabian, A.C., Johnstone, R.M.), **244**, 680
Do Lyman α clouds cluster around galaxies? (Barcons, X., Webb, J.K.), **244**, 3P
Turbulent mixing layers in the interstellar and intracluster medium (Begelman, M.C., Fabian, A.C.), **244**, 26P
The formation of dark matter in cooling flows (Thomas, P.A., Fabian, A.C.), **246**, 156
A new model for quasar absorption clouds (Doroshkevich, A.G., Mücket, J.P., Müller, V.), **246**, 200
The Lyman α forest at 6km s^{-1} resolution (Pettini, M., Hunstead, R.W., Smith, L.J., Mar, D.P.), **246**, 545

Interplanetary medium

Modelling the *IRAS* zodiacal emission (Rowan-Robinson, M., Hughes, J., Vedi, K., Walker, D.W.), **246**, 273
A limit to the spatial power spectrum of the interplanetary medium on scales greater than 100km (Woan, G., Duffett-Smith, P.J.), **247**, 118
Rotational damping of small interplanetary particles (Jones, W.), **247**, 257

Interstellar grains

Photographic imaging of light echoes from SN 1987A (Couch, W.J., Allen, D.A., Malin, D.F.), **242**, 555
Very broad-band structure and emission by hydrogenated amorphous carbon), Duley, W.W., Whittet, D.C.B.), **242**, 4P
The grain-surface formation of complex molecules (Brown, P.D.), **243**, 65
Red giants with unusual dust shells – I. The database (Skinner, C.J., Griffin, I., Whitmore, B.), **243**, 78
A 450-μm continuum map of M82: comparison with the CO emission (Smith, P.A., Brand, P.W.J.L., Puxley, P.J., Mountain, C.M., Nakai, N.), **243**, 97
Magnetic flux loss from interstellar clouds (Umebayashi, T., Nakano, T.), **243**, 103
Carbon stars with silicate dust shells – I. Carbon stars with enhanced ^{13}C (J stars) (Lloyd Evans, T.), **243**, 336
The 3.4-μm interstellar absorption feature in Cyg OB2 no. 12 (Adamson, A.J., Whittet, D.C.B., Duley, W.W.), **243**, 400
An optical polarization study of the nebulosity associated with OH231.8 + 4.2 (Scarrott, S.M., Rolph, C.D., Wolstencroft, R.D.), **243**, 462
The λ 2175 Å feature from irradiated graphitic particles (Sorrell, W.H.), **243**, 570
Grains in shocks in weakly ionized clouds – I. A one-fluid treatment of grain dynamics (Pilipp, W., Hartquist, T.W., Havnes, O.), **243**, 685
Spectroscopic studies of R Cr B during light minima: absorption spectrum (Kameswara Rao, N., Giridhar, S., Ashoka, B.N.), **244**, 29
The 1988 decline of R Coronae Borealis (Cottrell, P.L., Lawson, W.A., Buchhorn, M.), **244**, 149
An infrared sequence in the late stages of stellar evolution (Kwok, S.), **244**, 179
The dust content of two carbon-rich planetary nebulae (Hoare, M.G.), **244**, 193
A model for the planetary nebula NGC 7027 (Middlemass, D.), **244**, 294
On the abundance of silicon carbide dust in the interstellar medium (Whittet, D.C.B., Duley, W.W., Martin, P.G.), **244**, 427
Chemical models of interstellar gas–grain processes – I. Modelling and the effect of accretion on gas abundance and mantle composition in dense clouds (Brown, P.D., Charnley, S.B.), **244**, 432
Dust around H II regions – II. W49A (Ward-Thompson, D., Robson, E.I.), **244**, 458
An optical and near-infrared polarization survey of Seyfert and broad-line radio galaxies – II. The wavelength dependence of polarization (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Ward, M.J., Sparks, W.B., McLean, I.S.), **244**, 604
A submillimetre and millimetre halo in M82 (Hughes, D.H., Gear, W.K., Robson, E.I.), **244**, 759
Ice mantles in Barnard 5 IRS1 (Charnley, S.B., Whittet, D.C.B., Williams, D.A.), **245**, 161
Possible assignment of the 11.3 -μm UIR feature to emission from carbonaceous microparticles with internal hydrogens (Balm, S.P., Kroto, H.W.), **245**, 193
Radiative transfer in axisymmetric dust clouds (Efstathiou, A., Rowan-Robinson, M.), **245**, 275
Iron or iron oxide grains in the interstellar medium? (Jones, A.P.), **245**, 331
The nature of the bipolar nebula associated with *IRAS* 07131 - 0147 (Scarrott, S.M., Rolph, C.D., Wolstencroft, R.D., Walker, H.J., Sekiguchi, K.), **245**, 484
Dynamical models of molecular clouds: nitrogen chemistry (Nejad, L.A.M., Williams, D.A., Charnley, S.B.), **246**, 183
Optical constants of hydrous silicates from 7 to 400 μm (Koike, C., Shibai, H.), **246**, 332
Inclination effects on galaxy photometry using finite apertures (Hesselbjerg Christensen, J.), **246**, 535
Infrared imaging polarimetry and photometry of S106 (Aspin, C., Rayner, J.T., McLean, I.S., Hayashi, S.S.), **246**, 565
Carbon atom clusters in random covalent networks: PAHs as an integral component of interstellar HAC (Jones, A.P.), **247**, 305
Cosmic-ray-induced desorption and high depletions in dense cores of interstellar clouds (Hartquist, T.W., Williams, D.A.), **247**, 343

Interstellar medium

High-velocity gas components towards 4 Lac (Bates, B., Catney, M.G., Keenan, F.P.), **242**, 267
Gamma rays from dark clouds (Feitzinger, J.V., Stüwe, J.A.), **242**, 395
Contraction of rotating magnetized clouds (Nakano, T.), **242**, 535
The heavy element abundance in the $z = 2.076$ absorption system towards the QSO 2206 – 199N (Rauch, M., Carswell, R.F., Robertson, J.G., Shaver, P.A., Webb, J.K.), **242**, 698
An investigation of oscillator strength calculations for interstellar lines of Cl II (Keenan, F.P., Dufton, P.L.), **242**, 52P
Magnetic flux loss from interstellar clouds (Umebayashi, T., Nakano, T.), **243**, 103
Inhomogeneous distribution of interstellar clouds induced by collisional fragmentations (Nozakura, T.), **243**, 543
The optical interstellar spectrum of HD 26571 (Crawford, I.A.), **243**, 593
Grains in shocks in weakly ionized clouds – I. A one-fluid treatment of grain dynamics (Pilipp, W., Hartquist, T.W., Havnes, O.), **243**, 685
Intensity variations of the Crab pulsar and refractive interstellar scintillation (Rickett, B.J., Lyne, A.G.), **244**, 68
On the abundance of silicon carbide dust in the interstellar medium (Whittet, D.C.B., Duley, W.W., Martin, P.G.), **244**, 247
The interstellar environment of SN 1987A (Meaburn, J.), **244**, 551
On the evolution of supernova remnants – I. Explosions inside pre-existing wind-driven bubbles (Tenorio-Tagle, G., Bodenheimer, P., Franco, J., Rózyczka, M.), **244**, 563
Observations of interstellar CN and C_2 towards the Scorpius OBI association (Crawford, I.a.), **244**, 646
Swing excitation of galactic magnetic fields induced by spiral density waves (Chiba, M., Tosa, M.), **244**, 714
Lyα radiation pressure in galaxies (Bithell, M.), **244**, 738
On the role of a strongly flattened galactic halo in the decaying dark matter hypothesis (Sciama, D.W.), **244**, 1P
Decaying dark matter and the mass model of the Galaxy (Salucci, P., Sciama, D.W.), **244**, 9P
Turbulent mixing layers in the interstellar and intracluster medium (Begelman, M.C., Fabian, A.C.), **244**, 26P
Disc-like magneto-gravitational equilibria – II (Barker, D.M., Mestel, L.), **245**, 147
High-resolution interstellar and stellar line profiles of stars in the globular cluster M22 (Bates, B., Catney, M.G., Keenan, F.P.), **245**, 238
CCD spectroscopy of SMC supergiants (Nandy, K., Morgan, D.H., Houziaux, L.), **245**, 318
Long slit observations of emitting gas in the Vela supernova remnant (Wallerstein, G., Balick, B.), **245**, 701
The 7C survey of radio sources at 151 MHz: a search for low-frequency variability (McGilchrist, M.M., Riley, J.M.), **246**, 123
On the particle mass in the decaying dark-matter hypothesis (Sciama, D.W.), **246**, 191
Gravitational collapse of rotating protostellar gas clouds not constrained by the condition of equatorial symmetry (Sigalotti, L.D.G.), **246**, 243

Laboratory astrophysics

The reaction between Si^+ and H_20. Interstellar implications (Wlodek, S., Bohme, D.K., Herbst, E.), **242**, 674
Very broad-band structure and emission by hydrogenated amorphous carbon (Duley, W.W., Whittet, D.C.B.), **242**, 4P

Optical constants of hydrous silicates from 7 to 400 μm (Koike, C., Shibai, H.), **246**, 332

Magellanic Clouds

Chemical modelling of dark clouds in the LMC and SMC (Millar, T.J., Herbst, E.), **242**, 92
Wolf–Rayet stars in the Large Magellanic Cloud (Morgan, D.H., Good, A.R.), **243**, 459
CCD spectroscopy of SMC supergiants (Nandy, K., Morgan, D.H., Houziaux, L.), **245**, 318
Recurrent nova in the Large Magellanic Cloud - Nova LMC 1990 No. 2 (Sekiguchi, K., Stobie, R.S., Buckley, D.A.H., Caldwell, J.A.R.), **245**, 28P
A morphological criterion for distinguishing between supernova remnants and H II regions (Inglis, M.D., Kitchin, C.R.), **246**, 358

Masers

An interpretation of asymmetric OH maser emission at 1612 MHz (Szymczak, M.), **243**, 375
New SiO masers associated with bright southern *IRAS* sources (Hall, P.J., Allen, D.A., Troup, E.R., Wark, R.M., Wright, A.E.), **243**, 480
The excitation and physical nature of megamasers (Burdyuzha, V.V., Vikulov, K.A.), **244**, 86
A combined optical, infrared and radio study of the megamaser galaxy III Zw 35 (Chapman, J.M., Staveley-Smith, L., Axon, D.J., Unger, S.W., Cohen, R.J., Pedlar, A., Davies, R.D.), **244**, 281
Line overlap for interstellar molecules with application to OH (Doel, R.C., Gray, M.D., Field, D.), **244**, 504
The $(j, k) = (3, 3)$ inversion line of NH_3 – a possible interstellar chronometer (Flower, D.R., Offer, A., Schilke, P.), **244**, 4P
Compact radio and infrared sources near the centre of the bipolar outflow NGC 2264D (Mendoza, E.E., Rodriguez, L.F., Chavarria, K.C. , Neri, L.), **246**, 518
Accurate positions of OH/IR stars (Lewis, B.M., Chengalur, J.N., Schmelz, J., Terzian, Y.), **246**, 523
Magnetic-field decay in the bipolar outflow source Cepheus A (Cohen, R.J., Brebner, G.C., Potter, M.M.), **246**, 3P
Excitation and de-excitation of interstellar PAH emitters (Duley, W.W.), **246**, 18P

Meteors

The spatial density of large meteoroids in the inner solar system (Hughes, D.W., McBride, N.), **243**, 312
The mass distribution of comets and meteoroid streams and the shower/sporadic ratio in the incident visual meteoroid flux (Hughes, D.W.), **245**, 198

Microwave background

The cosmological constant and galaxy formation (Durrer, R., Straumann, N.), **242**, 221
Large N-body simulations of a universe dominated by cold dark matter (Park, C.), **242**, 59P
Analysis of gravitationally lensed microwave background anisotropies (Linder, E.V.), **243**, 353
The linearly perturbed sky (Linder, E.V.), **243**, 362
Microwave background constraints on the Voronoi model of large-scale structure (Coles, P., Barrow, J.D.), **244**, 557
Fluctuations in the cosmic microwave background (Banday, A.J., Wolfendale, A.W.), **245**, 182

Molecules and molecular clouds

Velocity profiles of high-excitation molecular hydrogen lines (Moorhouse, A., Brand, P.W.J.L., Geballe, T.R., Burton, M.G.), **242**, 88
Chemical modelling of dark clouds in the LMC and SMC (Millar, T.J., Herbst, E.), **242**, 92
The formation of molecular gas rings in galactic central regions (Lesch, H., Biermann, P.L., Crusius, A., Reuter, H.P., Dahlem, M., Barteldrees, A., Wielebinski, R.), **242**, 194
The molecular hydrogen content of NGC 604 and other M33 H II region complexes (Israel, F.P., Hawarden, T.G., Geballe, T.R., Wade, R.), **242**, 471
Cool C-shocks and high-velocity flows in molecular clouds (Smith, M.D., Brand, P.W.J.L.), **242**, 495
The erosion of PAH molecules within shocks in dark clouds (Flower, D.R., Heck, L., Pineau des Forêts, G., Millar, T.J.), **242**, 512
The reaction between Si^+ and H_20. Interstellar implications (Wlodek, S., Bohme, D.K., Herbst, E.), **242**, 674
The grain-surface formation of complex molecules (Brown, P.D.), **243**, 65
A 450-μm continuum map of M82: comparison with the CO emission (Smith, P.A., Brand, P.W.J.L., Puxley, P.J., Mountain, C.M., Nakai, N.), **243**, 97
Influence of supersonic turbulence on self-gravitating flows (Léorat, J., Passot, T., Pouquet, A.), **243**, 293
B335: protostar or embedded pre-main-sequence star? (Chandler, C.J., Gear, W.K., Sandell, G., Hayashi, S., Duncan, W.D., Griffin, M.J., Hazell, A.S.), **243**, 330
An interpretation of asymmetric OH maser emission at 1612 MHz (Szymczak, M.), **243**, 375
Chemical evolution in molecular clump–stellar wind interfaces (Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A.), **243**, 405
Signatures of C-shocks in molecular clouds (Smith, M.D., Brand, P.W.J.L.), **243**, 498
The optical interstellar spectrum of HD 26571 (Crawford, I.A.), **243**, 593
Grains in shocks in weakly ionized clouds – I. A one-fluid treatment of grain dynamics (Pilipp, W., Hartquist, T.W., Havnes, O.), **243**, 685
Spectroscopic studies of R Cr B during light minima: absorption spectrum (Kameswara Rao, N., Giridhar, S., Ashoka, B.N.), **244**, 29
The excitation and physical nature of megamasers (Burdyuzha, V.V., Vikulov, K.A.), **244**, 86
New radio observations of the Circinus Galaxy (Harnett, J.I., Whiteoak, J.B., Reynolds, J.E., Gardner, F.F., Tzioumis, A.), **244**, 130
HCO^+ observations of the Herbig–Haro objects 1 and 2 (Davis, C.J., Dent, W.R.F., Bell Burnell, S.J.), **244**, 173
Ultraviolet pumping of molecular hydrogen in diffuse cloud shocks (Wagenblast, R., Hartquist, T.W.), **244**, 265
Erratum: Cool C-shocks and high-velocity flows in molecular clouds (Smith, M.D., Brand, P.W.J.L.), **244**, 384
Chemical models of interstellar gas-grain processes – I. Modelling and the effect of accretion on gas abundance and mantle composition in dense clouds (Brown, P.D., Charnley, S.B.), **244**, 432
The formation of carbon chain molecules in IRC + 10216 (Howe, D.A., Millar, T.J.), **244**, 444
Dust around H II regions – II. W49A (Ward-Thompson, D., Robson, E.I.), **244**, 458
Line overlap for interstellar molecules with application to OH (Doel, R.C., Gray, M.D., Field, D.), **244**, 504
Observations of interstellar CN and C_2 towards the Scorpius OBI association (Crawford, I.A.), **244**, 646
The formation of nitrogen-bearing species in dark interstellar clouds (Pineau des Forêts, G., Roueff, E., Flower, D.R.), **244**, 668
The $(j, k,) = (3, 3)$ inversion line of NH_3 – a possible interstellar chronometer (Flower, D.R., Offer, A., Schilke, P.), **244**, 4P
H_2 profiles of C-type bow shocks (Smith, M.D., Brand, P.W.J.L.), **245**, 108
Disc-like magneto-gravitational equilibria – II (Barker, D.M., Mestel, L.), **245**, 147
Ice mantles in Barnard 5 IRSI (Charnley, S.B., Whittet, D.C.B., Williams, D.A.), **245**, 161
Possible assignment of the 11.3 -μm UIR feature to emission from carbonaceous microparticles with internal hydrogens (Balm, S.P., Kroto, H.W.), **245**, 193

Spiral heating of galactic discs (Jenkins, A., Binney, J.), **245**, 305
Fragmentation of a converging shock (Kimura, T., Tosa, M.), **245**, 365
Interstellar chemistry: hot-ion reactions (Brown, R.D., Cragg, D.M., Bettens, R.P.A.), **245**, 623
Australia Telescope observations of excited-state OH transitions in NGC 4945 (Whiteoak, J.B., Wilson, W.E.), **245**, 665
A compact CO bipolar outflow from NGC 2024 FIR6 (Richer, J.S.), **245**, 24P
The stability of magnetohydrodynamic shock waves in molecular clouds (Wardle, M.), **246**, 98
Dynamical models of molecular clouds: nitrogen chemistry (Nejad, L.A.M., Williams, D.A., Charnley, S.B.), **246**, 183
Chemistry in supernova 1987A (Rawlings, J.M.C., Williams, D.A.), **246**, 208
Mapping the outflow of OH5.89 – 0.39 (Zijlstra, A.A., Pottasch, S.R., Engels, D., Roelfsema, P.R., te Lintel Hekkert, P., Umanas, G.), **246**, 217
Compact radio and infrared sources near the centre of the bipolar outflow NGC 2264D (Mendoza, E.E., Rodriguez, L.F., Chavarria, K.C., Neri, L.), **246**, 518
Chemical evolution of spiral galaxies: models with star formation proportional to molecular hydrogen (Tosi, M., Díaz, A.I.), **246**, 616
Gas motions within the giant H II complex NGC3603 – III (Clayton, C.A.), **246**, 712
Magnetic-field decay in the bipolar outflow source Cepheus A (Cohen, R.J., Brebner, G.C., Potter, M.M.), **246**, 3P
Excitation and de-excitation of interstellar PAH emitters (Duley, W.W.), **246**, 18P
Carbon atom clusters in random covalent networks: PAHs as an integral component of interstellar HAC (Jones, A.P.), **247**, 305
Cosmic-ray-induced desorption and high depletions in dense cores of interstellar clouds (Hartquist, T.W., Williams, D.A.), **247**, 343

Nebulae – gaseous

Spectrophotometry of the shell around AG Carinae (Mitra, P.M., Dufour, R.J.), **242**, 98
Stellar winds in H II regions – II. Turbulent mixing between an H II layer and a stellar wind bubble in the presence of a magnetic field (Kahn, F.D., Breitschwerdt, D.), **242**, 209
Gamma rays from dark clouds (Feitzinger, J.V., Stüwe, J.A.), **242**, 395
The molecular hydrogen content of NGC 604 and other M33 H II region complexes (Israel, F.P., Hawarden, T.G., Geballe, T.R., Wade, R.), **242**, 471
Contraction of rotating magnetized clouds (Nakano, T.), **242**, 535
Effective collision strengths for 1*s*–2*s* and 1*s*–2*p* electron–hydrogen atom scattering (Scholz, T.T., Walters, H.R.J., Burke, P.G., Scott, M.P.), **242**, 692
Detection of Ca II absorption triplet in a circummnuclear H II region of NGC 3310 (Terlevich, E., Díaz, A.I., Pastoriza, M.G., Terlevich, R., Dottori, H.), **242**, 48P
Magnetic flux loss from interstellar clouds (Umebayashi, T., Nakano, T.), **243**, 103
Rotation-dominant equilibria of isothermal clouds (Narita, S., Kiguchi, M., Miyama, S.M., Hayashi, C.), **244**, 349
Disc-like magneto-gravitational equilibria – II (Barker, D.M., Mestel, L.), **245**, 147
Mapping the outflow of OH5.89 – 0.39 (Zijlstra, A.A., Pottasch, S.R., Engels, D., Roelfsema, P.R., te Lintel Hekkert, P., Umanas, G.), **246**, 217
A morphological criterion for distinguishing between supernova remnants and H II regions (Inglis, M.D., Kitchin, C.R.), **246**, 358
Gas motions within the giant H II complex NGC3603 – III (Clayton, C.A.), **246**, 712

Nebulae – planetary

Extended [O II] emission around IC 418 and RX Puppis (Monk, D.J., Barlow, M.J., Clegg, R.E.S.), **242**, 457
Dynamical evolution of planetary nebulae – I. Formation of shells in an accelerating wind in protoplanetary nebulae (Kahn, F.D., Breitschwerdt, D.), **242**, 505
New old PN in the southern sky (Melmer, D., Weinberger, R.), **243**, 236
The dust content of two carbon-rich planetary nebulae (Hoare, M.G.), **244**, 193
A model for the planetary nebula NGC 7027 (Middlemass, D.), **244**, 294
Dynamical evolution of planetary nebulae – II. Ionization of shells in planetary nebulae and the formation of low-ionization knots (Breitschwerdt, D., Kahn, F.D.), **244**, 521
G25.5 + 0.2: a very young supernova remnant or a galactic planetary nebula? (White, R.L., Becker, R.H.), **244**, 12P
The evolutionary status of the peculiar variable star V348 Sagittarii (Pollacco, D.L., Tadhunter, C.N., Hill, P.W.), **245**, 204
IRAS 07027–7934: a probable new [WC11] star (Menzies, J.W., Wolstencroft, R.D.), **247**, 177

Nebulae – reflection

Optical polarization studies of Herbig–Haro objects – VI. The HH83/Re 17 complex in Orion (Rolph, C.D., Scarrott, S.M., Wolstencroft, R.D.), **242**, 109
Optical polarization studies of Herbig–Haro objects – VII. HH120 in cometary globule CG30 (Scarrott, S.M., Gledhill, T.M., Rolph, C.D., Wolstencroft, R.D.), **242**, 419
An optical polarization study of the nebulosity associated with OH231.8 + 4.2 (Scarrott, S.M., Rolph, C.D., Wolstencroft, R.D.), **243**, 462
Imaging polarimetry of the high-*z* radio galaxy 3C368 (Scarrott, S.M., Rolph, C.D., Tadhunter, C.N.), **243**, 5P
Re 10: a bipolar nebula in the Coalsack (Eaton, N., Rolph, C.D., Scarrott, S.M., Wolstencroft, R.D.), **244**, 527
The nature of the bipolar nebula associated with *IRAS* 07131 - 0147 (Scarrott, S.M., Rolph, C.D., Wolstencroft, R.D., Walker, H.J., Sekiguchi, K.), **245**, 484
The giant bipolar reflection nebula associated with Cygnus A (3C 405) (Tadhunter, C.N., Scarrott, S.M., Rolph, C.D.), **246**, 163

Neutron stars

Rotation of the neutron-drip superfluid in pulsars: temperature-dependence of the resistive force (Jones, P.B.), **244**, 675
Non-radial pulsations of neutron stars with a crust (Finn, L.S.), **245**, 82
HEAO-1 observations of the X-ray pulsar 1E2259 + 586 (Davies, S.R., Wood, K.S., Coe, M.J.), **245**, 268
Density discontinuity *g* - modes (McDermott, P.N.), **245**, 508
The rising phase of X-ray bursts from MXB 1728–34:constraints on the spreading of thermonuclear flashes over the surface of the neutron star (Day, C.S.R., Tawara, Y.), **245**, 31P
Self-consistent Comptonized models for the spectra of low-mass X-ray binaries (Ponman, T.J., Foster, A.J., Ross, R.R.), **246**, 287
Rotation of the neutron-drip superfluid in pulsars: period discontinuities and internal temperatures (Jones, P.B.), **246**, 315
The generation of timing noise by superfluid rotation in pulsars (Jones, P.B.), **246**, 364
A spin-down mechanism for accreting neutron stars (Illarionov, A.F., Kompaneets, D.A.), **247**, 219

Novae

Secular brightness variation of the dwarf nova Z Cha during quiescence (van Amerongen, S., Kuulkers, E., van Paradijs, J.), **242**, 522
Is V426 Ophiuchi really an intermediate polar? (Hellier, C., O'Donoghue, D., Buckley, D., Norton, A.), **242**, 32P
Polarimetry of the recurrent nova RS Oph during its 1985 outburst (Cropper, M.), **243**, 144
Can the quiescent accretion discs in the dwarf novae OY Car and Z Cha be in a steady state? (Wood, J.H.), **243**, 219
Time dependence of the UV resonance lines in the cataclysmic variables SU UMa, RX And and 0623 + 71 (Woods, J.A., Drew, J.E., Verbunt, F.), **245**, 323

Photometry of an eclipsing nova V1668 Cyg (Kałuzny, J.), **245**, 547
Recurrent nova in the Large Magellanic Cloud - Nova LMC 1990 No. 2 (Sekiguchi, K., Stobie, R.S., Buckley, D.A.H., Caldwell, J.A.R.), **245**, 28P
Observational evidence for tidal effects in cataclysmic variable accretion discs (O'Donoghue, D.), **246**, 29
The 1989 outburst of the recurrent nova V745 Sco (Sekiguchi, K., Whitelock, P.A., Feast, M.W., Barrett, P.E., Caldwell, J.A.R., Carter, B.S., Catchpole, R.M., Laing, J.D., Laney, C.D., Marang, F., van Wyk, F.), **246**, 78
Physical conditions and elemental abundances in the symbiotic novae V 1016 Cyg, HM Sge and HBV 475 (Schmid, H.M., Schild, H.), **246**, 84
Infrared photometry and spectroscopy of nova PW Vul 1984 (Evans, A., Callus, C.M., Whitelock, P.A., Laney, D.), **246**, 527
Accretion disc atmospheres (Mineshige, S., Wood, J.H.), **247**, 43

Occultations

Photometric observations of the occultation of 28 Sgr by Titan (Forrest, R.W., Nicolson, I.K.M.), **243**, 1P

Photometry – non-stellar

The luminosity distributions of edge-on spiral and lenticular galaxies – II. Modelling the non-thin disc light in a sample of ten galaxies (Shaw, M.A., Gilmore, G.), **242**, 59
B and *R* CCD surface photometry of selected low surface brightness galaxies in the region of the Fornax cluster (Davies, J.I., Phillipps, S., Disney, M.J.), **244**, 385
Narrow-band photometry of comet P/Halley – OH and H_2O scalelengths and pre-perihelion production rates (Fitzsimmons, A., Williams, I.P., Williams, G.P., Andrews, P.J.), **244**, 453
Automated galaxy surface photometry – V. Detection of very low surface brightness galaxies (Irwin, M.J., Davies, J.I., Disney, M.J., Phillipps, S.), **245**, 289
Missing mass or missing light? (Davies, J.I.), **245**, 350
Models of elliptical galaxies: NGC 3379, 4261, 4278 and 4472 (van der Marel, R.P., Binney, J., Davies, R.L.), **245**, 582
Kinematics of the dwarf spheroidal galaxy NGC 205 (Carter, D., Sadler, E.M.), **245**, 12P
NGC 5084: a massive disc galaxy with a tilted ring (Zeilinger, W.W., Galletta, G., Madsen, C.), **246**, 324
The APM Galaxy Survey – II. Photometric corrections (Maddox, S.J., Efstathiou, G., Sutherland, W.J.), **246**, 433
Inclination effects on galaxy photometry using finite apertures (Hesselbjerg Christensen, J.), **246**, 535
Photometry of distant clusters of galaxies: evolutionary features in the cluster 2158 + 0351 (z=0.45) (Molinari, E., Buzzoni, A., Chincarini, G.), **246**, 576

Physical processes

The effect of rotation and a buried magnetic field on stellar oscillations (Gough, D.O., Thompson, M.J.), **242**, 25
The kinematics of warm clouds in cooling flows; a case for turbulence (Loewenstein, M., Fabian, A.C.), **242**, 120
Circular polarization in compact extragalactic radio sources (Björnsson, C.-I.), **242**, 158
Structure of the Universe in the two-dimensional model of adhesion (Kofman, L., Pogosyan, D., Shandarin, S.), **242**, 200
Stellar winds in H II regions – II. Turbulent mixing between an H II layer and a stellar wind bubble in the presence of a magnetic field (Kahn, F.D., Breitschwerdt, D.), **242**, 209
Two-dimensional radiative convection in the Eddington approximation (Edwards, J.M.), **242**, 224
Post-Newtonian hydrodynamics and post-Newtonian gravitational wave generation for numerical relativity (Blanchet, L., Damour, T., Schäfer, G.), **242**, 289
Gravity mode instabilities in differentially rotating discs (Glatzel, W.), **242**, 338
Numerical study of the non-linear stage of thermal instability in cooling flows (Hattori, M., Habe, A.), **242**, 399
Cool C-shocks and high-velocity flows in molecular clouds (Smith, M.D., Brand, P.W.J.L.), **242**, 495
Dynamical evolution of planetary nebulae – I. Formation of shells in an accelerating wind in protoplanetary nebulae (Kahn, F.D., Breitschwerdt, D.), **242**, 505
Contraction of rotating magnetized clouds (Nakano, T.), **242**, 535
Models of radio galaxies with tangled magnetic fields – I. Calculation of magnetic field transport, Stokes parameters and synchrotron losses (Matthews, A.P., Scheuer, P.A.G.), **242**, 606
Models of radio galaxies with tangled magnetic fields – II. Numerical simulations and their interpretation (Matthews, A.P., Scheuer, P.A.G.), **242**, 640
Excitation of fine structure transitions in O by H_2 (Flower, D.R.), **242**, 1P
Magnetic flux loss from interstellar clouds (Umebayashi, T., Nakano, T.), **243**, 103
Rotation of the neutron-drip superfluid in pulsars: the resistive force (Jones, P.B.), **243**, 257
Thermal stability of one-dimensional optically thin steady flows – I. Cooling by bremsstrahlung radiation (Ibañez, M.H.), **243**, 267
Influence of supersonic turbulence on self-gravitating flows (Léorat, J., Passot, T., Pouquet, A.), **243**, 293
Chemical evolution in molecular clump–stellar wind interfaces (Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A.), **243**, 405
The Virgo cluster as a test for quantization of extragalactic redshifts (Guthrie, B.N.G., Napier, W.M.), **243**, 431
Signatures of C-shocks in molecular clouds (Smith, M.D., Brand, P.W.J.L.), **243**, 498
A Gailitis-type dynamo in the magnetic CP stars? (Moss, D.), **243**, 537
The λ 2175 Å feature from irradiated graphitic particles (Sorrell, W.H.), **243**, 570
Equilibrium matter fields in the early universe (Barrow, J.D., Hawthorne, W.S.), **243**, 602
Standing shocks in isothermal rotating winds and accretion – II. Effects of viscous dissipation (Chakrabarti, S.K.), **243**, 610
Kelvin-Helmholtz instabilities in swirling jets (Coleman, C.S.), **244**, 35
The influence of the distribution of photon and electron angles on synchrotron models of gamma-ray burst spectra (Baring, M.G.), **244**, 49
Mass-loss solutions of massive stars (Lee, U.), **244**, 96
The response of the broad emission line region to ionizing continuum variations (Robinson, A., Pérez, E.), **244**, 138
Upper limit *G* variability derived from the spin-down of PSR 0655 + 64 (Goldman, I.), **244**, 184
Ultraviolet pumping of molecular hydrogen in diffuse cloud shocks (Wagenblast, R., Hartquist, T.W.), **244**, 265
Relativistic particles in SS433 (Heavens, A.F., Ballard, K.R., Kirk, J.G.), **244**, 474
Dynamical evolution of planetary nebulae – II. Ionization of shells in planetary nebulae and the formation of low-ionization knots (Breitschwerdt, D., Kahn, F.D.), **244**, 521
Synchrotron thermal instabilities in extended extragalactic radio sources (Bodo, G., Ferrari, A., Massaglia, S., Trussoni, E.), **244**, 530
Solar model from helioseismology and the neutrino flux problem (Dziembowski, W.A., Pamyatnykh, A.A., Sienkiewicz, R.), **244**, 542
On the evolution of supernova remnants – I. Explosions inside pre-existing wind-driven bubbles (Tenorio-Tagle, G., Bodenheimer, P., Franco, J., Rózyczka, M.), **244**, 563
The dissipation factor in contact binaries revisited (Sinjab, I.M., Robertson, J.A., Connon Smith, R.), **244**, 619
Accretion disc chromospheres in active galaxies (Mobasher, B., Raine, D.J.), **244**, 652
The formation of nitrogen-bearing species in dark interstellar clouds (Pineau des Forêts, G., Roueff, E., Flower, D.R.), **244**, 668
Rotation of the neutron-drip superfluid in pulsars: temperature-dependence of the resistive force (Jones, P.B.), **244**, 675
Swing excitation of galactic magnetic fields induced by spiral density waves (Chiba, M., Tosa, M.), **244**, 714
Turbulent mixing layers in the interstellar and intracluster medium (Begelman, M.C., Fabian, A.C.), **244**, 26P

Pair loading in compact sources (Done, C., Ghisellini, G., Fabian, A.C.), **245**, 1
A remote-sensing method for sub-wavelength grains on planetary surfaces by optical polarimetry (Geake, J.E., Geake, M.), **245**, 46
Disc-like magneto-gravitational equilibria – II (Barker, D.M., Mestel, L.), **245**, 147
A new method to solve linear pulsation problems (Gautschy, A., Glatzel, W.), **245**, 154
Erratum: The clustering of peaks in a random Gaussian field (Lumsden, S.L., Heavens, A.F., Peacock, J.A.), **245**, 192
Fragmentation of a converging shock (Kimura, T., Tosa, M.), **245**, 365
Oscillatory convection in sunspot umbrae (Weiss, N.O., Brownjohn, D.P., Hurlburt, N.E., Proctor, M.R.E.), **245**, 434
Reaction rates and energy distributions for elementary processes in relativistic pair plasmas (Coppi, P.S., Blandford, R.D.), **245**, 453
Density discontinuity *g* - modes (McDermott, P.N.), **245**, 508
Interstellar chemistry: hot-ion reactions (Brown, R.D., Cragg, D.M., Bettens, R.P.A.), **245**, 623
Centrifugal-force reversal near a Schwarzschild black hole (Abramowicz, M.A., Prasanna, A.R.), **245**, 720
The rising phase of X-ray bursts from MXB 1728–34:constraints on the spreading of thermonuclear flashes over the surface of the neutron star (Day, C.S.R., Tawara, Y.), **245**, 31P
The stability of magnetohydrodynamic shock waves in molecular clouds (Wardle, M.), **246**, 98
Dynamical models of molecular clouds: nitrogen chemistry (Nejad, L.A.M., Williams, D.A., Charnley, S.B.), **246**, 183
On the particle mass in the decaying dark-matter hypothesis (Sciama, D.W.), **246**, 191
Gravitational collapse of rotating protostellar gas clouds not constrained by the condition of equatorial symmetry (Sigalotti, L.D.G.), **246**, 243
VHE g-ray emission from active galactic nuclei (Mastichiadis, A., Protheroe, R.J.), **246**, 279
VLBI, MERLIN and VLA observations of the blazar 1156 + 295: a bending relativistic jet (McHardy, I.M., Marscher, A.P., Gear, W.K., Muxlow, T., Lehto, H.J., Abraham, R.G.), **246**, 305
Rotation of the neutron-drip superfluid in pulsars: period discontinuities and internal temperatures (Jones, P.B.), **246**, 315
Main pulse-interpulse correlation and mode changing in PSR 1055 – 52 (Biggs, J.D.), **246**, 341
The generation of timing noise by superfluid rotation in pulsars (Jones, P.B.), **246**, 364
Accreting magnetofluid around a compact object with a dipolar magnetic field – Newtonian analysis (Tripathy, S.C., Prasanna, A.R., Das, A.C.), **246**, 384
The radio structore of NGC 1275 (Pedlar, A., Ghataure, H.S., Davies, R.D., Harrison, B.A., Perley, R., Crane, P.C., Unger, S.W.), **246**, 477
Coherent plasma processes and the continuum emission in active galactic nuclei (Krishan, V., Wiita, P.J.), **246**, 597
Quasi-linear response in a glitching pulsar (Michel, F.C., Bland Hawthorn, J., Lyne, A.G.), **246**, 624
Synchrotron X-ray and gamma-ray haloes of ultra-high-energy gamma-ray sources (Protheroe, R.J.), **246**, 628
Three-dimensional structured shocks in AM Herculis-type systems – I. The angular dependence of intensity and polarization from axisymmetric shocks (Wu, K., Wickramasinghe, D.T.), **246**, 686
Accretion disc atmospheres (Mineshige, S., Wood, J.H.), **247**, 43
A spin-down mechanism for accreting neutron stars (Illarionov, A.F., Kompaneets, D.A.), **247**, 219
Thermodynamical and evolutional properties of Kerr black holes (Okamoto, I., Kaburaki, O.), **247**, 244
Rotational damping of small interplanetary particles (Jones, W.), **247**, 257
Large-scale structure and the adhesion approximation (Weinberg, D.H., Gunn, J.E.), **247**, 260
Cosmic-ray-induced desorption and high depletions in dense cores of interstellar clouds (Hartquist, T.W., Williams, D.A.), **247**, 343
Hydrodynamic drag – a reply to Sinjab, Robertson and Smith (Hazlehurst, J.), **247**, 3P

Planets

Photometric observations of the occultation of 28 Sgr by Titan (Forrest, R.W., Nicolson, I.K.M.), **243**, 1P
N-body simulations of planetary formation (Beauge, C., Aarseth, S.J.), **245**, 30
A remote-sensing method for sub-wavelength grains on planetary surfaces by optical polarimetry (Geake, J.E., Geake, M.), **245**, 46

Polarization of starlight

Optical polarization studies of Herbig–Haro objects – VI. The HH83/Re 17 complex in Orion (Rolph, C.D., Scarrott, S.M., Wolstencroft, R.D.), **242**, 109
Optical polarization studies of Herbig–Haro objects – VII. HH120 in cometary globule CG30 (Scarrott, S.M., Gledhill, T.M., Rolph, C.D., Wolstencroft, R.D.), **242**, 419
Polarimetry of the recurrent nova RS Oph during its 1985 outburst (Cropper, M.), **243**, 144
An optical polarization study of the nebulosity associated with OH231.8 + 4.2 (Scarrott, S.M., Rolph, C.D., Wolstencroft, R.D.), **243**, 462
The optical and infrared emission of blazars (Ballard, K.R., Mead, A.R.G., Brand, P.W.J.L., Hough, J.H.), **243**, 640
Imaging polarimetry of the high-*z* radio galaxy 3C368 (Scarrott, S.M., Rolph, C.D., Tadhunter, C.N.), **243**, 5P
Re 10: a bipolar nebula in the Coalsack (Eaton, N., Rolph, C.D., Scarrott, S.M., Wolstencroft, R.D.), **244**, 527
An optical and near-infrared polarization survey of Seyfert and broad-line radio galaxies – I. Statistical properties (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Ward, M.J., Sparks, W.B., McLean, I.S.), **244**, 577
An optical and near-infrared polarization survey of Seyfert and broad-line radio galaxies – II. The wavelength dependence of polarization (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Ward, M.J., Sparks, W.B., McLean, I.S.), **244**, 604
Circular polarimetry of the faint AM Her system Grus-VI (Cropper, M., Bailey, J.A., Wickramasinghe, D.T., Ferrario, L.), **244**, 34P
A remote-sensing method for sub-wavelength grains on planetary surfaces by optical polarimetry (Geake, J.E., Geake, M.), **245**, 46
The giant bipolar reflection nebula associated with Cygnus A (3C 405) (Tadhunter, C.N., Scarrott, S.M., Rolph, C.D.), **246**, 163
Infrared imaging polarimetry and photometry of S106 (Aspin, C., Rayner, J.T., McLean, I.S., Hayashi, S.S.), **246**, 565

Pulsars

X-ray pulsar profile analysis (Leahy, D.A.), **242**, 188
Infrared observations of the eclipsing millisecond pulsar 1957 + 20 (Eales, S.A., Becklin, E.E., Zuckerman, B., McLean, I.S.), **242**, 17P
Rotation of the neutron-drip superfluid in pulsars: the resistive force (Jones, P.B.), **243**, 257
High-energy X-ray observations of A 0535 + 26 (Coe, M.J., Carstairs, I.R., Court, A.J., Davies, S.R., Dean, A.J., Dipper, N.A., Lewis, R.A., Perotti, F., Quadrini, E., Bazzano, A., Ubertini, P., Stephen, J.B.), **243**, 475
G*INGA* observations of the 6-s X-ray pulsar 1E1048.1 – 5937 (Corbet, R.H.D., Day, C.S.R.), **243**, 553
Intensity variations of the Crab pulsar and refractive interstellar scintillation (Rickett, B.J., Lyne, A.G.), **244**, 68
Upper limit *G* variability derived from the spin-down of PSR 0655 + 64 (Goldman, I.), **244**, 184
Rotation of the neutron-drip superfluid in pulsars: temperature-dependence of the resistive force (Jones, P.B.), **244**, 675
On the role of a strongly flattened galactic halo in the decaying dark matter hypothesis (Sciama, D.W.), **244**, 1P
HEAO-1 observations of the X-ray pulsar 1E2259 + 586 (Davies, S.R., Wood, K.S., Coe, M.J.), **245**, 268
Meridional compression of radio pulsar beams (Biggs, J.D.), **245**, 514
Rotation of the neutron-drip superfluid in pulsars: period discontinuities and internal temperatures (Jones, P.B.), **246**, 315
Main pulse-interpulse correlation and mode changing in PSR 1055 – 52 (Biggs, J.D.), **246**, 341
The generation of timing noise by superfluid rotation in pulsars (Jones, P.B.), **246**, 364

Quasi-linear response in a glitching pulsar (Michel, F.C., Bland Hawthorn, J., Lyne, A.G.), **246**, 624
When will the peculiar X-ray pulsar GX1 + 4 resume the fast spinup? (Sakao, T., Kohmura, Y., Makishima, K., Ohashi, T., Dotani, T., Kii, T., Makino, F., Nagase, F., Takeshima, T., Turner, M.J.L.), **246**, 11P
The mass of the PSR 2303 + 46 system (Lyne, A.G., Bailes, M.), **246**, 15P
A spin-down mechanism for accreting neutron stars (Illarionov, A.F., Kompaneets, D.A.), **247**, 219
The proper motions of six southern radio pulsars (Bailes, M., Manchester, R.N., Kesteven, M.J., Norris, R.P., Reynolds, J.E.), **247**, 322

Quasars

The variable X-ray absorption and soft X-ray excess of the QSO MR2251 – 178 (Pan, H.C., Stewart, G.C., Pounds, K.A.), **242**, 177
Apparent superluminal sources, comparative cosmology and the cosmic distance scale (Segal, I.E.), **242**, 423
The redshift projection – II. Caustics and the Lyman α forest (McGill, C.), **242**, 544
Models of radio galaxies with tangled magnetic fields – II. Numerical simulations and their interpretation (Matthews, A.P., Scheuer, P.A.G.), **242**, 640
QSO absorption lines – minimal clustering models (Liu, X.D., Jones, B.J.T.), **242**, 678
The heavy element abundance in the $z = 2.076$ absorption system towards the QSO 2206 – 199N (Rauch, M., Carswell, R.F., Robertson, J.G., Shaver, P.A., Webb, J.K.), **242**, 698
Reflection-dominated hard X-ray sources and the X-ray background (Fabian, A.C., George, I.M., Miyoshi, S., Rees, M.J.), **242**, 14P
A catalogue of faint, UV-excess objects (Boyle, B.J., Fong, R., Shanks, T., Peterson, B.A.), **243**, 1
Compact radio sources in the GB/GB2 sample – I. 10-GHz and 40-GHz observations (Machalski, J., Inoue, M.), **243**, 209
A composite QSO spectrum (Boyle, B.J.), **243**, 231
Ultraviolet spectra of a large sample of quasars – II. Variability of Lyα and CIV emission lines (Gondhalekar, P.M.), **243**, 443
The optical and infrared emission of blazars (Ballard, K.R., Mead, A.R.G., Brand, P.W.J.L., Hough, J.H.), **243**, 640
Luminous quasars at high redshift (Mitchell, P.S., Miller, L., Boyle, B.J.), **244**, 1
The bimodal radio luminosity function of quasars (Miller, L., Peacock, J.A., Mead, A.R.G.), **244**, 207
The X-ray emission of 3C273 (Turner, M.J.L., Williams, O.R., Courvoisier, T.J.-L., Stewart, G.C., Nandra, K., Pounds, K.A., Ohashi, T., Makishima, K., Inoue, H., Kii, T., Makino, F., Hayashida, K., Tanaka, Y., Takano, S., Koyama, K.), **244**, 310
MERLIN images of two compact steep-spectrum sources, 3C147 and 3C295 (Akujor, C.E., Spencer, R.E., Wilkinson, P.N.), **244**, 362
Average Lyman absorption from simulated QSO spectra (Giallongo, E., Gratton, R., Trevese, D.), **244**, 450
Extended emission-line gas around the quasars 3C 254 and 3C 309.1; very massive cooling flows (Forbes, D.A., Crawford, C.S., Fabian, A.C., Johnstone, R.M.), **244**, 680
A new kinematic analysis of broad line emission from QSOs (Field, D., Gray, M.D.), **244**, 696
Observations of the quasar 0800 + 608 (Jackson, N., Browne, I.W.A., Shone, D.L., Lind, K.R.), **244**, 750
Do Lyα clouds cluster around galaxies? (Barcons, X., Webb, J.K.), **244**, 3P
A search for quasars in a field around NGC 520 (Gosset, E., Clowes, R.G., Surdej , J., Swings, J.P.), **245**, 71
An investigation of galaxy clustering around QSOs using Palomar Sky Survey prints (Hayman, P.G.), **245**, 358
Erratum: Comparisons of positions of extragalactic compact radio sources (Brosche, P., Sinachopoulos, D.), **245**, 384
A VLA and MERLIN study of extragalactic radio sources with onesided structure (Saikia, D.J., Junor, W., Cornwell, T.J., Muxlow, T.W.B., Shastri, P.), **245**, 408
Observations of variable quasar candidates (Cristiani, S., Hawkins, M., Iovino, A., Pierre, M., Shaver, P.), **245**, 493
MERLIN observations of the unusual superluminal quasar 3C395 (Saikia, D.J., Muxlow, T.W.B., Junor, W.), **245**, 503
Do quasars with radio spectra peaked at gigahertz frequencies have extremely high redshifts? (O'Dea, C.P.), **245**, 2P
Radio polarization and the environment of 3C 275.1 (Liu, R., Pooley, G.), **245**, 17P
A new model for quasar absorption clouds (Doroshkevich, A.G., Mücket, J.P., Müller, V.), **246**, 200
VLBI, MERLIN and VLA observations of the blazar 1156 + 295: a bending relativistic jet (McHardy, I.M., Marscher, A.P., Gear, W.K., Muxlow, T., Lehto, H.J., Abraham, R.G.), **246**, 305
The Lyα forest at 6km s^{-1} resolution (Pettini, M., Hunstead, R.W., Smith, L.J., Mar, D.P.), **246**, 545
A one-sided jet in the giant quasar 4C74.26 (Riley, J.M., Warner, P.J.), **246**, 1P
The redshift cut-off in the luminosity function of radio galaxies and quasars (Dunlop, J.S., Peacock, J.A.), **247**, 19
A homogeneous catalogue of quasar candidates found with slitless spectroscopy (Beauchemin, M., Borra, E.F., Edwards, G.), **247**, 182

Radiative transfer

Circular polarization in compact extragalactic radio sources (Björnsson, C.-I.), **242**, 158
Two-dimensional radiative convection in the Eddington approximation (Edwards, J.M.), **242**, 224
An interpretation of asymmetric OH maser emission at 1612 MHz (Szymczak, M.), **243**, 375
Fe I – Mg II *k* line fluorescence in K giant and bright giant stars (Harper, G.M.), **243**, 381
Determination of solar-wind velocities using single-station measurements of interplanetary scintillation (Manoharan, P.K., Ananthakrishnan, S.), **244**, 691
Lyα radiation pressure in galaxies (Bithell, M.), **244**, 738
Radiative transfer in axisymmetric dust clouds (Efstathiou, A., Rowan-Robinson, M.), **245**, 275
Reaction rates and energy distributions for elementary processes in relativistic pair plasmas (Coppi, P.S., Blandford, R.D.), **245**, 453
Self-consistent Comptonized models for the spectra of low-mass X-ray binaries (Ponman, T.J., Foster, A.J., Ross, R.R.), **246**, 287

Radio astronomy

Implications of the correlation between the radio continuum and far-infrared luminosities of spiral galaxies (Rengarajan, T.N., Iyengar, K.V.K.), **242**, 74
Circular polarization in compact extragalactic radio sources (Björnsson, C.-I.), **242**, 158
Compact radio components in Sbc galaxies (Vila, M.B., Pedlar, A., Davies, R.D., Hummel, E., Axon, D.J.), **242**, 379
Apparent superluminal sources, comparative cosmology and the cosmic distance scale (Segal, I.E.), **242**, 423
Shell-like structure in 41.9 + 58, a powerful supernova remnant in M82 (Wilkinson, P.N., de Bruyn, A.G.), **242**, 529
The age of high-redshift radio galaxies (Bithell, M., Rees, M.J.), **242**, 570
Models of radio galaxies with tangled magnetic fields – I. Calculation of magnetic field transport, Stokes parameters and synchrotron losses (Matthews, A.P., Scheuer, P.A.G.), **242**, 606
Models of radio galaxies with tangled magnetic fields – II. Numerical simulations and their interpretation (Matthews, A.P., Scheuer, P.A.G.), **242**, 640
The structure of Cassiopeia A at metre wavelengths (Woan, G., Duffett-Smith, P.J.), **243**, 87
A 450-μm continuum map of M82: comparison with the CO emission (Smith, P.A., Brand, P.W.J.L., Puxley, P.J., Mountain, C.M., Nakai, N.), **243**, 97
A millimetre/submillimetre common user photometer for the James Clerk Maxwell Telescope (Duncan, W.D., Robson, E.I., Ade, P.A.R., Griffin, M.J., Sandell, G.), **243**, 126
Compact radio sources in the GB/GB2 sample – I. 10-GHz and 40-GHz observations (Machalski, J., Inoue, M.), **243**, 209

B335: protostar or embedded pre-main-sequence star? (Chandler, C.J., Gear, W.K., Sandell, G., Hayashi, S., Duncan, W.D., Griffin, M.J., Hazell, A.S.), **243**, 330
An interpretation of asymmetric OH maser emission at 1612 MHz (Szymczak, M.), **243**, 375
The Virgo cluster as a test for quantization of extragalactic redshifts (Guthrie, B.N.G., Napier, W.M.), **243**, 431
New SiO masers associated with bright southern *IRAS* sources (Hall, P.J., Allen, D.A., Troup, E.R., Wark, R.M., Wright, A.E.), **243**, 480
Optical positions of Seyfert galaxies – III (Argyle, R.W., Eldridge, P.), **243**, 504
Comments on the absolute flux density scale at low radio frequencies (Rees, N.), **243**, 637
Multi-frequency variations of the Wolf–Rayet system HD 193793 – I. Infrared, X-ray and radio observations (Williams, P.M., Hucht van der, K.A., Pollock, A.M.T., Florkowski, D.R., van der Hucht, W., Wamsteker, W.M.), **243**, 662
The alignment of the radio and infrared structures of 3C356 and its implications for other high-z radiogalaxies (Eales, S.A., Rawlings, S.), **243**, 1P
Imaging polarimetry of the high-z radio galaxy 3C368 (Scarrott, S.M., Rolph, C.D., Tadhunter, C.N.), **243**, 5P
The detection of four high-redshift ($0.5 \leq z \leq 3.22$) radiogalaxies by optical spectroscopy of five blank fields (Rawlings, S., Eales, S., Warren, S.), **243**, 14P
The excitation and physical nature of megamasers (Burdyuzha, V.V., Vikulov, K.A.), **244**, 86
Millimetre and infrared observations of the wind from the Wolf–Rayet star g Velorum (Williams, P.M., van der Hucht, K.A., Sandell, G., Thé, P.S.), **244**, 101
New radio observations of the Circinus Galaxy (Harnett, J.I., Whiteoak, J.B., Reynolds, J.E., Gardner, F.F., Tzioumis, A.), **244**, 130
HCO^+ observations of the Herbig–Haro objects 1 and 2 (Davis, C.J., Dent, W.R.F., Bell Burnell, S.J.), **244**, 173
The bimodal radio luminosity function of quasars (Miller, L., Peacock, J.A., Mead, A.R.G.), **244**, 207
A deep 38-MHz radio survey of the area $\delta > +60^\pm$ (Rees, N.), **244**, 233
A combined optical, infrared and radio study of the megamaser galaxy III Zw 35 (Chapman, J.M., Staveley-Smith, L., Axon, D.J., Unger, S.W., Cohen, R.J., Pedlar, A., Davies, R.D.), **244**, 281
MERLIN images of two compact steep-spectrum sources, 3C147 and 3C295 (Akujor, C.E., Spencer, R.E., Wilkinson, P.N.), **244**, 362
Dust around H II regions – II. W49A (Ward-Thompson, D., Robson, E.I.), **244**, 458
Relativistic particles in SS433 (Heavens, A.F., Ballard, K.R., Kirk, J.G.), **244**, 474
Synchrotron thermal instabilities in extended extragalactic radio sources (Bodo, G., Ferrari, A., Massaglia, S., Trussoni, E.), **244**, 530
Extended emission-line gas around the quasars 3C 254 and 3C 309.1; very massive cooling flows (Forbes, D.A., Crawford, C.S., Fabian, A.C., Johnstone, R.M.), **244**, 680
Determination of solar-wind velocities using single-station measurements of interplanetary scintillation (Manoharan, P.K., Ananthakrishnan, S.), **244**, 691
Observations of the quasar 0800 + 608 (Jackson, N., Browne, I.W.A., Shone, D.L., Lind, K.R.), **244**, 750
A submillimetre and millimetre halo in M82 (Hughes, D.H., Gear, W.K., Robson, E.I.), **244**, 759
The $(j, k) = (3, 3)$ inversion line of NH_3 – a possible interstellar chronometer (Flower, D.R., Offer, A., Schilke, P.), **244**, 4P
G25.5 + 0.2: a very young supernova remnant or a galactic planetary nebula? (White, R.L., Becker, R.H.), **244**, 12P
Implications of the correlation between radio and far-infrared emission for spiral galaxies (Chi, X., Wolfendale, A.W.), **245**, 101
Erratum: Comparisons of positions of extragalactic compact radio sources (Brosche, P., Sinachopoulos, D.), **245**, 384
The Sérsic – Pastoriza galaxy NGC 1808 – I. Radio-continuum, optical and H I observations (Saikia, D.J., Unger, S.W., Pedlar, A., Yates, G.J., Axon, D.J., Wolstencroft, R.D., Taylor, K., Gyldenkerne, K.), **245**, 397
A VLA and MERLIN study of extragalactic radio sources with onesided structure (Saikia, D.J., Junor, W., Cornwell, T.J., Muxlow, T.W.B., Shastri, P.), **245**, 408
The steep-spectrum low-frequency variable source 3C99: radio and optical observations (Mantovani, F., Saikia, D.J., Browne, I.W.A., Fanti, R., Muxlow, T.W.B., Padrielli, L.), **245**, 427
MERLIN observations of the unusual superluminal quasar 3C395 (Saikia, D.J., Muxlow, T.W.B., Junor, W.), **245**, 503
Meridional compression of radio pulsar beams (Biggs, J.D.), **245**, 514
Beam-sets – a new approach to the problem of wide-field mapping with non-coplanar base lines (Waldram, E.M., McGilchrist, M.M.), **245**, 532
Australia Telescope observations of excited-state OH transitions in NGC 4945 (Whiteoak, J.B., Wilson, W.E.), **245**, 665
Radio polarization and the environment of 3C 275.1 (Liu, R., Pooley, G.), **245**, 17P
Do quasars with radio spectra peaked at gigahertz frequencies have extremely high redshifts? (O'Dea, C.P.), **245**, 20P
A compact CO bipolar outflow from NGC 2024 FIR6 (Richer, J.S.), **245**, 24P
The 7C survey of radio sources at 151 MHz – two regions centred at RA 10^h28^m, Dec 41x and RA 06^h28^m, Dec 45x (McGilchrist, M.M., Baldwin, J.E., Riley, J.M., Titterington, D.J., Waldram, E.M., Warner, P.J.), **246**, 110
The 7C survey of radio sources at 151 MHz: a search for low-frequency variability (McGilchrist, M.M., Riley, J.M.), **246**, 123
Binary starbursts in normal and colour-selected *IRAS* galaxies (Sopp, H., Alexander, P., Riley, J.), **246**, 143
The giant bipolar reflection nebula associated with Cygnus A (3C 405) (Tadhunter, C.N., Scarrott, S.M., Rolph, C.D.), **246**, 163
Radio continuum observations of a galactic field centred on the supernova remnant G73.9 + 0.9 (Pineault, S., Chastenay, P.), **246**, 169
Mapping the outflow of OH5.89 – 0.39 (Zijlstra, A.A., Pottasch, S.R., Engels, D., Roelfsema, P.R., te Lintel Hekkert, P., Umanas, G.), **246**, 217
VLA observations of four bright globular cluster X-ray sources (Machin, G., Lehto, H.J., Hardy, I.M.M., Callanan, P.J., Charles, P.A.), **246**, 237
The 6C survey of radio sources – III. The zone $48° < \delta < 68°$, $05^h\ 25^m < \alpha < 18^h\ 17^m$ (Hales, S.E.G., Masson, C.R., Warner, P.J., Baldwin, J.E.), **246**, 256
1830 – 211 – gravitationally lensed images of a flat-spectrum radio core? (Subrahmanyan, R., Narasimha, D., Pramesh, A., Swarup, G.), **246**, 263
VLBI, MERLIN and VLA observations of the blazar 1156 + 295: a bending relativistic jet (McHardy, I.M., Marscher, A.P., Gear, W.K., Muxlow, T., Lehto, H.J., Abraham, R.G.), **246**, 305
Main pulse-interpulse correlation and mode changing in PSR 1055 – 52 (Biggs, J.D.), **246**, 341
The generation of timing noise by superfluid rotation in pulsars (Jones, P.B.), **246**, 364
The radio structore of NGC 1275 (Pedlar, A., Ghataure, H.S., Davies, R.D., Harrison, B.A., Perley, R., Crane, P.C., Unger, S.W.), **246**, 477
Multi-frequency synthesis: a new technique in radio interferometric imaging (Conway, J.E., Cornwell, T.J., Wilkinson, P.N.), **246**, 490
Compact radio and infrared sources near the centre of the bipolar outflow NGC 2264D (Mendoza, E.E., Rodriguez, L.F., Chavarria, K.C., Neri, L.), **246**, 518
Accurate positions of OH/IR stars (Lewis, B.M., Chengalur, J.N., Schmelz, J., Terzian, Y.), **246**, 523
Quasi-linear response in a glitching pulsar (Michel, F.C., Bland Hawthorn, J., Lyne, A.G.), **246**, 624
X-ray observations of the radio galaxy Pictor A (Singh, K.P., Rao, A.R., Vahia, M.N.), **246**, 706
A one-sided jet in the giant quasar 4C74.26 (Riley, J.M., Warner, P.J.), **246**, 1P
Are there radio voids? (Banhatti, D.G.), **246**, 7P
The mass of the PSR 2303 + 46 system (Lyne, A.G., Bailes, M.), **246**, 15P
The redshift cut-off in the luminosity function of radio galaxies and quasars (Dunlop, J.S., Peacock, J.A.), **247**, 19

A limit to the spatial power spectrum of the interplanetary medium on scales greater than 100km (Woan, G., Duffett-Smith, P.J.), **247**, 118
Merging-driven evolution of high-redshift galaxies in a universe with $\Omega_0 = 1$ (Rocca-Volmerange, B., Guiderdoni, B.), **247**, 166
The gaseous haloes of evolving galaxies: a probe using the linear sizes of radio sources (Subramanian, K., Swarup, G.), **247**, 237
The proper motions of six southern radio pulsars (Bailes, M., Manchester, R.N., Kesteven, M.J., Norris, R.P., Reynolds, J.E.), **247**, 322
An optical and near-infrared polarization survey of early-type radio galaxies (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Sparks, W.B.), **247**, 327

Radioactive transfer

Intensity variations of the Crab pulsar and refractive interstellar scintillation (Rickett, B.J., Lyne, A.G.), **244**, 68
Ultraviolet pumping of molecular hydrogen in diffuse cloud shocks (Wagenblast, R., Hartquist, T.W.), **244**, 265

Relativity

Post-Newtonian hydrodynamics and post-Newtonian gravitational wave generation for numerical relativity (Blanchet, L., Damour, T., Schäfer, G.), **242**, 289
Non-radial pulsations of neutron stars with a crust (Finn, L.S.), **245**, 82
Centrifugal-force reversal near a Schwarzschild black hole (Abramowicz, M.A., Prasanna, A.R.), **245**, 720
Ellipticity behaviour of relativistic Maclaurin spheroids (Abramowicz, M.A., Miller, J.C.), **245**, 729
Centrifugal force: a few surprises (Abramowicz, M.A.), **245**, 733
von Zeipel surfaces (Chakrabarti, S.K.), **245**, 747
VLBI, MERLIN and VLA observations of the blazar 1156 + 295: a bending relativistic jet (McHardy, I.M., Marscher, A.P., Gear, W.K., Muxlow, T., Lehto, H.J., Abraham, R.G.), **246**, 305
Accreting magnetofluid around a compact object with a dipolar magnetic field – Newtonian analysis (Tripathy, S.C., Prasanna, A.R., Das, A.C.), **246**, 384
A one-sided jet in the giant quasar 4C74.26 (Riley, J.M., Warner, P.J.), **246**, 1P
The mass of the PSR 2303 + 46 system (Lyne, A.G., Bailes, M.), **246**, 15P
Thermodynamical and evolutional properties of Kerr black holes (Okamoto, I., Kaburaki, O.), **247**, 244

Solar system

The spatial density of large meteoroids in the inner solar system (Hughes, D.W., McBride, N.), **243**, 312
Photometric observations of the occultation of 28 Sgr by Titan (Forrest, R.W., Nicolson, I.K.M.), **243**, 1P
The spatial density of asteroids and its variation with asteroidal mass (McBride, N., Hughes, D.W.), **244**, 513
On the dependence on inclination of capture probability of shortperiod comets (Yabushita, S., Tsujii, T.), **244**, 663
N-body simulations of planetary formation (Beauge, C., Aarseth, S.J.), **245**, 30
The mass distribution of comets and meteoroid streams and the shower/sporadic ratio in the incident visual meteoroid flux (Hughes, D.W.), **245**, 198
The distribution of cometary magnitudes (Donnison, J.R.), **245**, 658
Rotational damping of small interplanetary particles (Jones, W.), **247**, 257
Spectra of six asteroids obtained at La Palma (Fitzsimmons, A., Williams, I.P., Lagerkvist, C.-I., Dahlgren, M.), **247**, 26P

Solar Wind

Determination of solar-wind velocities using single-station measurements of interplanetary scintillation (Manoharan, P.K., Ananthakrishnan, S.), **244**, 691
Weber-Davis model revisited: standing magnetohydrodynamic shocks in accretion and winds (Chakrabarti, S.K.), **246**, 134
A limit to the spatial power spectrum of the interplanetary medium on scales greater than 100km (Woan, G., Duffett-Smith, P.J.), **247**, 118

Spectroscopy

Effective collision strengths for 1*s*–2*s* and 1*s*–2*p* electron–hydrogen atom scattering (Scholz, T.T., Walters, H.R.J., Burke, P.G., Scott, M.P.), **242**, 692
Excitation of fine structure transitions in O by H_2 (Flower, D.R.), **242**, 1P
An investigation of oscillator strength calculations for interstellar lines of Cl II (Keenan, F.P., Dufton, P.L.), **242**, 52P
Radiative and electronic excitations of the $2s^{22}p^{52}P^0{}_{3/2} \rightarrow 2s^22p^{52}P^0{}_{1/2}$ transition in fluorine-like Nixx (Mohan, M., Le Dourneuf, M., Hibbert, A., Burke, P.G.), **243**, 372
Line overlap for interstellar molecules with application to OH (Doel, R.C., Gray, M.D., Field, D.), **244**, 504
The $(j, k) = (3, 3)$ inversion line of NH_3 – a possible interstellar chronometer (Flower, D.R., Offer, A., Schilke, P.), **244**, 4P
Excitation and de-excitation of interstellar PAH emitters (Duley, W.W.), **246**, 18P

Stars

A catalogue of faint, UV-excess objects (Boyle, B.J., Fong, R., Shanks, T., Peterson, B.A.), **243**, 1
The low-luminosity stellar mass function (Kroupa, P., Tout, C.A., Gilmore, G.), **244**, 76

Stars – angular diameters of

The absolute magnitudes of RR Lyrae stars – III. DH Peg (Fernley, J.A., Skillen, I., Jameson, R.F., Longmore, A.J.), **242**, 685

Stars – atmospheres of

The photospheric temperature and metal abundance of the compact star H1504 + 65 (Barstow, M.A., Tweedy, R.W.), **242**, 484
LTE model atmospheres for hot, helium-rich degenerate stars (Barstow, M.A.), **243**, 182
Fe I – Mg II *k* line fluorescence in K giant and bright giant stars (Harper, G.M.), **243**, 381
Mass-loss solutions of massive stars (Lee, U.), **244**, 96
Effective temperatures of RCB stars (Goldsmith, M.J., Evans, A., Albinson, J.S., Bode, M.F.), **245**, 119
The photospheric temperatures and composition of very hot He-rich white dwarfs (Barstow, M.A., Holberg, J.B.), **245**, 370
Oscillatory convection in sunspot umbrae (Weiss, N.O., Brownjohn, D.P., Hurlburt, N.E., Proctor, M.R.E.), **245**, 434
Detection of a bright feature on the surface of Betelgeuse (Buscher, D.F., Haniff, C.A., Baldwin, J.E., Warner, P.J.), **245**, 7P
A model for the Ae star with detected magnetic field, HD 190073 (Cuttela, M., Ringuelet, A.E.), **246**, 20

Stars – binary

The distributions of binary system mass ratios: a less biased sample (Trimble, V.), **242**, 79
Cataclysmic variable evolution: observational tests (Hameury, J.M., King, A.R., Lasota, J.P.), **242**, 141
X-ray pulsar profile analysis (Leahy, D.A.), **242**, 188
Spectroscopy of the intermediate polar FO Aquarii (Hellier, C., Mason, K.O., Cropper, M.), **242**, 250
The orbital period of the Cepheid binaries XX Cen, X Sgr and V 350 Sgr (Szabados, L.), **242**, 285
Pre-conditions for disc-generated FU Orionis outbursts (Clarke, C.J., Lin, D.N.C., Pringle, J.E.), **242**, 439

Secular brightness variation of the dwarf nova Z Cha during quiescence (van Amerongen, S., Kuulkers, E., van Paradijs, J.), **242**, 522
New observations and a frequency analysis of the extremely peculiar rapidly oscillating Ap star HD 101065 (Martínez, P., Kurtz, D.W.), **242**, 613
White dwarf radii and boundary-layer constraints in three dwarf novae (Wood, J.H., Horne, K.), **242**, 630
The extreme, possible symbiotic Mira V 407 Cyg and its relevance to the OH/IR sources (Munari, U., Margoni, R., Stagni, R.), **242**, 653
Erratum: Higher order gravitational radiation losses in binary systems (Blanchet, L., Schäfer, G.), **242**, 704
WHT observations of cataclysmic variables in globular clusters – II. The CV candidates in M71 (Machin, G., Allington-Smith, J., Callanan, P.J., Charles, P.A., Hassall, B.J.M., Mason, K.O., Mukai, K., Naylor, T., Smale, A.P., van Paradijs, J.), **242**, 9P
Infrared observations of the eclipsing millisecond pulsar 1957 + 20 (Eales, S.A., Becklin, E.E., Zuckerman, B., McLean, I.S.), **242**, 17P
Is V426 Ophiuchi really an intermediate polar? (Hellier, C., O'Donoghue, D., Buckley, D., Norton, A.), **242**, 32P
The masses of cataclysmic variables – a statistical approach (Bailey, J.), **243**, 57
polarimetry of the recurrent nova RS Oph during its 1985 outburst (Cropper, M.), **243**, 144
The X-ray orbital lightcurve of TY Pyx: a 3.2-day eclipsing RS CVn system (Culhane, J.L., White, N.E., Shafer, R.A., Parmar, A.N.), **243**, 424
High-energy X-ray observations of A 0535 + 26 (Coe, M.J., Carstairs, I.R., Court, A.J., Davies, S.R., Dean, A.J., Dipper, N.A., Lewis, R.A., Perotti, F., Quadrini, E., Bazzano, A., Ubertini, P., Stephens, J.B.), **243**, 475
G*INGA* observations of the 6-s X-ray pulsar 1E1048.1 – 5937 (Corbet, R.H.D., Day, C.S.R.), **243**, 553
Coronal X-ray emission from the short-period eclipsing binary XY UMa (Bedford, D.K., Jeffries, R.D., Geyer, E.H., Vilhu, O.), **243**, 557
A photometric and spectroscopic study of BX Andromedae (Bell, S.A., Rainger, P.P., Hill, G., Hilditch, R.W.), **244**, 328
Magneto-gravitational synchronous states in the AM Herculis variables (Campbell, C.G.), **244**, 367
The dissipation factor in contact binaries revisited (Sinjab, I.M., Robertson, J.A., Connon Smith, R.), **244**, 619
Synchronous rotation in AM Herculis systems – I. Equilibrium configurations (King, A.R., Frank, J., Whitehurst, R.), **244**, 731
The ephemeris of X 1822 – 371 (Hellier, C., Mason, K.O., Smale, A.P., Kilkenny, D.), **244**, 39P
Low-state spectroscopy of V834 Cen (E1405 – 451) (Puchnarewicz, E.M., Mason, K.O., Murdin, P.G., Wickramasinghe, D.T.), **244**, 2P
Circular polarimetry of the faint AM Her system Grus–VI (Cropper, M., Bailey, J.A., Wickramasinghe, D.T., Ferrario, L.), **244**, 34P
Whole Earth Telescope observations of the interacting binary white dwarf V803 Cen in its low state (O'Donoghue, D., Wargau, W., Warner, B., Kilkenny, D., Martínez, P., Kanaan, A., Kepler, S.O., Henry, G., Winget, D.E., Clemens, J.C., Grauer, A.D.), **245**, 140
Spectroscopy of faint, high latitude cataclysmic variable candidates (Mukai, K., Mason, K.O., Howell, S.B., Allington-Smith, J., Callanan, P.J., Charles, P.A., Hassall, B.J.M., Machin, G., Naylor, T., Smale, A.P., van Paradijs, J.), **245**, 385
Photometry of an eclipsing nova V1668 Cyg (Kałuzny, J.), **245**, 547
The changing soft X-ray light curve of the AM Her system MR Serpentis (PG 1550 + 191) (Angelini, L., Osborne, J.P., Stella, L.), **245**, 652
The binary A2925 in the red rectangel (Heintz, W.D.), **245**, 759
Cyclotron humps in AM Her systems: variations around the orbit in DP Leo (Cropper, M., Mukai, K., Mason, K.O., Smale, A.P., Charles, P.A., Mittaz, J.P.D., Machin, G., Hassall, B.J.M., Callanan, P.J., Naylor, T., van Paradijs, J.), **245**, 760
Observational evidence for tidal effects in cataclysmic variable accretion discs (O'Donoghue, D.), **246**, 29
The contact binary system TY Bootis (Rainger, P.P., Hilditch, R.W., Bell, S.A.), **246**, 42
The binary system VW Bootis (Rainger, P.P., Bell, S.A., Hilditch, R.W.), **246**, 47
VLA observations of four bright globular cluster X-ray sources (Machin, G., Lehto, H.J., Hardy, I.M.M., Callanan, P.J., Charles, P.A.), **246**, 237
Self-consistent Comptonized models for the spectra of low-mass X-ray binaries (Ponman, T.J., Foster, A.J., Ross, R.R.), **246**, 287
An X-ray flare on the short-period, eclipsing binary XY UMa (Jeffries, R.D., Bedford, D.K.), **246**, 337
EE Aquarii: a marginal contact system (Covino, E., Barone, F., Milano, L., Russo, G., Sarna, M.J.), **246**, 472
The 8190-Å sodium doublet in cataclysmic variables – II. Too cool for comfort (Friend, M.T., Martin, J.S., Connon Smith, R., Jones, D.H.P.), **246**, 637
The 8190-Å sodium doublet in cataclysmic variables – III. Too cool for credibility (Friend, M.T., Martin, J.S., Connon Smith, R., Jones, D.H.P.), **246**, 654
Three-dimensional structured shocks in AM Herculis-type systems – I. The angular dependence of intensity and polarization from axisymmetric shocks (Wu, K., Wickramasinghe, D.T.), **246**, 686
The long-period binary UU Cancri as a system that has reversed its mass ratio (Eaton, J.A.), **247**, 62
Blob accretion in AM Herculis systems (Litchfield, S.J., King, A.R.), **247**, 200
Optical and X-ray observations of 4U0614 + 09 (Machin, G., Callanan, P.J., Charles, P.A., Thorstensen, J., Brownberger, K., Corbet, R.H.D., Hamwey, R., Harlaftis, E.T., Mason, K.O., Mukai, K.), **247**, 205
Intermediate polars: soft X-ray machines (King, A.R., Lasota, J.P.), **247**, 214
A spin-down mechanism for accreting neutron stars (Illarionov, A.F., Kompaneets, D.A.), **247**, 219
Hydrodynamic drag – a reply to Sinjab, Robertson and Smith (Hazlehurst, J.), **247**, 3P

Stars – chemical composition of

The photospheric temperature and metal abundance of the compact star H1504 + 65 (Barstow, M.A., Tweedy, R.W.), **242**, 484
Red giants with unusual dust shells – I. The database (Skinner, C.J., Griffin, I., Whitmore, B.), **243**, 78
Carbon stars with silicate dust shells – I. Carbon stars with enhanced ^{13}C (J stars) (Lloyd Evans, T.), **243**, 336
The chemical evolution of star-forming viscous discs – II ((Sommer-Larsen, J., Yoshii, Y.), **243**, 468
Disentangling age and metallicity effects in the blueish nuclear population of M33, NGC 278 and NGC 404 (Schmidt, A.A., Bica, E., Alloin, D.), **243**, 620
The high-latitude blue variable PHL 346 and helium-weak star PHL 382 (Kilkenny, D., van Wyk, F.), **244**, 727
The distribution of silicon on BP Boo (Hatzes, A.P.), **245**, 56
The photospheric temperatures and composition of very hot He-rich white dwarfs (Barstow, M.A., Holberg, J.B.), **245**, 370
Direct observation of radioactive cobalt decay in Supernova 1987A (Varani, G.-F., Meikle, W.P.S., Spyromilio, J., Allen, D.A.), **245**, 570
The stellar population and emitting gas in the inner 2–5 kpc for a sample of nine Seyfert 2 galaxies (Bergman, T.S., Bica, E., Pastoriza, M.G.), **245**, 749
Solar chlorine abundance from an X-ray flare spectrum (Phillips, K.J.H., Keenan, F.P.), **245**, 4P
Physical conditions and elemental abundances in the symbiotic novae V 1016 Cyg, HM Sge and HBV 475 (Schmid, H.M., Schild, H.), **246**, 84
Photospheric absorption lines in the UV spectra of O and B type stars (Prinja, R.K.), **246**, 392
Elemental abundances of the field horizontal-branch stars HD 86986, 130095 and 202759 (Adelman, S.J., Davis Philip, A.G.), **247**, 132
M giant populations and galactic structure (Feast, M.W., Whitelock, P.A., Carter, B.S.), **247**, 227

Stars – clusters of

A code for N-body simulation of highly clustered gravitational systems (Londrillo, P., Messina, A.), **242**, 595

A conservative numerical technique for collisionless dynamical systems: comparison of the radial and circular orbit instabilities (Allen, A.J., Palmer, P.L., Papaloizou, J.), **242**, 576
WHT observations of cataclysmic variables in globular clusters – II. The CV candidates in M71 (Machin, G., Allington-Smith, J., Callanan, P.J., Charles, P.A., Hassall, B.J.M., Mason, K.O., Mukai, K., Naylor, T., Smale, A.P., van Paradijs, J.), **242**, 9P
Infrared images and photometry of the cluster near G 0.15 – 0.05 (Glass, I.S., Moneti, A., Moorwood, A.F.M.), **242**, 55P
CCD photometry of the distant southern globular cluster NGC 5824 (Cannon, R.D., Sagar, R., Hawkins, M.R.S.), **243**, 151
CCD *BV* photometry of the old open cluster NGC 6791 (Kaluzny, J.), **243**, 492
Globular cluster swapping. The central region of a cluster of galaxies is a dangerous place (Rabolli, M.), **244**, 322
An anisotropic homological model for core collapse in star clusters (Louis, P.D.), **244**, 478
Erratum: Infrared images and photometry of the cluster near G 0.15–0.05 (Glass, I.S., Moneti, A., Moorwood, A.F.M.), **244**, 767
CCD photometry of galactic open clusters – II. NGC 2243 (Bonifazi, A., Fusi Pecci, F., Romeo, G., Tosi, M.), **245**, 15
High-resolution interstellar and stellar line profiles of stars in the globular cluster M22 (Bates, B., Catney, M.G., Keenan, F.P.), **245**, 238
Realistic models for evolving globular clusters – II. Post core collapse with a mass spectrum (Murphy, B.W., Cohn, H.N., Hut, P), **245**, 335
VLA observations of four bright globular cluster X-ray sources (Machin, G., Lehto, H.J., Hardy, I.M.M., Callanan, P.J., Charles, P.A.), **246**, 237

Stars – formation of

Starbursts superimposed on old populations: spectral evolution of the composite system over 3 x 10 yr (Bica, E., Alloin, D., Schmidt, A.), **242**, 241
The age of high-redshift radio galaxies (Bithell, M., Rees, M.J.), **242**, 570
Detection of Ca II absorption triplet in a circummnuclear H II region of NGC 3310 (Terlevich, E., Díaz, A.I., Pastoriza, M.G., Terlevich, R., Dottori, H.), **242**, 48P
Influence of supersonic turbulence on self-gravitating flows (Léorat, J., Passot, T., Pouquet, A.), **243**, 293
B335: protostar or embedded pre-main-sequence star? (Chandler, C.J., Gear, W.K., Sandell, G., Hayashi, S., Duncan, W.D., Griffin, M.J., Hazell, A.S.), **243**, 330
The chemical evolution of star-forming viscous discs – II (Sommer-Larsen, J., Yoshii, Y.), **243**, 468
No evidence for natural bias in elliptical galaxies (Peacock, J.A.), **243**, 517
The low-luminosity stellar mass function (Kroupa, P., Tout, C.A., Gilmore, G.), **244**, 76
A surface brightness–metallicity relation for dwarf galaxies: the effect of density thresholds for star formation? (Phillipps, S., Edmunds, M.G., Davies, J.I.), **244**, 168
Rotation-dominant equilibria of isothermal clouds (Narita, S., Kiguchi, M., Miyama, S.M., Hayashi, C.), **244**, 349
Re 10: a bipolar nebula in the Coalsack (Eaton, N., Rolph, C.D., Scarrott, S.M., Wolstencroft, R.D.), **244**, 527
Ice mantles in Barnard 5 IRS1 (Charnley, S.B., Whittet, D.C.B., Williams, D.A.), **245**, 161
Line-strengths in early-type galaxies (Gorgas, J., Efstathiou, G., Aragon Salamanca, A.), **245**, 217
Fragmentation of a converging shock (Kimura, T., Tosa, M.), **245**, 365
The formation of dark matter in cooling flows (Thomas, P.A., Fabian, A.C.), **246**, 156
Gravitational collapse of rotating protostellar gas clouds not constrained by the condition of equatorial symmetry (Sigalotti, L.D.G.), **246**, 243
Chemical evolution of spiral galaxies: models with star formation proportional to molecular hydrogen (Tosi, M., Díaz, A.I.), **246**, 616
General constraints on the effect of gas flows in the chemical evolution of galaxies (Edmunds, M.G.), **246**, 678

Stars – magnetic fields in

The effect of rotation and a buried magnetic field on stellar oscillations (Gough, D.O., Thompson, M.J.), **242**, 25
Spectroscopy of the intermediate polar FO Aquarii (Hellier, C., Mason, K.O., Cropper, M.), **242**, 250
Is V426 Ophiuchi really an intermediate polar? (Hellier, C., O'Donoghue, D., Buckley, D., Norton, A.), **242**, 32P
The determination of the rotational periods of rapidly oscillating Ap stars from their mean light variations – IV. HD 60435 (Kurtz, D.W., van Wyk, F., Marang, F.), **243**, 289
A Gailitis-type dynamo in the magnetic CP stars? (Moss, D.), **243**, 537
Magnetic fields in AM Her systems: a possible field for 1E1048.5 + 5241 (EK UMa) from cyclotron humps (Cropper, M., Mason, K.O., Mukai, K.), **243**, 565
Time-dependent models for magnetic CP stars – V. The oblique rotator (Moss, D.), **244**, 272
Magneto-gravitational synchronous states in the AM Herculis variables (Campbell, C.G.), **244**, 367
Synchronous rotation in AM Herculis systems – I. Equilibrium configurations (King, A.R., Frank, J., Whitehurst, R.), **244**, 731
Low-state spectroscopy of V834 Cen (E1405 – 451) (Puchnarewicz, E.M., Mason, K.O., Murdin, P.G., Wickramasinghe, D.T.), **244**, 20P
Circular polarimetry of the faint AM Her system Grus–VI (Cropper, M., Bailey, J.A., Wickramasinghe, D.T., Ferrario, L.), **244**, 34P
The distribution of silicon on BP Boo (Hatzes, A.P.), **245**, 56
Short-period variability in Be stars (Balona, L.A.), **245**, 92
The rotation of early-type magnetic stars (Moss, D.L., Mestel, L., Tayler, R.J.), **245**, 550
Cyclotron humps in AM Her systems: variations around the orbit in DP Leo (Cropper, M., Mukai, K., Mason, K.O., Smale, A.P., Charles, P.A., Mittaz, J.P.D., Machin, G., Hassall, B.J.M., Callanan, P.J., Naylor, T., van Paradijs, J.), **245**, 760
A model for the Ae star with detected magnetic field, HD 190073 (Cuttela, M., Ringuelet, A.E.), **246**, 20
Weber-Davis model revisited: standing magnetohydrodynamic shocks in accretion and winds (Chakrabarti, S.K.), **246**, 134
An X-ray flare on the short-period, eclipsing binary XY UMa (Jeffries, R.D., Bedford, D.K.), **246**, 337
Three-dimensional structured shocks in AM Herculis-type systems – I. The angular dependence of intensity and polarization from axisymmetric shocks (Wu, K., Wickramasinghe, D.T.), **246**, 686
Magnetic-field decay in the bipolar outflow source Cepheus A (Cohen, R.J., Brebner, G.C., Potter, M.M.), **246**, 3P
Intermediate polars: soft X-ray machines (King, A.R., Lasota, J.P.), **247**, 214

Stars – mass loss from

Spectrophotometry of the shell around AG Carinae (Mitra, P.M., Dufour, R.J.), **242**, 98
Optical polarization studies of Herbig–Haro objects – VI. The HH83/Re 17 complex in Orion (Rolph, C.D., Scarrott, S.M., Wolstencroft, R.D.), **242**, 109
Stellar winds in H II regions – II. Turbulent mixing between an H II layer and a stellar wind bubble in the presence of a magnetic field (Kahn, F.D., Breitschwerdt, D.), **242**, 209
Optical polarization studies of Herbig–Haro objects – VII. HH120 in cometary globule CG30 (Scarrott, S.M., Gledhill, T.M., Rolph, C.D., Wolstencroft, R.D.), **242**, 419
Extended [O II] emission around IC 418 and RX Puppis (Monk, D.J., Barlow, M.J., Clegg, R.E.S.), **242**, 457
Cool C-shocks and high-velocity flows in molecular clouds (Smith, M.D., Brand, P.W.J.L.), **242**, 495
Dynamical evolution of planetary nebulae – I. Formation of shells in an accelerating wind in protoplanetary nebulae (Kahn, F.D., Breitschwerdt, D.), **242**, 505

IUE observations of mass-loss spectral features in B5–B9 supergiants (Bates, B., Gilheany, S.), **243**, 320
B335: protostar or embedded pre-main-sequence star? (Chandler, C.J., Gear, W.K., Sandell, G., Hayashi, S., Duncan, W.D., Griffin, M.J., Hazell, A.S.), **243**, 330
Chemical evolution in molecular clump–stellar wind interfaces (Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A.), **243**, 405
An optical polarization study of the nebulosity associated with OH231.8 + 4.2 (Scarrott, S.M., Rolph, C.D., Wolstencroft, R.D.), **243**, 462
New SiO masers associated with bright southern *IRAS* sources (Hall, P.J., Allen, D.A., Troup, E.R., Wark, R.M., Wright, A.E.), **243**, 480
Multi-frequency variations of the Wolf–Rayet system HD 193793 – I. Infrared, X-ray and radio observations (Williams, P.M., Hucht van der, K.A., Pollock, A.M.T., Florkowski, D.R., van der Hucht, W., Wamsteker, W.M.), **243**, 662
Mass-loss solutions of massive stars (Lee, U.), **244**, 96
Millimetre and infrared observations of the wind from the Wolf–Rayet star γ Velorum (Williams, P.M., van der Hucht, K.A., Sandell, G., Thé P.S.), **244**, 101
The velocity law and acceleration of the hydrogen and OSiN discrete components observed in P Cyg's stellar wind in 1982 (Markova, N.), **244**, 105
HCO^+ observations of the Herbig–Haro objects 1 and 2 (Davis, C.J., Dent, W.R.F., Bell Burnell, S.J.), **244**, 173
Mass ejections from the rapidly rotating M dwarf star GI 890 (Doyle, J.G., Collier Cameron, A.), **244**, 291
A photometric and spectroscopic study of BX Andromedae (Bell, S.A., Rainger, P.P., Hill, G., Hilditch, R.W.), **244**, 328
Erratum: Cool C-shocks and high-velocity flows in molecular clouds (Smith, M.D., Brand, P.W.J.L.), **244**, 384
The formation of carbon chain molecules in IRC + 10216 (Howe, D.A., Millar, T.J.), **244**, 444
Relativistic particles in SS433 (Heavens, A.F., Ballard, K.R., Kirk, J.G.), **244**, 474
Dynamical evolution of planetary nebulae – II. Ionization of shells in planetary nebulae and the formation of low-ionization knots (Breitschwerdt, D., Kahn, F.D.), **244**, 521
Re 10: a bipolar nebula in the Coalsack (Eaton, N., Rolph, C.D., Scarrott, S.M., Wolstencroft, R.D.), **244**, 527
On the evolution of supernova remnants – I. Explosions inside pre-existing wind-driven bubbles (Tenorio-Tagle, G., Bodenheimer, P., Franco, J., R'yczcka, M.), **244**, 563
H_2 profiles of C-type bow shocks (Smith, M.D., Brand, P.W.J.L.), **245**, 108
The nature of the bipolar nebula associated with *IRAS* 07131 - 0147 (Scarrott, S.M., Rolph, C.D., Wolstencroft, R.D., Walker, H.J., Sekiguchi, K.), **245**, 484
A compact CO bipolar outflow from NGC 2024 FIR6 (Richer, J.S.), **245**, 24P
A model for the Ae star with detected magnetic field, HD 190073 (Cuttela, M., Ringuelet, A.E.), **246**, 20
Weber-Davis model revisited: standing magnetohydrodynamic shocks in accretion and winds (Chakrabarti, S.K.), **246**, 134
Mapping the outflow of OH5.89 – 0.39 (Zijlstra, A.A., Pottasch, S.R., Engels, D., Roelfsema, P.R., te Lintel Hekkert, P., Umanas, G.), **246**, 217
Compact radio and infrared sources near the centre of the bipolar outflow NGC 2264D (Mendoza, E.E., Rodriguez, L.F., Chavarria, K.C., Neri, L.), **246**, 518
Infrared imaging polarimetry and photometry of S106 (Aspin, C., Rayner, J.T., McLean, I.S., Hayashi, S.S.), **246**, 565
Magnetic-field decay in the bipolar outflow source Cepheus A (Cohen, R.J., Brebner, G.C., Potter, M.M.), **246**, 3P
The long-period binary UU Cancri as a system that has reversed its mass ratio (Eaton, J.A.), **247**, 62

Stars – photometry of

Southern *JHKL* standards (Carter, B.S.), **242**, 1
Photometry of the extreme helium star HD 124448 (Jeffery, C.S., Lynas-Gray, A.E.), **242**, 6
Spectrophotometry of the shell around AG Carinae (Mitra, P.M., Dufour, R.J.), **242**, 98
The giant branch of the Fornax dwarf spheroidal galaxy (Sagar, R., Hawkins, M.R.S., Cannon, R.D.), **242**, 167
A change in the pulsation period of the R Coronae Borealis star RY Sgr (Lawson, W.A., Cottrell, P.L.), **242**, 259
Observations of active-chromosphere stars – III. Photometry of PZ Tel 1979 – 1985 (Innis, J.L., Coates, D.W., Thompson, K., Lloyd Evans, T.), **242**, 306
The discovery and analysis of oscillations with a period of 7.4 min in the cool Ap star HD 80316 (Kurtz, D.W.), **242**, 489
Secular brightness variation of the dwarf nova Z Cha during quiescence (van Amerongen, S., Kuulkers, E., van Paradijs, J.), **242**, 522
New observations and a frequency analysis of the extremely peculiar rapidly oscillating Ap star HD 101065 (Martínez, P., Kurtz, D.W.), **242**, 613
White dwarf radii and boundary-layer constraints in three dwarf novae (Wood, J.H., Horne, K.), **242**, 630
The extreme, possible symbiotic Mira V 407 Cyg and its relevance to the OH/IR sources (Munari, U., Margoni, R., Stagni, R.), **242**, 653
The absolute magnitudes of RR Lyrae stars – III. DH Peg (Fernley, J.A., Skillen, I., Jameson, R.F., Longmore, A.J.), **242**, 685
WHT observations of cataclysmic variables in globular clusters – II. The CV candidates in M71 (Machin, G., Allington-Smith, J., Callanan, P.J., Charles, P.A., Hassall, B.J.M., Mason, K.O., Mukai, K., Naylor, T., Smale, A.P., van Paradijs, J.), **242**, 9P
Infrared images and photometry of the cluster near G 0.15 – 0.05 (Glass, I.S., Moneti, A., Moorwood, A.F.M.), **242**, 55P
CCD photometry of the distant southern globular cluster NGC 5824 (Cannon, R.D., Sagar, R., Hawkins, M.R.S.), **243**, 151
The determination of the rotational periods of rapidly oscillating Ap stars from their mean light variations – IV. HD 60435 (Kurtz, D.W., van Wyk, F., Marang, F.), **243**, 289
CCD *BV* photometry of the old open cluster NGC 6791 (Kałuzny, J.), **243**, 492
The 1988 decline of R Coronae Borealis (Cottrell, P.L., Lawson, W.A., Buchhorn, M.), **244**, 149
An infrared sequence in the late stages of stellar evolution (Kwok, S.), **244**, 179
A photometric and spectroscopic study of BX Andromedae (Bell, S.A., Rainger, P.P., Hill, G., Hilditch, R.W.), **244**, 328
A frequency analysis of the new rapidly oscillating Ap star 10 Aquilae (Heller, C.H., Kramer, K.S.), **244**, 372
The high-latitude blue variable PHL 346 and helium-weak star PHL 382 (Kilkenny, D., van Wyk, F.), **244**, 727
Erratum: Infrared images and photometry of the cluster near G 0.15–0.05 (Glass, I.S., Moneti, A., Moorwood, A.F.M.), **244**, 767
A new satellite galaxy of the Milky Way in the constellation of Sextans (Irwin, M.J., Bunclark, P.S., Bridgeland, M.T., McMahon, R.G.), **244**, 16P
The ephemeris of X 1822 – 371 (Hellier, C., Mason, K.O., Smale, A.P., Kilkenny, D.), **244**, 39P
CCD photometry of galactic open clusters – II. NGC 2243 (Bonifazi, A., Fusi Pecci, F., Romeo, G., Tosi, M.), **245**, 15
The distribution of silicon on BP Boo (Hatzes, A.P.), **245**, 56
Short-period variability in Be stars (Balona, L.A.), **245**, 92
Effective temperatures of RCB stars (Goldsmith, M.J., Evans, A., Albinson, J.S., Bode, M.F.), **245**, 119
Whole Earth Telescope observations of the interacting binary white dwarf V803 Cen in its low state (O'Donoghue, D., Wargau, W., Warner, B., Kilkenny, D., Martínez, P., Kanaan, A., Kepler, S.O., Henry, G., Winget, D.E., Clemens, J.C., Grauer, A.D.), **245**, 140
A *uvby* B photometric study of the peculiar cepheid V473 Lyrae (Fabregat, J., Suso, J., Reglero, V.), **245**, 542
Photometry of an eclipsing nova V1668 Cyg (Kałuzny, J.), **245**, 547
Variability of the Ap star 21 Com: results from multiple-site campaigns (Kreidl, T.J., Garrido, R., Huang, L., Guo, Z., Belmonte, J.A., Fernie, J.D., Zverko, J., Žižňovský, J., Weiss, W.W., Elliott, I., Matthews, J.M.), **245**, 642
The changing soft X-ray light curve of the AM Her system MR Serpentis (PG 1550 + 191) (Angelini, L., Osborne, J.P., Stella, L.), **245**, 652
Recurrent nova in the Large Magellanic Cloud - Nova LMC 1990 No. 2 (Sekiguchi, K., Stobie, R.S., Buckley, D.A.H., Caldwell, J.A.R.), **245**, 28P

The contact binary system TY Bootis (Rainger, P.P., Hilditch, R.W., Bell, S.A.), **246**, 42
The 1989 outburst of the recurrent nova V745 Sco (Sekiguchi, K., Whitelock, P.A., Feast, M.W., Barrett, P.E., Caldwell, J.A.R., Carter, B.S., Catchpole, R.M., Laing, J.D., Laney, C.D., Marang, F., van Wyk, F.), **246**, 78
Intrinsic energy distributions in spectra of early-type stars (Papaj, J., Wegner, W., Krelowski, J.), **246**, 408
EE Aquarii: a marginal contact system (Covino, E., Barone, F., Milano, L., Russo, G., Sarna, M.J.), **246**, 472
Infrared photometry and spectroscopy of nova PW Vul 1984 (Evans, A., Callus, C.M., Whitelock, P.A., Laney, D.), **246**, 527
Infrared imaging polarimetry and photometry of S106 (Aspin, C., Rayner, J.T., McLean, I.S., Hayashi, S.S.), **246**, 565
Transient oscillations in the frequency spectrum of the rapidly oscillating Ap star HD 203932 (Martínez, P., Kurtz, D.W., Heller, C.H.), **246**, 699
The photometric characteristics of cool hydrogen-deficient carbon stars (Lawson, W.A., Cottrell, P.L., Kilmartin, P.M., Gilmore, A.C.), **247**, 91
Optical and X-ray observations of 4U0614 + 09 (Machin, G., Callanan, P.J., Charles, P.A., Thorstensen, J., Brownberger, K., Corbet, R.H.D., Hamwey, R., Harlaftis, E.T., Mason, K.O., Mukai, K.), **247**, 205
M giant populations and galactic structure (Feast, M.W., Whitelock, P.A., Carter, B.S.), **247**, 227
The absolute magnitudes of RR Lyrae stars – IV. V445 Ophiuchi, SS Leonis and VY Serpentis (Fernley, J.A., Skillen, I., Jameson, R.F., Barnes, T.G., Kilkenny, D., Hill, G.), **247**, 287

Stars – rotation of

The effect of rotation and a buried magnetic field on stellar oscillations (Gough, D.O., Thompson, M.J.), **242**, 25
Observations of active-chromosphere stars – II. Photometry of PZ Tel 1979 – 1985 (Innis, J.L., Coates, D.W., Thompson, K., Lloyd Evans, T.), **242**, 306
Gravity mode instabilities in differentially rotating discs (Glatzel, W.), **242**, 338
Mass ejections from the rapidly rotating M dwarf star Gl 890 (Doyle, J.G., Collier Cameron, A.), **244**, 291
Non-axisymmetric dynamical instability of differentially rotating, self-gravitating masses (Luyten, P.J.), **245**, 614

Stars – spectroscopy of

Spectrophotometry of the shell around AG Carinae (Mitra, P.M., Dufour, R.J.), **242**, 98
Linewidths of low-degree acoustic modes of the Sun (Elsworth, Y., Isaak, G.R., Jefferies, S.M., McLeod, C.P., New, R., Palle, P.L. Régulo, C., Roca Cortés, T.), **242**, 135
Spectroscopy of the intermediate polar FO Aquarii (Hellier, C., Mason, K.O., Cropper, M.), **242**, 250
High-velocity gas components towards 4 Lac (Bates, B., Catney, M.G., Keenan, F.P.), **242**, 267
The orbital period of the Cepheid binaries XX Cen, X Sgr and V 350 Sgr (Szabados, L.), **242**, 285
Extended [O II] emission around IC 418 and RX Puppis (Monk, D.J., Barlow, M.J., Clegg, R.E.S.), **242**, 457
Spectral line profiles or iron and nickel in supernova 1987A. Evidence for a fragmented nickel bubble (Spyromilio, J., Meikle, W.P.S., Allen, D.A.), **242**, 669
WHT observations of cataclysmic variables in globular clusters – II. The CV candidates in M71 (Machin, G., Allington-Smith, J., Callanan, P.J., Charles, P.A., Hassall, B.J.M., Mason, K.O., Mukai, K., Naylor, T., Smale, A.P., van Paradijs, J.), **242**, 9P
IUE observations of mass-loss spectral features in B5–B9 supergiants (Bates, B., Gilheany, S.), **243**, 320
Carbon stars with silicate dust shells – I. Carbon stars with enhanced ^{13}C (J stars) (Lloyd Evans, T.), **243**, 336
Fe I – Mg II *k* line fluorescence in K giant and bright giant stars (Harper, G.M.), **243**, 381
Wolf–Rayet stars in the Large Magellanic Cloud (Morgan, D.H., Good, A.R.), **243**, 459
Magnetic fields in AM Her systems: a possible field for 1E1048.5 + 5241 (EK UMa) from cyclotron humps (Cropper, M., Mason, K.O., Mukai, K.), **243**, 565
The optical interstellar spectrum of HD 26571 (Crawford, I.A.), **243**, 593
Spectroscopic studies of R Cr B during light minima: absorption spectrum (Kameswara Rao, N., Giridhar, S., Ashoka, B.N.), **244**, 29
The velocity law and acceleration of the hydrogen and OSiN discrete components observed in P Cyg's stellar wind in 1982 (Markova, N.), **244**, 105
Analysis of high-latitude blue stars – V. Some low-dispersion results (Kilkenny, D., Pauls, L.), **244**, 133
The 1988 decline of R Coronae Borealis (Cottrell, P.L., Lawson, W.A., Buchhorn, M.), **244**, 149
Mass ejections from the rapidly rotating M dwarf star Gl 890 (Doyle, J.G., Collier Cameron, A.), **244**, 291
A photometric and spectroscopic study of BX Andromedae (Bell, S.A., Rainger, P.P., Hill, G., Hilditch, R.W.), **244**, 328
The LDSS deep redshift survey (Colless, M., Ellis, R.S., Taylor, K., Hook, R.N.), **244**, 408
Observations of interstellar CN and C_2 towards the Scorpius OBI association (Crawford, I.A.), **244**, 646
The source of luminosity at the Galactic Centre (Allen, D.A., Hyland, A.R., Hillier, D.J.), **244**, 706
Low-state spectroscopy of V834 Cen (E1405 – 451) (Puchnarewicz, E.M., Mason, K.O., Murdin, P.G., Wickramasinghe, D.T.), **244**, 2P
The evolutionary status of the peculiar variable star V348 Sagittarii (Pollacco, D.L., Tadhunter, C.N., Hill, P.W.), **245**, 204
High-resolution interstellar and stellar line profiles of stars in the globular cluster M22 (Bates, B., Catney, M.G., Keenan, F.P.), **245**, 238
Radiative transfer in axisymmetric dust clouds (Efstathiou, A., Rowan-Robinson, M.), **245**, 275
CCD spectroscopy of SMC supergiants (Nandy, K., Morgan, D.H., Houziaux, L.), **245**, 318
Time dependence of the UV resonance lines in the cataclysmic variables SU UMa, RX And and 0623 + 71 (Woods, J.A., Drew, J.E., Verbunt, F.), **245**, 323
Spectroscopy of faint, high latitude cataclysmic variable candidates (Mukai, K., Mason, K.O., Howell, S.B., Allington-Smith, J., Callanan, P.J., Charles, P.A., Hassall, B.J.M., Machin, G., Naylor, T., Smale, A.P., van Paradijs, J.), **245**, 385
The nature of the bipolar nebula associated with *IRAS* 07131 - 0147 (Scarrott, S.M., Rolph, C.D., Wolstencroft, R.D., Walker, H.J., Sekiguchi, K.), **245**, 484
Direct observation of radioactive cobalt decay in Supernova 1987A (Varani, G.F., Meikle, W.P.S., Spyromilio, J., Allen, D.A.), **245**, 570
Long slit observations of emitting gas in the Vela supernova remnant (Wallerstein, G., Balick, B.), **245**, 701
The contact binary system TY Bootis (Rainger, P.P., Hilditch, R.W., Bell, S.A.), **246**, 42
The binary system VW Bootis (Rainger, P.P., Bell, S.A., Hilditch, R.W.), **246**, 47
Physical conditions and elemental abundances in the symbiotic novae V 1016 Cyg, HM Sge and HBV 475 (Schmid, H.M., Schild, H.), **246**, 84
Photospheric absorption lines in the UV spectra of O and B type stars (Prinja, R.K.), **246**, 392
Intrinsic energy distributions in spectra of early-type stars (Papaj, J., Wegner, W., Krelowski, J.), **246**, 408
Infrared photometry and spectroscopy of nova PW Vul 1984 (Evans, A., Callus, C.M., Whitelock, P.A., Laney, D.), **246**, 527
The 8190-Å sodium doublet in cataclysmic variables – II. Too cool for comfort (Friend, M.T., Martin, J.S., Connon Smith, R., Jones, D.H.P.), **246**, 637
The 8190-Å sodium doublet in cataclysmic variables – III. Too cool for credibility (Friend, M.T., Martin, J.S., Connon Smith, R., Jones, D.H.P.), **246**, 654
The photometric characteristics of cool hydrogen-deficient carbon stars (Lawson, W.A., Cottrell, P.L., Kilmartin, P.M., Gilmore, A.C.), **247**, 91
Elemental abundances of the field horizontal-branch stars HD 86986, 130095 and 202759 (Adelman, S.J., Davis Philip, A.G.), **247**, 132

IRAS 07027–7934: a probable new [WC11] star (Menzies, J.W., Wolstencroft, R.D.), **247**, 177
Optical and X-ray observations of 4U0614 + 09 (Machin, G., Callanan, P.J., Charles, P.A., Thorstensen, J., Brownberger, K., Corbet, R.H.D., Hamwey, R., Harlaftis, E.T., Mason, K.O., Mukai, K.), **247**, 205

Stars – structure and evolution of

The effect of rotation and a buried magnetic field on stellar oscillations (Gough, D.O., Thompson, M.J.), **242**, 25
Linewidths of low-degree acoustic modes of the Sun (Elsworth, Y., Isaak, G.R., Jefferies, S.M., McLeod, C.P., New, R., Palle, P.L., Régulo, C., Roca Cortés, T.), **242**, 135
Cataclysmic variable evolution: observational tests (Hameury, J.M., King, A.R., Lasota, J.P.), **242**, 141
The giant branch of the Fornax dwarf spheroidal galaxy (Sagar, R., Hawkins, M.R.S., Cannon, R.D.), **242**, 167
Two-dimensional radiative convection in the Eddington approximation (Edwards, J.M.), **242**, 224
A comparison of methods for inverting helioseismic data (Christensen-Dalsgaard, J., Schou, J., Thompson, M.J.), **242**, 353
Disentangling age and metallicity effects in the blueish nuclear population of M33, NGC 278 and NGC 404 (Schmidt, A.A., Bica, E., Alloin, D.), **243**, 620
An infrared sequence in the late stages of stellar evolution (Kwok, S.), **244**, 179
Non-linear pulsations of the helium stars (Fadeyev, Y.A.), **244**, 225
Solar model from helioseismology and the neutrino flux problem (Dziembowski, W.A., Pamyatnykh, A.A., Sienkiewicz, R.), **244**, 542
CCD photometry of galactic open clusters – II. NGC 2243 (Bonifazi, A., Fusi Pecci, F., Romeo, G., Tosi, M.), **245**, 15
Non-radial pulsations of neutron stars with a crust (Finn, L.S.), **245**, 82
The evolutionary status of the peculiar variable star V348 Sagittarii (Pollacco, D.L., Tadhunter, C.N., Hill, P.W.), **245**, 204
Density discontinuity *g* - modes (McDermott, P.N.), **245**, 508
The rotation of early-type magnetic stars (Moss, D.L., Mestel, L., Tayler, R.J.), **245**, 550
On highly non-adiabatic stellar pulsations and the origin of strange modes (Gautschy, A., Glatzel, W.), **245**, 597
Hydrodynamic models for the RRc stars (Simon, N.R.), **246**, 70
The pulsations of ZZ Ceti stars – II. Turbulent convection and the maximum period (Brickhill, A.J.), **246**, 510

Stars – variable

Photometry of the extreme helium star HD 124448 (Jeffery, C.S., Lynas-Gray, A.E.), **242**, 6
Cataclysmic variable evolution: observational tests (Hameury, J.M., King, A.R., Lasota, J.P.), **242**, 141
Spectroscopy of the intermediate polar FO Aquarii (Hellier, C., Mason, K.O., Cropper, M.), **242**, 250
A change in the pulsation period of the R Coronae Borealis star RY Sgr (Lawson, W.A., Cottrell, P.L.), **242**, 259
The orbital period of the Cepheid binaries XX Cen, X Sgr and V 350 Sgr (Szabados, L.), **242**, 285
Pre-conditions for disc-generated FU Orionis outbursts (Clarke, C.J., Lin, D.N.C., Pringle, J.E.), **242**, 439
The discovery and analysis of oscillations with a period of 7.4 min in the cool Ap star HD 80316 (Kurtz, D.W.), **242**, 489
Secular brightness variation of the dwarf nova Z Cha during quiescence (van Amerongen, S., Kuulkers, E., van Paradijs, J.), **242**, 522
New observations and a frequency analysis of the extremely peculiar rapidly oscillating Ap star HD 101065 (Martínez, P., Kurtz, D.W.), **242**, 613
The extreme, possible symbiotic Mira V 407 Cyg and its relevance to the OH/IR sources (Munari, U., Margoni, R., Stagni, R.), **242**, 653
The absolute magnitudes of RR Lyrae stars – III. DH Peg (Fernley, J.A., Skillen, I., Jameson, R.F., Longmore, A.J.), **242**, 685
WHT observations of cataclysmic variables in globular clusters – II. The CV candidates in M71 (Machin, G., Allington-Smith, J., Callanan, P.J., Charles, P.A., Hassall, B.J.M., Mason, K.O., Mukai, K., Naylor, T., Smale, A.P., van Paradijs, J.), **242**, 9P
The masses of cataclysmic variables – a statistical approach (Bailey, J.,) **243**, 57
Polarimetry of the recurrent nova RS Oph during its 1985 outburst (Cropper, M.), **243**, 144
Can the quiescent accretion discs in the dwarf novae OY Car and Z Cha be in a steady state? (Wood, J.H.), **243**, 219
Sunspot activity as originating in interference of the Sun's global MHD oscillations (Gokhale, M.H., Javaraiah, J.), **243**, 241
The determination of the rotational periods of rapidly oscillating Ap stars from their mean light variations – IV. HD 60435 (Kurtz, D.W., van Wyk, F., Marang, F.), **243**, 289
CCD *BV* photometry of the old open cluster NGC 6791 (Kałuzny, J.), **243**, 492
Multi-frequency variations of the Wolf–Rayet system HD 193793 – I. Infrared, X-ray and radio observations (Williams, P.M., Hucht van der, K.A., Pollock, A.M.T., Florkowski, D.R., van der Hucht, W., Wamsteker, W.M.), **243**, 662
Spectroscopic studies of R Cr B during light minima: absorption spectrum (Kameswara Rao, N., Giridhar, S., Ashoka, B.N.), **244**, 29
The 1988 decline of R Coronae Borealis (Cottrell, P.L., Lawson, W.A., Buchhorn, M.), **244**, 149
Non-linear pulsations of the helium stars (Fadeyev, Y.A.), **244**, 225
Magneto-gravitational synchronous states in the AM Herculis variables (Campbell, C.G.), **244**, 367
A frequency analysis of the new rapidly oscillating Ap star 10 Aquilae (Heller, C.H., Kramer, K.S.), **244**, 372
Solar model from helioseismology and the neutrino flux problem (Dziembowski, W.A., Pamyatnykh, A.A., Sienkiewicz, R.), **244**, 542
The dissipation factor in contact binaries revisited (Sinjab, I.M., Robertson, J.A., Connon Smith, R.), **244**, 619
The high-latitude blue variable PHL 346 and helium-weak star PHL 382 (Kilkenny, D., van Wyk, F.), **244**, 727
Low-state spectroscopy of V834 Cen (E1405 – 451) (Puchnarewicz, E.M., Mason, K.O., Murdin, P.G., Wickramasinghe, D.T.), **244**, 2P
Circular polarimetry of the faint AM Her system Grus–VI (Cropper, M., Bailey, J.A., Wickramasinghe, D.T., Ferrario, L.), **244**, 34P
Non-radial pulsations of neutron stars with a crust (Finn, L.S.), **245**, 82
Short-period variability in Be stars (Balona, L.A.), **245**, 92
Whole Earth Telescope observations of the interacting binary white dwarf V803 Cen in its low state (O'Donoghue, D., Wargau, W., Warner, B., Kilkenny, D., Martínez, P., Kanaan, A., Kepler, S.O., Henry, G., Winget, D.E., Clemens, J.C., Grauer, A.D.), **245**, 140
A new method to solve linear pulsation problems (Gautschy, A., Glatzel, W.), **245**, 154
The evolutionary status of the peculiar variable star V348 Sagittarii (Pollacco, D.L., Tadhunter, C.N., Hill, P.W.), **245**, 204
Time dependence of the UV resonance lines in the cataclysmic variables SU UMa, RX And and 0623 + 71 (Woods, J.A., Drew, J.E., Verbunt, F.), **245**, 323
Spectroscopy of faint, high latitude cataclysmic variable candidates (Mukai, K., Mason, K.O., Howell, S.B., Allington-Smith, J., Callanan, P.J., Charles, P.A., Hassall, B.J.M., Machin, G., Naylor, T., Smale, A.P., van Paradijs, J.), **245**, 385
Possible chaotic pulsations in ZZ Ceti and rapidly oscillating Ap stars due to non-linear harmonic mode coupling (Verheest, F., Hereman, W., Serras, H.), **245**, 392
Density discontinuity *g* - modes (McDermott, P.N.), **245**, 508
A *uvby* B photometric study of the peculiar cepheid V473 Lyrae (Fabregat, J., Suso, J., Reglero, V.), **245**, 542
Photometry of an eclipsing nova V1668 Cyg (Kałuzny, J.), **245**, 547
On highly non-adiabatic stellar pulsations and the origin of strange modes (Gautschy, A., Glatzel, W.), **245**, 597
Variability of the Ap star 21 Com: results from multiple-site campaigns (Kreidl, T.J., Garrido, R., Huang, L., Guo, Z., Belmonte, J.A., Fernie, J.D., Zverko, J., Žižňovský, J., Weiss, W.W., Elliott, I., Matthews, J.M.), **245**, 642

The changing soft X-ray light curve of the AM Her system MR Serpentis (PG 1550 + 191) (Angelini, L., Osborne, J.P., Stella, L.), **245**, 652
Detection of a bright feature on the surface of Betelgeuse (Buscher, D.F., Haniff, C.A., Baldwin, J.E., Warner, P.J.), **245**, 7P
Recurrent nova in the Large Magellanic Cloud - Nova LMC 1990 No. 2 (Sekiguchi, K., Stobie, R.S., Buckley, D.A.H., Caldwell, J.A.R.), **245**, 28P
Observational evidence for tidal effects in cataclysmic variable accretion discs (O'Donoghue, D.), **246**, 29
The contact binary system TY Bootis (Rainger, P.P., Hilditch, R.W., Bell, S.A.), **246**, 42
Hydrodynamic models for the RRc stars (Simon, N.R.), **246**, 70
The 1989 outburst of the recurrent nova V745 Sco (Sekiguchi, K., Whitelock, P.A., Feast, M.W., Barrett, P.E., Caldwell, J.A.R., Carter, B.S., Catchpole, R.M., Laing, J.D., Laney, C.D., Marang, F., van Wyk, F.), **246**, 78
The pulsations of ZZ Ceti stars – II. Turbulent convection and the maximum period (Brickhill, A.J.), **246**, 510
The 8190-Å sodium doublet in cataclysmic variables – II. Too cool for comfort (Friend, M.T., Martin, J.S., Connon Smith, R., Jones, D.H.P.), **246**, 637
The 8190-Å sodium doublet in cataclysmic variables – III. Too cool for credibility (Friend, M.T., Martin, J.S., Connon Smith, R., Jones, D.H.P.), **246**, 654
Transient oscillations in the frequency spectrum of the rapidly oscillating Ap star HD 203932 (Martínez, P., Kurtz, D.W., Heller, C.H.), **246**, 699
The photometric characteristics of cool hydrogen-deficient carbon stars (Lawson, W.A., Cottrell, P.L., Kilmartin, P.M., Gilmore, A.C.), **247**, 91
The absolute magnitudes of RR Lyrae stars – IV. V445 Ophiuchi, SS Leonis and VY Serpentis (Fernley, J.A., Skillen, I., Jameson, R.F., Barnes, T.G., Kilkenny, D., Hill, G.), **247**, 287

Stars – velocities of

Armchair cartography – a map of the galactic halo based on observations of local, metal-poor stars (Sommer-Larsen, J., Zhen, C.), **242**, 10
The binary system VW Bootis (Rainger, P.P., Bell, S.A., Hilditch, R.W.), **246**, 47
Kinematics of the late-M giants in Baade's window (Sharples, R., Walker, A., Cropper, M.), **246**, 54
EE Aquarii: a marginal contact system (Covino, E., Barone, F., Milano, L., Russo, G., Sarna, M.J.), **246**, 472
Proper motion surveys with Schmidt plates – I. The North Galactic Pole (Reid, N.), **247**, 70
The absolute magnitudes of RR Lyrae stars – IV. V445 Ophiuchi, SS Leonis and VY Serpentis (Fernley, J.A., Skillen, I., Jameson, R.F., Barnes, T.G., Kilkenny, D., Hill, G.), **247**, 287
The proper motions of six southern radio pulsars (Bailes, M., Manchester, R.N., Kesteven, M.J., Norris, R.P., Reynolds, J.E.), **247**, 322

Sun

Linewidths of low-degree acoustic modes of the Sun (Elsworth, Y., Isaak, G.R., Jefferies, S.M., McLeod, C.P., New, R., Palle, P.L., Régulo, C., Roca Cortés, T.), **242**, 135
A comparison of methods for inverting helioseismic data (Christensen-Dalsgaard, J., Schou, J., Thompson, M.J.), **242**, 353
Sunspot activity as originating in interference of the Sun's global MHD oscillations (Gokhale, M.H., Javaraiah, J.), **243**, 241
Solar model from helioseismology and the neutrino flux problem (Dziembowski, W.A., Pamyatnykh, A.A., Sienkiewicz, R.), **244**, 542
Oscillatory convection in sunspot umbrae (Weiss, N.O., Brownjohn, D.P., Hurlburt, N.E., Proctor, M.R.E.), **245**, 434
Solar chlorine abundance from an X-ray flare spectrum (Phillips, K.J.H., Keenan, F.P.), **245**, 4P
Aurora borealis during the Maunder minimum (Schlamminger, L.), **247**, 67

Supernovae and supernova remnants

Implications of the correlation between the radio continuum and far-infrared luminosities of spiral galaxies (Rengarajan, T.N., Iyengar, K.V.K.), **242**, 74
High-velocity gas components towards 4 Lac (Bates, B., Catney, M.G., Keenan, F.P.), **242**, 267
Shell-like structure in 41.9 + 58, a powerful supernova remnant in M82 (Wilkinson, P.N., de Bruyn, A.G.), **242**, 529
Photographic imaging of light echoes from SN 1987A (Couch, W.J., Allen, D.A., Malin, D.F.), **242**, 555
Spectral line profiles or iron and nickel in supernova 1987A. Evidence for a fragmented nickel bubble (Spyromilio, J., Meikle, W.P.S., Allen, D.A.), **242**, 669
The structure of Cassiopeia A at metre wavelengths (Woan, G., Duffett-Smith, P.J.), **243**, 87
A new subclass of Type II supernovae? (Schlegel, E.M.), **244**, 269
The interstellar environment of SN 1987A (Meaburn, J.), **244**, 551
On the evolution of supernova remnants – I. Explosions inside pre-existing wind-driven bubbles (Tenorio-Tagle, G., Bodenheimer, P., Franco, J., Rózyczka, M.), **244**, 563
G25.5 + 0.2: a very young supernova remnant or a galactic planetary nebula? (White, R.L., Becker, R.H.), **244**, 12P
Direct observation of radioactive cobalt decay in Supernova 1987A (Varani, G.-F., Meikle, W.P.S., Spyromilio, J., Allen, D.A.), **245**, 570
Long slit observations of emitting gas in the Vela supernova remnant (Wallerstein, G., Balick, B.), **245**, 701
Radio continuum observations of a galactic field centred on the supernova remnant G73.9 + 0.9 (Pineault, S., Chastenay, P.), **246**, 169
Chemistry in supernova 1987A (Rawlings, J.M.C., Williams, D.A.), **246**, 208
A morphological criterion for distinguishing between supernova remnants and H II regions (Inglis, M.D., Kitchin, C.R.), **246**, 358
Gas motions within the giant H II complex NGC3603 – III (Clayton, C.A.), **246**, 712

Ultraviolet astronomy

High-velocity gas components towards 4 Lac (Bates, B., Catney, M.G., Keenan, F.P.), **242**, 267
Ultraviolet variability of NGC 4151: a study using principal component analysis (Mittaz, J.P.D., Penston, M.V., Snijders, M.A.J.), **242**, 370
Massive thin accretion discs – II. Polarization (Laor, A., Netzer, H., Piran, T.), **242**, 560
The absolute magnitudes of RR Lyrae stars – III. DH Peg (Fernley, J.A., Skillen, I., Jameson, R.F., Longmore, A.J.), **242**, 685
IUE observations of mass-loss spectral features in B5–B9 supergiants (Bates, B., Gilheany, S.), **243**, 320
Ultraviolet spectra of a large sample of quasars – II. Variability of Lyα and CIV emission lines (Gondhalekar, P.M.), **243**, 443
The λ 2175 Å feature from irradiated graphitic particles (Sorrell, W.H.), **243**, 570
Simultaneous multifrequency observations of the Seyfert 1 galaxy NGC 4051: constant optical–infrared emission observed during large-amplitude X-ray variability (Done, C., Ward, M.J., Fabian, A.C., Kunieda, H., Tsuruta, S., Lawrence, A., Smith, M.G., Wamsteker, W.), **243**, 713
Effective temperatures of RCB stars (Goldsmith, M.J., Evans, A., Albinson, J.S., Bode, M.F.), **245**, 119
Time dependence of the UV resonance lines in the cataclysmic variables SU UMα, RX And and 0623 + 71 (Woods, J.A., Drew, J.E., Verbunt, F.), **245**, 323
The ultra-compact BLR in NGC 4151 (Clavel, J., Boksenberg, A., Bromage, G.E., Elvius, A., Penston, M.V., Perola, G.C., Santos-Lleo, M., Snijders, M.A.J., Ulrich, M.-H.), **246**, 668
The long-period binary UU Cancri as a system that has reversed its mass ratio (Eaton, J.A.), **247**, 62

X-ray astronomy

Cataclysmic variable evolution: observational tests (Hameury, J.M., King, A.R., Lasota, J.P.), **242**, 141

The variable X-ray absorption and soft X-ray excess of the QSO MR2251 – 178 (Pan, H.C., Stewart, G.C., Pounds, K.A.), **242**, 177
X-ray pulsar profile analysis (Leahy, D.A.), **242**, 188
GINGA observations of Abell 2218: implications for H_0 (McHardy, I.M., Stewart, G.C., Edge, A.C., Cooke, B., Yamashita, K., Hatsukade, I.), **242**, 215
Coded mask X-ray images of the Virgo cluster – I. Hard X-rays from the Seyfert galaxy NGC 4388 (Hanson, C.G., Skinner, G.K., Eyles, C.J., Willmore, A.P.), **242**, 262
The photospheric temperature and metal abundance of the compact star H1504 + 65 (Barstow, M.A., Tweedy, R.W.), **242**, 484
The X-ray spectrum of MCG-6–30–15 and its temporal variability (Nandra, K., Pounds, K.A., Stewart, G.C.), **242**, 660
Reflection-dominated hard X-ray sources and the X-ray background (Fabian, A.C., George, I.M., Miyoshi, S., Rees, M.J.), **242**, 14P
The X-ray spectrum of the broad-line radio galaxy 3C445 (Pounds, K.A.), **242**, 20P
X-ray illuminated accretion discs: a model for the iron line in NGC 3227 (George, I.M., Nandra, K., Fabian, A.C.), **242**, 28P
Is V426 Ophiuchi really an intermediate polar? (Hellier, C., O'Donoghue, D., Buckley, D., Norton, A.), **242**, 32P
Localization of one of the Galactic Centre X-ray burst sources (Skinner, G.K., Foster, A.J., Willmore, A.P., Eyles, C.J.), **243**, 72
Quasi-periodic oscillations in GX 17 + 2 (Penninx, W., Lewin, W.H.G., Mitsuda, K., van der Klis, M., van Paradijs, J., Zijlstra, A.A.), **243**, 114
LTE model atmospheres for hot, helium-rich degenerate stars (Barstow, M.A.), **243**, 182
A fluctuation analysis of the X-ray background in the *Einstein Observatory* IPC (Barcons, X., Fabian, A.C.), **243**, 366
The X-ray orbital lightcurve of TY Pyx: a 3.2-day eclipsing RS CVn system (Culhane, J.L., White, N.E., Shafer, R.A., Parmar, A.N.), **243**, 424
High-energy X-ray observations of A 0535 + 26 (Coe, M.J., Carstairs, I.R., Court, A.J., Davies, S.R., Dean, A.J., Dipper, N.A., Lewis, R.A., Perotti, F., Quadrini, E., Bazzano, A., Ubertini, P., Stephens, J.B.), **243**, 475
X-ray spectral variations in NGC 4151 (Fiore, F., Perola, G.C., Romano, M.), **243**, 522
GINGA observations of the 6-s X-ray pulsar 1E1048.1 – 5937 (Corbet, R.H.D., Day, C.S.R.), **243**, 553
Coronal X-ray emission from the short-period eclipsing binary XY UMa (Bedford, D.K., Feffries, R.D., Geyer, E.H., Vilhu, O.), **243**, 557
Multi-frequency variations of the Wolf–Rayet system HD 193793 – I. Infrared, X-ray and radio observations (Williams, P.M., van der Hucht, K.A., Pollock, A.M.T., Florkowski, D.R., van der Woerd, H., Wamsteker, W.M.), **243**, 662
Simultaneous multifrequency observations of the Seyfert 1 galaxy NGC 4051: constant optical–infrared emission observed during large-amplitude X-ray variability (Done, C., Ward, M.J., Fabian, A.C., Kunieda, H., Tsuruta, S., Lawrence, A., Smith, M.G., Wamsteker, W.), **243**, 713
The influence of cluster cooling flows on imaging X-ray surveys (Pesce, J.E., Fabian, A.C., Edge, A.C., Johnstone, R.M.), **244**, 58
The X-ray emission of 3C273 (Turner, M.J.L., Williams, O.R., Courvoisier, T.J.-L., Stewart, G.C., Nandra, K., Pounds, K.A., Ohashi, T., Makishima, K., Inoue, H., Kii, T., Makino, F., Hayashida, K., Tanaka, Y., Takano, S., Koyama, K.), **244**, 310
Slim accretion discs with different viscosity prescriptions (Szuszkiewicz, E.), **244**, 377
Large-scale attractors: the direct effect on the X-ray background (Goicoechea, L.J., Martín-Mirones, J.M.), **244**, 493
The ephemeris of X 1822 – 371 (Hellier, C., Mason, K.O., Smale, A.P., Kilkenny, D.), **244**, 39P
Pair loading in compact sources (Done, C., Ghisellini, G., Fabian, A.C.), **245**, 1
HEAO-1 observations of the X-ray pulsar 1E2259 + 586 (Davies, S.R., Wood, K.S., Coe, M.J.), **245**, 268
The photospheric temperatures and composition of very hot He-rich white dwarfs (Barstow, M.A., Holberg, J.B.), **245**, 370
An X-ray flux-limited sample of clusters of galaxies: evidence for evolution of the luminosity function (Edge, A.C., Stewart, G.C., Fabian, A.C., Arnaud, K.A.), **245**, 559
The changing soft X-ray light curve of the AM Her system MR Serpentis (PG 1550 + 191) (Angelini, L., Osborne, J.P., Stella, L.), **245**, 652
Cyclotron humps in AM Her systems: variations around the orbit in DP Leo (Cropper, M., Mukai, K., Mason, K.O., Smale, A.P., Charles, P.A., Mittaz, J.P.D., Machin, G., Hassall, B.J.M., Callanan, P.J., Naylor, T., van Paradijs, J.), **245**, 760
The rising phase of X-ray bursts from MXB 1728–34:constraints on the spreading of thermonuclear flashes over the surface of the neutron star (Day, C.S.R., Tawara, Y.), **245**, 31P
Solar chlorine abundance from an X-ray flare spectrum (Phillips, K.J.H., Keenan, F.P.), **245**, 40P
VLA observations of four bright globular cluster X-ray sources (Machin, G., Lehto, H.J., Hardy, I.M.M., Callanan, P.J., Charles, P.A.), **246**, 237
Self-consistent Comptonized models for the spectra of low-mass X-ray binaries (Ponman, T.J., Foster, A.J., Ross, R.R.), **246**, 287
An X-ray flare on the short-period, eclipsing binary XY UMa (Jeffries, R.D., Bedford, D.K.), **246**, 337
Massive thin accretion discs – III. Comparison with the observations (Laor, A.), **246**, 369
Synchrotron X-ray and gamma-ray haloes of ultra-high-energy gamma-ray sources (Protheroe, R.J.), **246**, 628
X-ray observations of the radio galaxy Pictor A (Singh, K.P., Rao, A.R., Vahia, M.N.), **246**, 706
When will the peculiar X-ray pulsar GX1 + 4 resume the fast spinup? (Sakao, T., Kohmura, Y., Makishima, K., Ohashi, T., Dotani, T., Kii, T., Makino, F., Nagase, F., Takeshima, T., Turner, M.J.L.), **246**, 11P
Accretion disc atmospheres (Mineshige, S., Wood, J.H.), **247**, 43
Blob accretion in AM Herculis systems (Litchfield, S.J., King, A.R.), **247**, 200
Optical and X-ray observations of 4U0614 + 09 (Machin, G., Callanan, P.J., Charles, P.A., Thorstensen, J., Brownberger, K., Corbet, R.H.D., Hamwey, R., Harlaftis, E.T., Mason, K.O., Mukai, K.), **247**, 205
Intermediate polars: soft X-ray machines (King, A.R., Lasota, J.P.), **247**, 214
A spin-down mechanism for accreting neutron stars (Illarionov, A.F., Kompaneets, D.A.), **247**, 219

Zodiacal light

The mass distribution of comets and meteoroid streams and the shower/sporadic ratio in the incident visual meteoroid flux (Hughes, D.W.), **245**, 198
Modelling the *IRAS* zodiacal emission (Rowan-Robinson, M., Hughes, J., Vedi, K., Walker, D.W.), **246**, 273

AUTHOR INDEX

Aarseth, S.J. *see* Beauge, C.
Abraham, R.G. *see* McHardy, I.M.
Abramowicz, M.A. Centrifugal force: a few surprises, **245**, 733
Abramowicz, M.A., Miller, J.C. Ellipticity behaviour of relativistic Maclaurin spheroids, **245**, 729
Abramowicz, M.A., Prasanna, A.R. Centrifugal-force reversal near a Schwarzschild black hole, **245**, 720
Adamson, A.J., Whittet, D.C.B., Duley, W.W. The 3.4-μm interstellar absorption feature in Cyg OB2 no. 12, **243**, 400
Ade, P.A.R. *see* Duncan, W.D.
Adelman, S.J., Davis Philip, A.G. Elemental abundances of the field horizontal-branch stars HD 86986, 130095 and 202759, **247**, 132
Aitken, D.K. *see* Smith, C.H.
Akujor, C.E., Spencer, R.E., Wilkinson, P.N. MERLIN images of two compact steep-spectrum sources, 3C147 and 3C295, **244**, 362
Albinson, J.S. *see* Goldsmith, M.J.
Alexander, P. *see* Sopp, H.
Alladin, S.M. *see* Som Sunder, G.
Allen, A.J., Palmer, P.L., Papaloizou, J. A conservative numerical technique for collisionless dynamical systems: comparison of the radial and circular orbit instabilities, **242**, 576
Allen, A.J. *see* Palmer, P.L.
Allen, D.A., Hyland, A.R., Hillier, D.J. The source of luminosity at the Galactic Centre, **244**, 706
Allen, D.A. *see* Couch, W.J.
Allen, D.A. *see* Hall, P.J.
Allen, D.A. *see* Spyromilio, J.
Allen, D.A. *see* Varani, G.-F.
Allington-Smith, J. *see* Machin, G.
Allington-Smith, J. *see* Mukai, K.
Alloin, D. *see* Bica, E.
Alloin, D. *see* Schmidt, A.A.
Ananthakrishnan, S. *see* Manoharan, P.K.
Andrews, P.J. *see* Fitzsimmons, A.
Angelini, L., Osborne, J.P., Stella, L. The changing soft X-ray light curve of the AM Her system MR Serpentis (PG 1550 + 191), **245**, 652
Appel, L., Jones B.B.T. The mass function in biased galaxy formation scenarios, **245**, 522
Aragon Salamanca, A. *see* Gorgas, J.
Argyle, R.W., Eldridge, P. Optical positions of Seyfert galaxies – III, **243**, 504
Arnaud, K.A. *see* Crawford, C.S.
Arnaud, K.A. *see* Edge, A.C.
Arnold, R. Erratum: Round galactic spheroids with triaxial kinematics, **246**, 368
Arnold, R. Round galactic spheriods with triaxial kinematics, **244**, 465
Ashoka, B.N. *see* Kameswara Rao, N.
Aspin, C., Rayner, J.T., McLean, I.S., Hayashi, S.S. Infrared imaging polarimetry and photometry of S106, **246**, 565
Athanassoula, E., Morin, S., Wozniak, H., Puy, D., Pierce, M.J., Lombard, J., Bosma, A. The shape of bars in early-type barred galaxies, **245**, 130
Axon, D.J. *see* Brindle, C.
Axon, D.J. *see* Chapman, J.M.
Axon, D.J. *see* Saikia, D.J.
Axon, D.J. *see* Vila, M.B.

Bailes, M., Manchester, R.N., Kesteven, M.J., Norris, R.P., Reynolds, J.E. The proper motions of six southern radio pulsars, **247**, 322
Bailes, M. *see* Lyne, A.G.
Bailey, J. The masses of cataclysmic variables – a statistical approach **243**, 57
Bailey, J.A. *see* Brindle, C.
Bailey, J.A. *see* Cropper, M.
Baldwin, J.E. *see* Buscher, D.F.
Baldwin, J.E. *see* Hales, S.E.G.
Baldwin, J.E. *see* McGilchrist, M.M.
Balick, B. *see* Wallerstein, G.
Ballard, K.R., Mead, A.R.G., Brand, P.W.J.L., Hough, J.H. The optical and infrared emission of blazars, **243**, 640
Ballard, K.R. *see* Heavens, A.F.
Balm, S.P., Kroto, H.W. Possible assignment of the 11.3 -μm UIR feature to emission from carbonaceous microparticles with internal hydrogens, **245**, 193
Balona, L.A. Short-period variability in Be stars, **245**, 92
Banday, A.J., Wolfendale, A.W. Fluctuations in the cosmic microwave background, **245**, 182
Banhatti, D.G. Are there radio voids?, **246**, 7P
Barcons, X., Fabian, A.C. A fluctuation analysis of the X-ray background in the *Einstein Observatory* IPC, **243**, 366
Barcons, X., Webb, J.K. Do Lyman α clouds cluster around galaxies?, **244**, 3P
Baring, M.G. The influence of the distribution of photon and electron angles on synchrotron models of gamma-ray burst spectra, **244**, 49
Barker, D.M., Mestel, L. Disc-like magneto-gravitational equilibria – II, **245**, 147
Barlow, M.J. *see* Monk, D.J.
Barnes, T.G. *see* Fernley, J.A.
Barone, F. *see* Covino, E.
Barrett, P.E. *see* Sekiguchi, K.
Barrow, J.D., Coles, P. The statistics of primordial density fluctuations, **244**, 188
Barrow, J.D., Hawthorne, W.S. Equilibrium matter fields in the early universe, **243**, 602
Barrow, J.D. *see* Coles, P.
Barstow, M.A., Holberg, J.B. The photospheric temperatures and composition of very hot He-rich white dwarfs, **245**, 370
Barstow, M.A. LTE model atmospheres for hot, helium-rich degenerate stars, **243**, 182
Barstow, M.A., Tweedy, R.W. The photospheric temperature and metal abundance of the compact star H1504 + 65, **242**, 484
Barteldrees, A. *see* Lesch, H.
Basu, D. *see* Penston, M.V.
Bates, B., Catney, M.G., Keenan, F.P. High-resolution interstellar and stellar line profiles of stars in the globular cluster M22, **245**, 238
Bates, B., Catney, M.G., Keenan, F.P. High-velocity gas components towards 4 Lac, **242**, 267
Bates, B., Gilheany, S. *IUE* observations of mass-loss spectral features in B5–B9 supergiants, **243**, 320
Battaner, E. *see* S nchez-Saavedra, M.L.
Bazzano, A. *see* Coe, M.J.
Beard, S.M., MacGillivray, H.T., Thanisch, P.F. The COSMOS system for crowded-field analysis of digitized photographic plate scans, **247**, 311
Beauchemin, M., Borra, E.F., Edwards, G. A homogeneous catalogue of quasar candidates found with slitless spectroscopy, **247**, 182
Beauge, C., Aarseth, S.J. N-body simulations of planetary formation, **245**, 30
Becker, R.H. *see* White, R.L.
Becklin, E.E. *see* Eales, S.A.
Bedford, D.K., Jeffries, R.D., Geyer, E.H., Vilhu, O. Coronal X-ray emission from the short-period eclipsing binary XY UMa, **243**, 557
Bedford, D.K. *see* Jeffries, R.D.
Begelman, M.C., Fabian, A.C. Turbulent mixing layers in the interstellar and intracluster medium, **244**, 26P
Bell Burnell, S.J. *see* Davis, C.J.
Bell, S.A., Rainger, P.P., Hill, G., Hilditch, R.W. A photometric and spectroscopic study of BX Andromedae, **244**, 328
Bell, S.A. *see* Rainger, P.P.
Belmonte, J.A. *see* Kreidl, T.J.
Bergman, T.S., Bica, E., Pastoriza, M.G. The stellar population and emitting gas in the inner 2–5 kpc for a sample of nine Seyfert 2 galaxies, **245**, 749
Betancort-Rijo, J. Number density of filaments in a random Gaussian field, **243**, 656
Betancort-Rijo, J. Probabilities of voids, **246**, 608

Bettens, R.P.A. *see* Brown, R.D.
Bhui, B. *see* Chatterjee, S.
Bica, E., Alloin, D., Schmidt, A. Starbursts superimposed on old populations: spectral evolution of the composite system over 3 x 10 yr, **242**, 241
Bica, E. *see* Bergman, T.S.
Bica, E. *see* Schmidt, A.A.
Biermann, P.L. *see* Lesch, H.
Biggs, J.D. Main pulse-interpulse correlation and mode changing in PSR , 1055 -, -52, **246**, 341
Biggs, J.D. Meridional compression of radio pulsar beams, **245**, 514
Binette, L. *see* Robinson, A.
Binney, J. *see* Jenkins, A.
Binney, J. *see* McGill, C.
Binney, J. *see* van der Marel, R.P.
Bithell, M. Lyα radiation pressure in galaxies, **244**, 738
Bithell, M., Rees, M.J. The age of high-redshift radio galaxies, **242**, 570
Björnsson, C.-I. Circular polarization in compact extragalactic radio sources, **242**, 158
Blanchet, L., Damour, T., Schäfer, G. Post-Newtonian hydrodynamics and post-Newtonian gravitational wave generation for numerical relativity, **242**, 289
Blanchet, L., Schäfer, G. Erratum: Higher order gravitational radiation losses in binary systems, **242**, 704
Blanco, P.R., Ward, M.J., Wright, G.S. Broad infrared line emission from the nuclei of Seyfert 2 galaxies, **242**, 4P
Bland Hawthorn, J. *see* Michel, F.C.
Blandford, R.D. *see* Coppi, P.S.
Bode, M.F. *see* Goldsmith, M.J.
Bodenheimer, P. *see* Tenorio-Tagle, G.
Bodo, G., Ferrari, A., Massaglia, S., Trussoni, E. Synchrotron thermal instabilities in extended extragalactic radio sources, **244**, 530
Bohme, D.K. *see* Wlodek, S.
Boksenberg, A. *see* Clavel, J.
Bonifazi, A., Fusi Pecci, F., Romeo, G., Tosi, M. CCD photometry of galactic open clusters – II. NGC 2243, **245**, 15
Borra, E.F. *see* Beauchemin, M.
Bosma, A. *see* Athanassoula, E.
Boyle, B.J. A composite QSO spectrum, **243**, 231
Boyle, B.J., Fong, R., Shanks, T., Peterson, B.A. A catalogue of faint, UV-excess objects **243**, 1
Boyle, B.J. *see* Mitchell, P.S.
Brand, P.W.J.L. *see* Ballard, K.R.
Brand, P.W.J.L. *see* Moorhouse, A.
Brand, P.W.J.L. *see* Smith, M.D.
Brand, P.W.J.L. *see* Smith, P.A.
Brebner, G.C. *see* Cohen, G.C.
Breitschwerdt, D., Kahn, F.D. Dynamical evolution of planetary nebulae – II. Ionization of shells in planetary nebulae and the formation of low-ionization knots, **244**, 521
Breitschwerdt, D. *see* Kahn, F.D.
Brickhill, A.J. The pulsations of ZZ Ceti stars – II. Turbulent convection and the maximum period, **246**, 510
Bridgeland, M.T. *see* Irwin, M.J.
Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Sparks, W.B. An optical and near-infrared polarization survey of early-type radio galaxies, **247**, 327
Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Ward, M.J., Sparks, W.B., McLean, I.S. An optical and near-infrared polarization survey of Seyfert and broad-line radio galaxies – I. Statistical properties, **244**, 577
Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Ward, M.J., Sparks, W.B., McLean, I.S. An optical and near-infrared polarization survey of Seyfert and broad-line radio galaxies – II. The wavelength dependence of polarization, **244**, 604
Bromage, G.E. *see* Clavel, J.
Brosche, P., Sinachopoulos, D. Erratum: Comparisons of positions of extragalactic compact radio sources, **245**, 384
Brown, P.D., Charnley, S.B. Chemical models of interstellar gas–grain processes – I. Modelling and the effect of accretion on gas abundance and mantle composition in dense clouds, **244**, 432
Brown, P.D. The grain-surface formation of complex molecules, **243**, 65
Brown, R.D., Cragg, D.M., Bettens, R.P.A. Interstellar chemistry: hot-ion reactions, **245**, 623
Browne, I.W.A. *see* Jackson, N.
Browne, I.W.A. *see* Mantovani, F.
Brownjohn, D.P. *see* Weiss, N.O.
Brownsberger, K. *see* Machin, G.
Buchhorn, M. *see* Cottrell, P.L.
Buckley, D. *see* Hellier, C.
Buckley, D.A.H. *see* Sekiguchi, K.
Bunclark, P.S. *see* Irwin, M.J.
Burdyuzha, V.V., Vikulov, K.A. The excitation and physical nature of megamasers, **244**, 86
Burke, P.G. *see* Mohan, M.
Burke, P.G. *see* Scholz, T.T.
Burkert, A. The dissipationless evolution of elliptical galaxies, **247**, 152
Burton, M.G. *see* Moorhouse, A.
Buscher, D.F., Haniff, C.A., Baldwin, J.E., Warner, P.J. Detection of a bright feature on the surface of Betelgeuse, **245**, 7P
Busko, I.C., Steiner, J.E. Profiles of emission lines in AGN – III. Observations of Hα, [NII] and [SII] profiles, **245**, 470
Buzzoni, A. *see* Molinari, E

Caldwell, J.A.R. *see* Sekiguchi, K.
Callanan, P.J. *see* Cropper, M.
Callanan, P.J. *see* Machin, G.
Callanan, P.J. *see* Mukai, K.
Callus, C.M. *see* Evans, A.
Campbell, C.G. Magneto-gravitational synchronous states in the AM Herculis variables, **244**, 367
Cannon, R.D., Sagar, R., Hawkins, M.R.S. CCD photometry of the distant southern globular cluster NGC 5824, **243**, 151
Cannon, R.D. *see* Sagar, R.
Caon, N. *see* Capaccioli, M.
Capaccioli, M., Caon, N., Rampazzo, R. Further evidence of continuity between elliptical and disc galaxies, **242**, 24P
Carstairs, I.R. *see* Coe, M.J.
Carswell, R.F. *see* Rauch, M.
Carter, B.S. *see* Feast, M.W.
Carter, B.S. *see* Sekiguchi, K.
Carter, B.S. Southern *JHKL* standards, **242**, 1
Carter, D., Sadler, E.M. Kinematics of the dwarf spheroidal galaxy NGC 205, **245**, 12P
Catchpole, R.M. *see* Sekiguchi, K.
Catney, M.G. *see* Bates, B.
Cawson, M.G.M. *see* Disney, M.J.
Chakrabarti, S.K. Standing shocks in isothermal rotating winds and accretion – II. Effects of viscous dissipation, **243**, 610
Chakrabarti, S.K. von Zeipel surfaces, **245**, 747
Chakrabarti, S.K. Weber-Davis model revisited: standing magnetohydrodynamic shocks in accretion and winds, **246**, 134
Chandler, C.J., Gear, W.K., Sandell, G., Hayashi, S., Duncan, W.D., Griffin, M.J., Hazell, A.S. B335: protostar or embedded pre-main-sequence star?, **243**, 330
Chapman, J.M., Staveley-Smith, L., Axon, D.J., Unger, S.W., Cohen, R.J., Pedlar, A., Davies, R.D. A combined optical, infrared and radio study of the megamaser galaxy III Zw 35, **244**, 281
Charles, P.A. *see* Cropper, M.
Charles, P.A. *see* Machin, G.
Charles, P.A. *see* Mukai, K.
Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A. Chemical evolution in molecular clump–stellar wind interfaces, **243**, 405
Charnley S.B. *see* Brown P.D.
Charnley, S.B. *see* Nejad, L.A.M.
Charnley, S.B., Whittet, D.C.B., Williams, D.A. Ice mantles in Barnard 5 IRS1, **245**, 161
Chastenay, P. *see* Pineault, S.
Chatterjee, S., Bhui, B. Homogeneous cosmological model in higher dimension, **247**, 57
Chavarria, K.C. *see* Mendoza, E.E.
Chengalur, J.N. *see* Lewis, B.M.
Chi, X., Wolfendale, A.W. Implications of the correlation between radio and far-infrared emission for spiral galaxies, **245**, 101
Chiba, M., Tosa, M. Swing excitation of galactic magnetic fields induced by spiral density waves, **244**, 714

Chincarini, G. *see* Molinari, E.
Christensen-Dalsgaard, J., Schou, J., Thompson, M.J. A comparison of methods for inverting helioseismic data, **242**, 353
Clarke, C.J., Lin, D.N.C., Pringle, J.E. Pre-conditions for disc-generated FU Orionis outbursts, **242**, 439
Clavel, J., Boksenberg, A., Bromage, G.E., Elvius, A., Penston, M.V., Perola, G.C., Santos-Lleo, M., Snijders, M.A.J., Ulrich, M.-H. The ultra-compact BLR in NGC 4151, **246**, 668
Clayton, C.A. Gas motions within the giant H II complex NGC3603 – III, **246**, 712
Clegg, R.E.S. *see* Monk, D.J.
Clemens, J.C. *see* O'Donoghue, D.
Clowes, R.G. *see* Gosset, E.
Coates, D.W. *see* Innis, J.L.
Coe, M.J., Carstairs, I.R., Court, A.J., Davies, S.R., Dean, A.J., Dipper, N.A., Lewis, R.A., Perotti, F., Quadrini, E., Bazzano, A., Ubertini, P., Stephen, J.B. High-energy X-ray observations of A 0535 + 26, **243**, 475
Coe, M.J. *see* Davies, S.R.
Cohen, R.J., Brebner, G.C., Potter, M.M. Magnetic-field decay in the bipolar outflow source Cepheus A, **246**, 3P
Cohen, R.J. *see* Chapman, J.M.
Cohn, H.N. *see* Murphy, B.W.
Coleman, C.S. Kelvin-Helmholtz instabilities in swirling jets, **244**, 35
Coles, P., Barrow, J.D. Microwave background constraints on the Voronoi model of large-scale structure, **244**, 557
Coles, P. Second-order evolution of Cold Dark Matter perturbations, **243**, 171
Coles, P. *see* Barrow, J.D.
Colless, M., Ellis, R.S., Taylor, K., Hook, R.N. The LDSS deep redshift survey, **244**, 408
Collier Cameron, A. *see* Doyle, J.G.
Connon Smith, R. *see* Friend, M.T.
Connon Smith, R. *see* Sinjab, I.M.
Conway, J.E., Cornwell, T.J., Wilkinson, P.N. Multi-frequency synthesis: a new technique in radio interferometric imaging, **246**, 490
Cooke, B. *see* McHardy, I.M.
Coppi, P.S., Blandford, R.D. Reaction rates and energy distributions for elementary processes in relativistic pair plasmas, **245**, 453
Corbet, R.H.D., Day, C.S.R. *GINGA* observations of the 6-s X-ray pulsar 1E1048.1 , -, -5937, **243**, 553
Corbet, R.H.D. *see* Machin, G.
Cornwell, T.J. *see* Conway, J.E.
Cornwell, T.J. *see* Saikia, D.J.
Cottrell, P.L., Lawson, W.A., Buchhorn, M. The 1988 decline of R Coronae Borealis, **244**, 149
Cottrell, P.L. *see* Lawson, W.A.
Couch, W.J., Allen, D.A., Malin, D.F. Photographic imaging of light echoes from SN 1987A, **242**, 555
Court, A.J. *see* Coe, M.J.
Courvoisier, T.J.-L. *see* Turner, M.J.L.
Covino, E., Barone, F., Milano, L., Russo, G., Sarna, M.J. EE Aquarii: a marginal contact system, **246**, 472
Cragg, D.M. *see* Brown, R.D.
Crane, P.C. *see* Pedlar, A.
Crawford, C.S., Arnaud, K.A., Fabian, A.C., Johnstone, R.M. A2597: another massive cooling flow, **242**, 277
Crawford, C.S. *see* Forbes, D.A.
Crawford, I.A. Observations of interstellar CN and C_2 towards the Scorpius OBI association, **244**, 646
Crawford, I.A. The optical interstellar spectrum of HD 26571, **243**, 593
Cristiani, S., Hawkins, M., Iovino, A., Pierre, M., Shaver, P. Observations of variable quasar candidates, **245**, 493
Croft, S. *see* Penston, M.V.
Cropper, M., Bailey, J.A., Wickramasinghe, D.T., Ferrario, L. Circular polarimetry of the faint AM Her system Grus–V,I **244**, 34P
Cropper, M., Mason, K.O., Mukai, K. Magnetic fields in AM Her systems: a possible field for 1E1048.5 + 5241 (EK UMa) from cyclotron humps, **243**, 565
Cropper, M., Mukai, K., Mason, K.O., Smale, A.P., Charles, P.A., Mittaz, J.P.D., Machin, G., Hassall, B.J.M., Callanan, P.J., Naylor, T., van Paradijs, J. Cyclotron humps in AM Her systems: variations around the orbit in DP Leo, **245**, 760
Cropper, M. Polarimetry of the recurrent nova RS Oph during its 1985 outburst, **243**, 144
Cropper, M. *see* Hellier, C.
Cropper, M. *see* Sharples, R.
Crusius, A. *see* Lesch, H.
Cuddeford, P., Miller, J.C. On the mass-to-light ratios of dwarf spheroidal galaxies, **244**, 64
Culhane, J.L., White, N.E., Shafer, R.A., Parmar, A.N. The X-ray orbital lightcurve of TY Pyx: a 3.2-day eclipsing RS CVn system, **243**, 424
Cuttela, M., Ringuelet, A.E. A model for the Ae star with detected magnetic field, HD 190073, **246**, 20
Czerny, B., Pojmański, G. Lyman edges in AGN accretion discs, **245**, 1
Czerny, B. *see* Loska, Z.

Dahlem, M. *see* Lesch, H.
Dahlgren, M. *see* Fitzsimmons, A.
Damour, T. *see* Blanchet, L.
Das, A.C. *see* Tripathy, S.C.
Davies, J.I. Missing mass or missing light?, **245**, 350
Davies, J.I., Phillipps, S., Disney, M.J. *B* and *R* CCD surface photometry of selected low surface brightness galaxies in the region of the Fornax clusters, **244**, 385
Davies, J.I. *see* Disney, M.J.
Davies, J.I. *see* Evans, Rh.
Davies, J.I. *see* Irwin, M.J.
Davies, J.I. *see* Phillipps, S.
Davies, J.I. Visibility and the selection of galaxies, , **244**, 8
Davies, R.D. *see* Chapman, J.M.
Davies, R.D. *see* Pedlar, A.
Davies, R.D. *see* Vila, M.B.
Davies, R.L. *see* van der Marel, R.P.
Davies, S.R. An improved test for periodicity, **244**, 93
Davies, S.R. *see* Coe, M.J.
Davies, S.R., Wood, K.S., Coe, M.J. *HEAO-1* observations of the X-ray pulsar 1E2259 + 586, **245**, 268
Davis, C.J., Dent, W.R.F., Bell Burnell, S.J. HCO^+ observations of the Herbig–Haro objects 1 and 2, **244**, 173
Davis Philip, A.G. *see* Adelman, S.J.
Day, C.S.R. *see* Corbert, R.H.D.
Day, C.S.R., Tawara, Y. The rising phase of X-ray bursts from MXB 1728–34:constraints on the spreading of thermonuclear flashes over the surface of the neutron star, **245**, 31P
de Bruyn, A.G. *see* Wilkinson, P.N.
de Zeeuw, P.T. *see* Evans, N.W.
Dean, A.J. *see* Coe, M.J.
Dent, W.R.F. *see* Davis, C.J.
Díaz, A.I. *see* Terlevich, E.
Díaz, A.I. *see* Tosi, M.
Dipper, N.A. *see* Coe, M.J.
Disney, M.J., Phillipps, S., Davies, J.I., Cawson, M.G.M., Kibblewhite, E.J. Bright galaxies in the Fornax cluster. Automated galaxy surface photometry – VII, **245**, 175
Disney, M.J. *see* Davies, J.I.
Disney, M.J. *see* Irwin, M.J.
Disney, M.J. *see* Phillipps, S.
Doel, R.C., Gray, M.D., Field, D. Line overlap for interstellar molecules with application to OH, **244**, 504
Done, C., Ghisellini, G., Fabian, A.C. Pair loading in compact sources, **245**, 1
Done, C., Ward, M.J., Fabian, A.C., Kunieda, H., Tsuruta, S., Lawrence, A., Smith, M.G., Wamsteker, W. Simultaneous multifrequency observations of the Seyfert 1 galaxy NGC 4051: constant optical–infrared emission observed during large-amplitude X-ray variability, **243**, 713
Donnison, J.R. The distribution of cometary magnitudes, **245**, 658
Doroshkevich, A.G., Kotok, T.V. Galaxy formation in consequent clustering models, **246**, 10
Doroshkevich, A.G., Mücket, J.P., Müller, V. A new model for quasar absorption clouds, **246**, 200
Dotani, T. *see* Sakao, T.
Dottori, H. *see* Terlevich, E.
Doyle, J.G., Collier Cameron, A. Mass ejections from the rapidly rotating M dwarf star Gl 890, **244**, 291

Drew, J.E. *see* Woods, J.A.
Duffet-Smith, P.J. *see* Woan, G.
Duffett-Smith, P.J. *see* Woan, G.
Dufour, R.J. *see* Mitra, P.M.
Dufton, P.L. *see* Keenan, F.P.
Duley, W.W. Excitation and de-excitation of interstellar PAH emitters, **246**, 18P
Duley, W.W. *see* Adamson, A.J.
Duley, W.W. *see* Whittet, D.C.B.
Duley, W.W., Whittet, D.C.B. Very broad-band structure and emission by hydrogenated amorphous carbon, **242**, 4P
Duncan, W.D., Robson, E.I., Ade, P.A.R., Griffin, M.J., Sandell, G. A millimetre/submillimetre common user photometer for the James Clerk Maxwell Telescope, **243**, 126
Duncan, W.D. *see* Chandler, C.J.
Dunlop, J.S., Peacock, J.A. The redshift cut-off in the luminosity function of radio galaxies and quasars, **247**, 19
Durrer, R., Straumann, N. The cosmological constant and galaxy formation, **242**, 221
Dyson, J.E. *see* Charnley, S.B.
Dziembowski, W.A., Pamyatnykh, A.A., Sienkiewicz, R. Solar model from helioseismology and the neutrino flux problem, **244**, 542

Eales, S. *see* Rawlings, S.
Eales, S.A., Becklin, E.E., Zuckerman, B., McLean, I.S. Infrared observations of the eclipsing millisecond pulsar 1957 + 20, **242**, 17P
Eales, S.A., Rawlings, S. The alignment of the radio and infrared structures of 3C356 and its implications for other high-*z* radiogalaxies, **243**, 1P
Eaton, J.A. The long-period binary UU Cancri as a system that has reversed its mass ratio, **247**, 62
Eaton, N., Rolph, C.D., Scarrott, S.M., Wolstencroft, R.D. Re 10: a bipolar nebula in the Coalsack, **244**, 527
Edge, A.C. *see* McHardy, I.M.
Edge, A.C. *see* Pesce, J.E.
Edge, A.C., Stewart, G.C., Fabian, A.C., Arnaud, K.A. An X-ray flux-limited sample of clusters of galaxies: evidence for evolution of the luminosity function, **245**, 559
Edmunds, M.G. General constraints on the effect of gas flows in the chemical evolution of galaxies, **246**, 678
Edmunds, M.G. *see* Phillipps, S.
Edwards, G. *see* Beauchemin, M.
Edwards, J.M. Two-dimensional radiative convection in the Eddington approximation, **242**, 224
Efstathiou, A., Rowan-Robinson, M. Radiative transfer in axisymmetric dust clouds, **245**, 275
Efstathiou, G. *see* Gorgas, J.
Efstathiou, G. *see* Maddox, S.J.
Efstathiou, G. *see* Saunders, W.
Einasto, M. Isolated galaxies, **242**, 56
Eldridge, P. *see* Argyle, R.W.
Elliott, I. *see* Kreidl, T.J.
Ellis, G.F.R. The evolution of inhomogeneities in expanding Newtonian cosmologies, **243**, 509
Ellis, R.S. *see* Colless, M.
Ellis, R.S. *see* Saunders, W.
Elsworth, Y., Isaak, G.R., Jefferies, S.M., McLeod, C.P., New, R., Palle, P.L., Régulo, C., Roca Cortés, T. Linewidths of lowdegree acoustic modes of the Sun, **242**, 135
Elvius, A. *see* Clavel, J.
Engels, D. *see* Zijlstra, A.A.
Evans, A., Callus, C.M., Whitelock, P.A., Laney, D. Infrared photometry and spectroscopy of nova PW Vul 1984, **246**, 527
Evans, A. *see* Goldsmith, M.J.
Evans, N.W., de Zeeuw, P.T., Lynden-Bell, D. The flattened isochrone, **244**, 111
Evans, Rh., Davies, J.I., Phillipps, S. The colours of low surface brightness galaxies in the Fornax cluster: automated galaxy surface photometry – VI, **245**, 164
Eyles, C.J. *see* Hanson, C.G.
Eyles, C.J. *see* Skinner, G.K.

Fabian, A.C., George, I.M., Miyoshi, S., Rees, M.J. Reflection-dominated hard X-ray sources and the X-ray background, **242**, 14P
Fabian, A.C. *see* Barcons, X.
Fabian, A.C. *see* Begelman, M.C.
Fabian, A.C. *see* Crawford, C.S.
Fabian, A.C. *see* Done, C.
Fabian, A.C. *see* Edge, A.C.
Fabian, A.C. *see* Forbes, D.A.
Fabian, A.C. *see* George, I.M.
Fabian, A.C. *see* Loewenstein, M.
Fabian, A.C. *see* Pesce, J.E.
Fabian, A.C. *see* Thomas, P.A.
Fabregat, J., Suso, J., Reglero, V. A *uvby* B photometric study of the peculiar cepheid V473 Lyrae, **245**, 542
Fadeyev, Y.A. Non-linear pulsations of the helium stars, **244**, 225
Fanti, R. *see* Mantovani, F.
Feast, M.W. *see* Sekiguchi, K.
Feast, M.W., Whitelock, P.A., Carter, B.S. M giant populations and galactic structure, **247**, 227
Feitzinger, J.V., Stüwe, J.A. Gamma rays from dark clouds, **242**, 395
Fernie, J.D. *see* Kreidl, T.J.
Fernley, J.A., Skillen, I., Jameson, R.F., Barnes, T.G., Kilkenny, D., Hill, G. The absolute magnitudes of RR Lyrae stars – IV. V445 Ophiuchi, SS Leonis and VY Serpentis, **247**, 287
Fernley, J.A., Skillen, I., Jameson, R.F., Longmore, A.J. The absolute magnitudes of RR Lyrae stars – III. DH Peg, **242**, 685
Ferrari, A. *see* Bodo, G.
Ferrario, L. *see* Cropper, M.
Field, D., Gray, M.D. A new kinematic analysis of broad line emission from QSOs, **244**, 696
Field, D. *see* Doel, R.C.
Finn, L.S. Non-radial pulsations of neutron stars with a crust, **245**, 82
Fiore, F., Perola, G.C., Romano, M. X-ray spectral variations in NGC 4151, **243**, 522
Fitzsimmons, A., Williams, I.P., Lagerkvist, C.-I., Dahlgren, M. Spectra of six asteroids obtained at La Palma, **247**, 26P
Fitzsimmons, A., Williams, I.P., Williams, G.P., Andrews, P.J. Narrow-band photometry of comet P/Halley – OH and H_2O scalelengths and pre-perihelion production rates, **244**, 453
Florido, E. *see* S nchez-Saavedra, M.L.
Florkowski, D.R. *see* Williams, P.M.
Flower, D.R. Excitation of fine structure transitions in O by H_2, **242**, 1P
Flower, D.R., Heck, L., Pineau des Forêts, G., Millar, T.J. The erosion of PAH molecules within shocks in dark clouds, **242**, 512
Flower, D.R., Offer, A., Schilke, P. The $(j, k) = (3, 3)$ inversion line of NH_3 – a possible interstellar chronometer, **244**, 4P
Flower, D.R. *see* Pineau des Forêts, G.
Fong, R. *see* Boyle, B.J.
Fong, R., Stevenson, P.R.F., Shanks, T. The orientation of galaxies and of clusters from an objectively defined catalogue, **242**, 146
Forbes, D.A., Crawford, C.S., Fabian, A.C., Johnstone, R.M. Extended emission-line gas around the quasars 3C 254 and 3C 309.1; very massive cooling flows, **244**, 680
Forrest, R.W., Nicolson, I.K.M. Photometric observations of the occultation of 28 Sgr by Titan, **243**, 1P
Foster, A.J. *see* Ponman, T.J.
Foster, A.J. *see* Skinner, G.K.
Franco, J. *see* Tenorio-Tagle, G.
Frank, J. *see* King, A.R.
Frenk, C.S. *see* Saunders, W.
Friend, M.T., Martin, J.S., Connon Smith, R., Jones, D.H.P. The 8190-Å sodium doublet in cataclysmic variables – II. Too cool for comfort, **246**, 637
Friend, M.T., Martin, J.S., Connon Smith, R., Jones, D.H.P. The 8190-Å sodium doublet in cataclysmic variables – III. Too cool for credibility, **246**, 654
Fuller, N. *see* Penston, M.V.
Fusi Pecci, F. *see* Bonifazi, A.

Galletta, G. *see* Zeilinger, W.W.
Gardner, F.F. *see* Harnett, J.I.
Garrido, R. *see* Kreidl, T.J.
Gautschy, A., Glatzel, W. A new method to solve linear pulsation problems, **245**, 154

Gautschy, A., Glatzel, W. On highly non-adiabatic stellar pulsations and the origin of strange modes, **245**, 597
Geake, J.E., Geake, M. A remote-sensing method for sub-wavelength grains on planetary surfaces by optical polarimetry, **245**, 46
Geake, M. *see* Geake, J.E.
Gear, W.K. *see* Chandler, C.J.
Gear, W.K. *see* Hughes, D.H.
Gear, W.K. *see* McHardy, I.M.
Geballe, T.R. *see* Israel, F.P.
Geballe, T.R. *see* Moorhouse, A.
George, I.M., Nandra, K., Fabian, A.C. X-ray illuminated accretion discs: a model for the iron line in NGC 3227, **242**, 28P
George, I.M. *see* Fabian, A.C.
Geyer, E.H. *see* Bedford, D.K.
Ghataure, H.S. *see* Pedlar, A.
Ghataure, H.S. *see* Unger, S.W.
Ghisellini, G. *see* Done, C.
Giallongo, E., Gratton, R., Trevese, D. Average Lyman absorption from simulated QSO spectra, **244**, 450
Gilheany, S. *see* Bates, B.
Gilmore, A.C. *see* Lawson, W.A.
Gilmore, G. *see* Kroupa, P.
Gilmore, G. *see* Shaw, M.A.
Giridhar, S. *see* Kameswara Rao, N.
Glass, I.S., Moneti, A., Moorwood, A.F.M. Erratum: Infrared images and photometry of the cluster near G 0, 15-, -0, 05, **244**.767
Glass, I.S., Moneti, A., Moorwood, A.F.M. Infrared images and photometry of the cluster near G 0, 15 -, -05, **242**, 55P
Glatzel, W. Gravity mode instabilities in differentially rotating discs, **242**, 338
Glatzel, W. *see* Gautschy, A.
Gledhill, T.M. *see* Scarrott, S.M.
Godwin, J.G. *see* Green, M.R.
Goicoechea, L.J., Martín-Mirones, J.M. Large-scale attractors: the direct effect on the X-ray background, **244**, 493
Gokhale, M.H., Javaraiah, J. Sunspot activity as originating in interference of the Sun's global MHD oscillations, **243**, 241
Goldman, I. Upper limit *G* variability derived from the spin-down of PSR 0655 + 64, **244**, 184
Goldsmith, M.J., Evans, A., Albinson, J.S., Bode, M.F. Effective temperatures of RCB stars, **245**, 119
Gondhalekar, P.M. Ultraviolet spectra of a large sample of quasars – II. Variability of Lyα and CIV emission lines, **243**, 443
Good, A.R. *see* Morgan, D.H.
Gorgas, J., Efstathiou, G., Aragon Salamanca, A. Line-strengths in early-type galaxies, **245**, 217
Gosset, E., Clowes, R.G., Surdej , J., Swings, J.P. A search for quasars in a field around NGC 520, **245**, 71
Gough, D.O., Thompson, M.J. The effect of rotation and a buried magnetic field on stellar oscillations, **242**, 25
Gould, A. Galactic disc column density by maximum likelihood, **244**, 25
Gramann, M. Structure and formation of superclusters – XI. Voids, connectivity and mean density in the CDM universes, **244**, 214
Gratton, R. *see* Giallongo, E.
Grauer, A.D. *see* O'Donoghue, D.
Gray, M.D. *see* Doel, R.C.
Gray, M.D. *see* Field, D.
Green, M.R., Godwin, J.G., Peach, J.V. Three southern cD clusters of galaxies Klemola 44, Sérsic 40/6 and , 2354 -, -35, **243**, 159
Griffin, I. *see* Skinner, C.J.
Griffin, M.J. *see* Chandler, C.J.
Griffin, M.J. *see* Duncan, W.D.
Gudmundsson, E.H., Rögnvaldsson, O.E. The classical cosmological tests applied to world models with pressure, **246**, 463
Guiderdoni, B. *see* Rocca-Volmerange, B.
Gunn, J.E. *see* Weinberg, D.H.
Guo, Z. *see* Kreidl, T.J.
Guthrie, B.N.G., Napier, W.M. The Virgo cluster as a test for quantization of extragalactic redshifts, **243**, 431
Gyldenkerne, K. *see* Saikia, D.J.
Habe, A. *see* Hattori, M.
Hales, S.E.G., Masson, C.R., Warner, P.J., Baldwin, J.E. The 6C survey of radio sources – III. The zone $48^{\circ}<\delta<68^{\circ}$, $05^{h}\ 25^{m}<\alpha\ 18^{h}\ 17^{m}$, **246**, 256
Hall, P.J., Allen, D.A., Troup, E.R., Wark, R.M., Wright, A.E. New SiO masers associated with bright southern *IRAS* sources, **243**, 480
Hameury, J.M., King, A.R., Lasota, J.P. Cataclysmic variable evolution: observational tests, **242**, 141
Hamwey, R. *see* Machin, G.
Haniff, C.A. *see* Buscher, D.F.
Hanson, C.G., Skinner, G.K., Eyles, C.J., Willmore, A.P. Coded mask X-ray images of the Virgo cluster – I. Hard X-rays from the Seyfert galaxy NGC 4388, **242**, 262
Hardy, I.M.M. *see* Machin, G.
Harlaftis, E.T. *see* Machin, G.
Harnett, J.I., Whiteoak, J.B., Reynolds, J.E., Gardner, F.F., Tzioumis, A. New radio observations of the Circinus Galaxy, **244**, 130
Harper, G.M. Fe I – Mg II *k* line fluorescence in K giant and bright giant stars, **243**, 381
Harrison, B.A. *see* Pedlar, A.
Hartquist, T.W. *see* Charnley, S.B.
Hartquist, T.W. *see* Pilipp, W.
Hartquist, T.W. *see* Wagenblast, R.
Hartquist, T.W., Williams, D.A. Cosmic-ray-induced desorption and high depletions in dense cores of interstellar clouds, **247**, 343
Hassall, B.J.M. *see* Cropper, M.
Hassall, B.J.M. *see* Machin, G.
Hassall, B.J.M. *see* Mukai, K.
Hatsukade, I. *see* McHardy, I.M.
Hattori, M., Habe, A. Numerical study of the non-linear stage of thermal instability in cooling flows, **242**, 399
Hatzes, A.P. The distribution of silicon on BP Boo, **245**, 56
Havnes, O. *see* Pilipp, W.
Hawarden, T.G. *see* Israel, F.P.
Hawkins, M. *see* Cristiani, S.
Hawkins, M.R.S. *see* Cannon, R.D.
Hawkins, M.R.S. *see* Sagar, R.
Hawthorne, W.S. *see* Barrow, J.D.
Hayashi, C. *see* Narita, S.
Hayashi, S. *see* Chandler, C.J.
Hayashi, S.S. *see* Aspin, C.
Hayashida, K. *see* Turner, M.J.L.
Hayman, P.G. An investigation of galaxy clustering around QSOs using Palomar Sky Survey prints, **245**, 358
Hazell, A.S. *see* Chandler, C.J.
Hazlehurst, J. Hydrodynamic drag – a reply to Sinjab, Robertson and Smith, **247**, 3P
Heavens, A.F., Ballard, K.R., Kirk, J.G. Relativistic particles in SS433, **244**, 474
Heavens, A.F. *see* Lumsden, S.L.
Heavens, A.F. *see* More, J.G.
Heavens, A.F. *see* Peacock, J.A.
Heck, L. *see* Flower, D.R.
Heintz, W.D. The binary A2925 in the red rectangle, **245**, 759
Heisler, J., White, S.D.M. Satellite disruption and shell formation in galaxies, **243**, 199
Heller, C.H., Kramer, K.S. A frequency analysis of the new rapidly oscillating Ap star 10 Aquilae, **244**, 372
Heller, C.H. *see* Martínez, P.
Hellier, C., Mason, K.O., Cropper, M. Spectroscopy of the intermediate polar FO Aquarii, **242**, 250
Hellier, C., Mason, K.O., Smale, A.P., Kilkenny, D. The ephemeris of X , 1822 -, -371, **244**, 39P
Hellier, C., O'Donoghue, D., Buckley, D., Norton, A. Is V426 Ophiuchi really an intermediate polar?, **242**, 32P
Henriksen, R.N., Lachieze-Rey, M. The mass function of galaxies based on correlated velocity structure, **245**, 255
Henry, G. *see* O'Donoghue, D.
Herbst, E. *see* Millar, T.J.
Herbst, E. *see* Wlodek, S.
Hereman, W. *see* Verheest, F.
Hesselbjerg Christensen, J. Inclination effects on galaxy photometry using finite apertures, **246**, 535
Hibbert, A. *see* Mohan, M.

Hilditch, R.W. *see* Bell, S.A.
Hilditch, R.W. *see* Rainger, P.P.
Hill, G. *see* Bell, S.A.
Hill, G. *see* Fernley, J.A.
Hill, P.W. *see* Pollacco, D.L.
Hillier, D.J. *see* Allen, D.A.
Hoare, M.G. The dust content of two carbon-rich planetary nebulae, **244**, 193
Holberg, J.B. *see* Barstow, M.A.
Hook, R.N. *see* Colless, M.
Horne, K. *see* Wood, J.H.
Hough, J.H. *see* Ballard, K.R.
Hough, J.H. *see* Brindle, C.
Houziaux, L. *see* Nandy, K.
Howe, D.A., Millar, T.J. The formation of carbon chain molecules in IRC + 10216, **244**, 444
Howell, S.B. *see* Mukai, K.
Huang, L. *see* Kreidl, T.J.
Hughes, D.H., Gear, W.K., Robson, E.I. A submillimetre and millimetre halo in M82, **244**, 759
Hughes, D.W., McBride, N. The spatial density of large meteoroids in the inner solar system, **243**, 312
Hughes, D.W. *see* McBride, N.
Hughes, D.W. The mass distribution of comets and meteoroid streams and the shower/sporadic ratio in the incident visual meteoroid flux, **245**, 198
Hughes, J. *see* Rowan-Robinson, M.
Hummel, E. *see* Vila, M.B.
Humphries, C.M. Controlled bending of a thin mirror to regain figure after warping due to edge-cutting, **243**, 177
Hunstead, R.W. *see* Pettini, M.
Hurlburt, N.E. *see* Weiss, N.O.
Hut, P. *see* Murphy, B.W.
Hyland, A.R. *see* Allen, D.A.

Ibañez, M.H. Thermal stability of one-dimensional optically thin steady flows – I. Cooling by bremsstrahlung radiation, **243**, 267
Illarionov, A.F., Kompaneets, D.A. A spin-down mechanism for accreting neutron stars, **247**, 219
Inagaki, S., Lynden-Bell, D. Generalized variational principle for collisional stellar dynamics, **244**, 254
Inglis, M.D., Kitchin, C.R. A morphological criterion for distinguishing between supernova remnants and H II regions, **246**, 358
Innis, J.L., Coates, D.W., Thompson, K., Lloyd Evans, T. Observations of active-chromosphere stars – II. Photometry of PZ Tel , 1979 -, -1985, **242**, 306
Inoue, H. *see* Turner, M.J.L.
Inoue, M. *see* Machalski, J.
Iovino, A. *see* Cristiani, S.
Irwin, M.J., Bunclark, P.S., Bridgeland, M.T., McMahon, R.G. A new satellite galaxy of the Milky Way in the constellation of Sextans, **244**, 16P
Irwin, M.J., Davies, J.I., Disney, M.J., Phillipps, S. Automated galaxy surface photometry – V. Detection of very low surface brightness galaxies, **245**, 289
Isaak, G.R. *see* Elsworth, Y.
Israel, F.P., Hawarden, T.G., Geballe, T.R., Wade, R. The molecular hydrogen content of NGC 604 and other M33 H II region complexes, **242**, 471
Iyengar, K.V.K. *see* Rengarajan, T.N.

Jackson, N., Browne, I.W.A., Shone, D.L., Lind, K.R. Observations of the quasar 0800 + 608, **244**, 750
Jameson, R.F. *see* Fernley, J.A.
Javaraiah, J. *see* Gokhale, M.H.
Jefferies, S.M. *see* Elsworth, Y.
Jeffery, C.S., Lynas-Gray, A.E. Photometry of the extreme helium star HD 124448, **242**, 6
Jeffries, R.D., Bedford, D.K. An X-ray flare on the short-period, eclipsing binary XY UMa, **246**, 337
Jeffries, R.D. *see* Bedford, D.K.
Jenkins, A., Binney, J. Spiral heating of galactic discs, **245**, 305
Johnstone, R.M. *see* Crawford, C.S.
Johnstone, R.M. *see* Forbes, D.A.
Johnstone, R.M. *see* Pesce, J.E.
Jones, A.P. Carbon atom clusters in random covalent networks: PAHs as an integral component of interstellar HAC, **247**, 305
Jones, A.P. Iron or iron oxide grains in the interstellar medium?, **245**, 331
Jones, B.B.T. *see* Appel, L.
Jones, B.J.T. *see* Liu, X.D.
Jones, B.J.T. *see* Martínez, V.J.
Jones, D.H.P. *see* Friend, M.T.
Jones, P.B. Rotation of the neutron-drip superfluid in pulsars: period discontinuities and internal temperatures, **246**, 315
Jones, P.B. Rotation of the neutron-drip superfluid in pulsars: the resistive force, **243**, 257
Jones, P.B. Rotation of the neutron-drip superfluid in pulsars: temperature-dependence of the resistive force, **244**, 675
Jones, P.B. The generation of timing noise by superfluid rotation in pulsars, **246**, 364
Jones, W. Rotational damping of small interplanetary particles, **247**, 257
Junor, W. *see* Saikia, D.J.

Kaburaki, O. *see* Okamoto, I.
Kahn, F.D., Breitschwerdt, D. Dynamical evolution of planetary nebulae – I. Formation of shells in an accelerating wind in protoplanetary nebulae, **242**, 505
Kahn, F.D., Breitschwerdt, D. Stellar winds in H II regions – II. Turbulent mixing between an H II layer and a stellar wind bubble in the presence of a magnetic field, **242**, 209
Kahn, F.D. *see* Breitschwerdt, D.
Kaiser, N. *see* Saunders, W.
Kałuzny, J. CCD *BV* photometry of the old open cluster NGC 6791, **243**, 492
Kaluzny, J. Photometry of an eclipsing nova V1668 Cyg, **245**, 547
Kameswara Rao, N., Giridhar, S., Ashoka, B.N. Spectroscopic studies of R Cr B during light minima: absorption spectrum, **244**, 29
Kanaan, A. *see* O'Donoghue, D.
Karachentsev, I.D., Kopylov, A.I. Galaxy redshift survey in a narrow strip crossing the Coma cluster, **243**, 390
Karachentsev, I.D. *see* Klypin, A.A.
Kardashev, N.S. Optimistic cosmological model, **243**, 252
Keenan, F.P., Dufton, P.L. An investigation of oscillator strength calculations for interstellar lines of Cl II, **242**, 52P
Keenan, F.P. *see* Bates, B.
Keenan, F.P. *see* Phillips, K.J.H.
Kepler, S.O. *see* O'Donoghue, D.
Kesteven, M.J. *see* Bailes, M.
Kibblewhite, E.J. *see* Disney, M.J.
Kiguchi, M. *see* Narita, S.
Kii, T. *see* Sakao, T.
Kii, T. *see* Turner, M.J.L.
Kilkenny, D., Pauls, L. Analysis of high-latitude blue stars – V. Some low-dispersion results, **244**, 133
Kilkenny, D. *see* Fernley, J.A.
Kilkenny D. *see* Hellier, C.
Kilkenny, D. *see* O'Donoghue, D.
Kilkenny, D., van Wyk, F. The high-latitude blue variable PHL 346 and helium-weak star PHL 382, **244**, 727
Kilmartin, P.M. *see* Lawson, W.A.
Kimura, T., Tosa, M. Fragmentation of a converging shock, **245**, 365
King, A.R., Frank, J., Whitehurst, R. Synchronous rotation in AM Herculis systems – I. Equilibrium configurations, **244**, 731
King, A.R., Lasota, J.P. Intermediate polars: soft X-ray machines, **247**, 214
King, A.R. *see* Hameury, J.M.
King, A.R. *see* Litchfield, S.J.
Kirk, J.G. *see* Heavens, A.F.
Kitchin, C.R. *see* Inglis, M.D.
Klypin, A.A., Karachentsev, I.D., Lebedev, V.S. Analysis of 'Coma strip' galaxy redshift catalog, **246**, 193
Kochanek, C.S. Inverting cluster gravitational lenses, **247**, 135
Kochhar, R.K. *see* Namboodiri, P.M.S.
Kochhar, R.K. *see* Som Sunder, G.
Kofman, L., Pogosyan, D., Shandarin, S. Structure of the Universe in the two-dimensional model of adhesion, **242**, 200
Kohmura, Y. *see* Sakao, T.

Koike, C., Shibai, H. Optical constants of hydrous silicates from 7 to 400 μm, **246**, 332
Kompaneets, D.A. *see* Illarionov, A.F.
Kopylov, A.I. *see* Karachentsev, I.D.
Kotok, T.V. *see* Doroshkevich, A.G.
Koyama, K. *see* Turner, M.J.L.
Kramer, K.S. *see* Heller, C.H.
Kreidl, T.J., Garrido, R., Huang, L., Guo, Z., Belmonte, J.A., Fernie, J.D., Zverko, J., Žižnovský, J., Weiss, W.W., Elliott, I., Matthews, J.M. Variability of the Ap star 21 Com: results from multiple-site campaigns, **245**, 642
Krelowski, J. *see* Papaj, J.
Krishan, V., Wiita, P.J. Coherent plasma processes and the continuum emission in active galactic nuclei, **246**, 597
Kroto, H.W. *see* Balm, S.P.
Kroupa, P., Tout, C.A., Gilmore, G. The low-luminosity stellar mass function, **244**, 76
Kumar, S. Twisted accretion discs – V. Viscous evolution, **245**, 670
Kunieda, H. *see* Done, C.
Kurtz, D.W. *see* Martínez, P.
Kurtz, D.W. The discovery and analysis of oscillations with a period of 7.4 min in the cool Ap star HD 80316, **242**, 489
Kurtz, D.W., van Wyk, F., Marang, F. The determination of the rotational periods of rapidly oscillating Ap stars from their mean light variations – IV. HD 60435, **243**, 289
Kuulkers, E. *see* van Amerongen, S.
Kwok, S. An infrared sequence in the late stages of stellar evolution, **244**, 179

Lachieze-Rey, M. *see* Henriksen, R.N.
Lagerkvist, C.-I. *see* Fitzsimmons, A.
Laing, J.D. *see* Sekiguchi, K.
Lake, G. The distribution of dark matter in Draco and Ursa Minor, **244**, 701
Lambas, D.G. *see* Tissera, P.B.
Laney, C.D. *see* Sekiguchi, K.
Laney, D. *see* Evans, A.
Laor, A. Massive thin accretion discs – III. Comparison with the observations, **246**, 369
Laor, A., Netzer, H., Piran, T. Massive thin accretion discs – II. Polarization, **242**, 560
Larson, R.B. Non-linear acoustic waves in discs, **243**, 588
Lasota, J.P. *see* Hameury, J.M.
Lasota, J.P. *see* King, A.R.
Lawrence, A. *see* Done, C.
Lawrence, A. *see* Saunders, W.
Lawson, W.A., Cottrell, P.L. A change in the pulsation period of the R Coronae Borealis star RY Sgr, **242**, 259
Lawson, W.A., Cottrell, P.L., Kilmartin, P.M., Gilmore, A.C. The photometric characteristics of cool hydrogen-deficient carbon stars, **247**, 91
Lawson, W.A. *see* Cottrell, P.L.
Le Dourneuf, M. *see* Mohan, M.
Leahy, D.A. X-ray pulsar profile analysis, **242**, 188
Lebedev, V.S. *see* Klypin, A.A.
Lee, U. Mass-loss solutions of massive stars, **244**, 96
Lehto, H.J. *see* McHardy, I.M.
Lehto, H.J. *see* Machin, G.
Léorat, J., Passot, T., Pouquet, A. Influence of supersonic turbulence on self-gravitating flows, **243**, 293
Lesch, H., Biermann, P.L., Crusius, A., Reuter, H.P., Dahlem, M., Barteldrees, A., Wielebinski, R. The formation of molecular gas rings in galactic central regions, **242**, 194
Lewin, W.H.G. *see* Penninx, W.
Lewis, B.M., Chengalur, J.N., Schmelz, J., Terzian, Y. Accurate positions of OH/IR stars, **246**, 523
Lewis, J.R. Faint stars and Oort's constants, **244**, 247
Lewis, R.A. *see* Coe, M.J.
Lin, D.N.C. *see* Clarke, C.J.
Lind, K.R. *see* Jackson, N.
Linder, E.V. Analysis of gravitationally lensed microwave background anisotropies, **243**, 353
Linder, E.V. The linearly perturbed sky, **243**, 362
Litchfield, S.J., King, A.R. Blob accretion in AM Herculis systems, **247**, 200
Liu, R., Pooley, G. Radio polarization and the environment of 3C 275, 1, **245**.17P
Liu, X.D., Jones, B.J.T. QSO absorption lines – minimal clustering models, **242**, 678
Lloyd Evans, T. Carbon stars with silicate dust shells – I. Carbon stars with enhanced ^{13}C (J stars), **243**, 336
Lloyd Evans, T. *see* Innis, J.L.
Loewenstein, M., Fabian, A.C. The kinematics of warm clouds in cooling flows; a case for turbulence, **242**, 120
Lombard, J. *see* Athanassoula, E.
Londrillo, P., Messina, A. A code for N-body simulation of highly clustered gravitational systems, **242**, 595
Longmore, A.J. *see* Fernley, J.A.
Loska, Z., Czerny, B. Statistical modelling of IR/UV spectra in AGN, **244**, 43
Louis, P.D. An anisotropic homological model for core collapse in star clusters, **244**, 478
Loveday, J. *see* Maddox, S.J.
Lucchin, F. *see* Messina, A.
Lumsden, S.L., Heavens, A.F., Peacock, J.A. Erratum: The clustering of peaks in a random Gaussian field, **245**, 192
Luyten, P.J. Non-axisymmetric dynamical instability of differentially rotating, self-gravitating masses, **245**, 614
Luyten, P.J. The dynamical stability of differentially rotating, self-gravitating cylinders, **242**, 447
Lynas-Gray, A.E. *see* Jeffery, C.S.
Lynden-Bell, D. *see* Evans, N.W.
Lynden-Bell, D. *see* Inagaki, S.
Lyne, A.G., Bailes, M. The mass of the PSR 2303 + 46 system, **246**, 15P
Lyne, A.G. *see* Michel, F.C.
Lyne, A.G. *see* Rickett, B.J.

McBride, N., Hughes, D.W. The spatial density of asteroids and its variation with asteroidal mass, **244**, 513
McBride, N. *see* Hughes, D.W.
McDermott, P.N. Density discontinuity *g* - modes, **245**, 508
McFarland, B. A test of Newtonian gravitation for large distances, **242**, 478
McGilchrist, M.M., Baldwin, J.E., Riley, J.M., Titterington, D.J., Waldram, E.M., Warner, P.J. The 7C survey of radio sources at 151 MHz – two regions centred at RA 10^h28^m, Dec 41x and RA06^h28^m, Dec 45x, **246**, 110
McGilchrist, M.M., Riley, J.M. The 7C survey of radio sources at 151 MHz: a search for low-frequency variability, **246**, 123
McGilchrist, M.M. *see* Waldram, E.M.
McGill, C., Binney, J. Torus construction in general gravitational potentials, **244**, 634
McGill, C. The redshift projection – I. Caustics and correlation functions, **242**, 428
McGill, C. The redshift projection – II. Caustics and the Lyman α forest, **242**, 544
MacGillivray, H.T. *see* Beard, S.M.
Machalski, J., Inoue, M. Compact radio sources in the GB/GB2 sample – I. 10-GHz and 40-GHz observations, **243**, 209
McHardy, I.M., Marscher, A.P., Gear, W.K., Muxlow, T., Lehto, H.J., Abraham, R.G. VLBI, MERLIN and VLA observations of the blazar 1156 + 295: a bending relativistic jet, **246**, 305
McHardy, I.M., Stewart, G.C., Edge, A.C., Cooke, B., Yamashita, K., Hatsukade, I. *GINGA* observations of Abell 2218: implications for Ho, **242**, 215
Machin, G., Allington-Smith, J., Callanan, P.J., Charles, P.A., Hassall, B.J.M., Mason, K.O., Mukai, K., Naylor, T., Smale, A.P., van Paradijs, J. WHT observations of cataclysmic variables in globular clusters – II. The CV candidates in M71, **242**, 9P
Machin, G., Callanan, P.J., Charles, P.A., Thorstensen, J., Brownberger, K., Corbet, R.H.D., Hamwey, R., Harlaftis, E.T., Mason, K.O., Mukai, K. Optical and X-ray observations of 4U0614 + 09, **247**, 205
Machin, G., Lehto, H.J., Hardy, I.M.M., Callanan, P.J., Charles, P.A. VLA observations of four bright globular cluster X-ray sources, **246**, 237
Machin, G. *see* Cropper, M.
Machin, G. *see* Mukai, K.
McLean, I.S. *see* Aspin, C.
McLean, I.S. *see* Brindle, C.
McLean, I.S. *see* Eales, S.A.

McLeod, C.P. *see* Elsworth, Y.
McMahon, R.G. *see* Irwin, M.J.
Maddox, S.J., Efstathiou, G., Sutherland, W.J., Loveday, J. Galaxy correlations on large scales, **242**, 43P
Maddox, S.J., Efstathiou, G., Sutherland, W.J. The APM Galaxy Survey – II. Photometric corrections, **246**, 433
Maddox, S.J., Sutherland, W.J., Efstathiou, G., Loveday, J. The APM galaxy survey – I. APM measurements and star–galaxy separation, **243**, 692
Madsen, C. *see* Zeilinger, W.W.
Makino, F. *see* Sakao, T.
Makino, F. *see* Turner, M.J.L.
Makishima, K. *see* Sakao, T.
Makishima, K. *see* Turner, M.J.L
Malin, D.F. *see* Couch, W.J.
Manchester, R.N. *see* Bailes, M.
Manoharan, P.K., Ananthakrishnan, S. Determination of solar-wind velocities using single-station measurements of interplanetary scintillation, **244**, 691
Mantovani, F., Saikia, D.J., Browne, I.W.A., Fanti, R., Muxlow, T.W.B., Padrielli, L. The steep-spectrum low-frequency variable source 3C99: radio and optical observations, **245**, 427
Mar, D.P. *see* Pettini, M.
Marang, F. *see* Kurtz, D.W.
Marang, F. *see* Sekiguchi, K.
Margoni, R. *see* Munari, U.
Markova, N. The velocity law and acceleration of the hydrogen and OSiN discrete components observed in P Cyg's stellar wind in 1982, **244**, 105
Marscher, A.P. *see* McHardy, I.M.
Martin, J.S. *see* Friend, M.T.
Martin, P.G. *see* Whittet, D.C.B.
Martín-Mirones, J.M. *see* Goicoechea, L.J.
Martinez, P., Kurtz, D.W., Heller, C.H. Transient oscillations in the frequency spectrum of the rapidly oscillating Ap star HD 203932, **246**, 699
Martinez, P., Kurtz, D.W. New observations and a frequency analysis of the extremely peculiar rapidly oscillating Ap star HD 101065, **242**, 613
Martinez, P. *see* O'Donoghue, D.
Martinez, V.J., Jones, B.J.T. Why the Universe is not a fractal, **242**, 517
Mason, K.O. *see* Cropper, M.
Mason, K.O. *see* Hellier, C.
Mason, K.O. *see* Machin, G.
Mason, K.O. *see* Mukai, K.
Mason, K.O. *see* Puchnarewicz, E.M.
Massaglia, S. *see* Bodo, G.
Masson, C.R. *see* Hales, S.E.G.
Mastichiadis, A., Protheroe, R.J. VHE γ-ray emission from active galactic nuclei, **246**, 279
Matarrese, S. *see* Messina, A.
Mathur, S.D. Existence of oscillation modes in collisionless gravitating systems, **243**, 529
Matthews, A.P., Scheuer, P.A.G. Models of radio galaxies with tangled magnetic fields – I. Calculation of magnetic field transport, Stokes parameters and synchrotron losses, **242**, 606
Matthews, A.P., Scheuer, P.A.G. Models of radio galaxies with tangled magnetic fields – II. Numerical simulations and their interpretation, **242**, 640
Matthews, J.M. *see* Kreidl, T.J.
Meaburn, J. The interstellar environment of SN 1987A, **244**, 551
Mead, A.R.G. *see* Ballard, K.R.
Mead, A.R.G. *see* Miller, L.
Meikle, W.P.S. *see* Spyromilio, J.
Meikle, W.P.S. *see* Varani, G.-F.
Melmer, D., Weinberger, R. New old PN in the southern sky, **243**, 236
Mendoza, E.E., Rodriguez, L.F., Chavarria, K.C., Neri, L. Compact radio and infrared sources near the centre of the bipolar outflow NGC 2264D, **246**, 518
Menzies, J.W. *see* Sekiguchi, K.
Menzies, J.W., Wolstencroft, R.D. *IRAS* 07027–7934: a probable new [WC11] star, **247**, 177
Messina, A., Moscardini, L., Lucchin, F., Matarrese, S. Non-Gaussian initial conditions in cosmological N-body simulations – I. Space-uncorrelated models, **245**, 244
Messina, A. *see* Londrillo, P.
Mestel, L. *see* Barker, D.M.
Mestel, L. *see* Moss, D.L.
Michel, F.C., Bland Hawthorn, J., Lyne, A.G. Quasi-linear response in a glitching pulsar, **246**, 624
Middlemass, D. A model for the planetary nebula NGC 7027, **244**, 294
Milano, L. *see* Covino, E.
Millar, T.J., Herbst, E. Chemical modelling of dark clouds in the LMC and SMC, **242**, 92
Millar, T.J. *see* Flower, D.R.
Millar, T.J. *see* Howe, D.A.
Miller, J.C. *see* Abramowicz, M.A.
Miller, J.C. *see* Cuddeford, P.
Miller, L., Peacock, J.A., Mead, A.R.G. The bimodal radio luminosity function of quasars, **244**, 207
Miller, L. *see* Mitchell, P.S.
Millington, S.J.C., Peach, J.V. Erratum: The rich cluster of galaxies A348, **243**, 349
Millington, S.J.C., Peach, J.V. The rich cluster of galaxies A348, **242**, 112
Mineshige, S., Wood, J.H. Accretion disc atmospheres, **247**, 43
Mitchell, P.S., Miller, L., Boyle, B.J. Luminous quasars at high redshift, **244**, 1
Mitra, P.M., Dufour, R.J. Spectrophotometry of the shell around AG Carinae, **242**, 98
Mitsuda, K. *see* Penninx, W.
Mittaz, J.P.D., Penston, M.V., Snijders, M.A.J. Ultraviolet variability of NGC 4151: a study using principal component analysis, **242**, 370
Mittaz, J.P.D. *see* Cropper, M.
Miyama, S.M. *see* Narita, S.
Miyoshi, S. *see* Fabian, A.C.
Mobasher, B., Raine, D.J. Accretion disc chromospheres in active galaxies, **244**, 652
Mohan, M., Le Dourneuf, M., Hibbert, A., Burke, P.G. Radiative and electronic excitations of the $2s^22p^5\,^2P^0_{3/2} \rightarrow 2s^22p^5\,^2P^0_{1/2}$ transition in fluorine-like Nixx, **243**, 372
Molinari, E., Buzzoni, A., Chincarini, G. Photometry of distant clusters of galaxies: evolutionary features in the cluster 2158 + 0351 (z=0.45), **246**, 576
Moneti, A. *see* Glass, I.S.
Monk, D.J., Barlow, M.J., Clegg, R.E.S. Extended [0 II] emission around IC 418 and RX Puppis, **242**, 457
Moorhouse, A., Brand, P.W.J.L., Geballe, T.R., Burton, M.G. Velocity profiles of high-excitation molecular hydrogen lines, **242**, 88
Moorwood, A.F.M. *see* Glass, I.S.
More, J.G., Heavens, A.F., Wilson, M.J. Explosions in pancake models of galaxy formation, **243**, 413
Morgan, D.H., Good, A.R. Wolf–Rayet stars in the Large Magellanic Cloud, **243**, 459
Morgan, D.H. *see* Nandy, K.
Morin, S. *see* Athanassoula, E.
Moscardini, L. *see* Messina, A.
Moss, D. A Gailitis-type dynamo in the magnetic CP stars?, **243**, 537
Moss, D. Time-dependent models for magnetic CP stars – V. The oblique rotator, **244**, 272
Moss, D.L., Mestel, L., Tayler, R.J. The rotation of early-type magnetic stars, **245**, 550
Mountain, C.M. *see* Smith, P.A.
Mücket, J.P. *see* Doroshkevich, A.G.
Mukai, K., Mason, K.O., Howell, S.B., Allington-Smith, J., Callanan, P.J., Charles, P.A., Hassall, B.J.M., Machin, G., Naylor, T., Smale, A.P., van Paradijs, J. Spectroscopy of faint, high latitude cataclysmic variable candidates, **245**, 385
Mukai, K. *see* Cropper, M.
Mukai, K. *see* Machin, G.
Müller, V. *see* Doroshkevich, A.G.
Munari, U., Margoni, R., Stagni, R. The extreme, possible symbiotic Mira V 407 Cyg and its relevance to the OH/IR sources, **242**, 653
Murdin, P.G. *see* Puchnarewicz, E.M.
Murphy, B.W., Cohn, H.N., Hut, P. Realistic models for evolving

globular clusters – II. Post core collapse with a mass spectrum, **245**, 335
Muxlow, T. *see* McHardy, I.M.
Muxlow, T.W.B. *see* Mantovani, F.
Muxlow, T.W.B. *see* Saikia, D.J.

Nagase, F. *see* Sakao, T.
Nakai, N. *see* Smith, P.A.
Nakano, T. Contraction of rotating magnetized clouds, **242**, 535
Nakano, T. *see* Umebayashi, T.
Namboodiri, P.M.S., Kochhar, R.K. Tidal change in the energy of a spherical galaxy, **243**, 276
Nandra, K., Pounds, K.A., Stewart, G.C. The X-ray spectrum of MCG-6-30-15 and its temporal variability, **242**, 660
Nandra, K. *see* George, I.M.
Nandra, K. *see* Turner, M.J.L.
Nandy, K., Morgan, D.H., Houziaux, L. CCD spectroscopy of SMC supergiants, **245**, 318
Napier, W.M. *see* Guthrie, B.N.G.
Narasimha, D. *see* Subrahmanyan, R.
Narayan, R., Schneider, P. Why are the BL Lac objects AO 0235 + 164 and PKS 0537 – 441 not multiply imaged by gravitational lensing?, **243**, 192
Narita, S., Kiguchi, M., Miyama, S.M., Hayashi, C. Rotation-dominant equilibria of isothermal clouds, **244**, 349
Navarro, J.F. On the density structure of galaxy merger remnants, **242**, 311
Naylor, T. *see* Cropper, M.
Naylor, T. *see* Machin, G.
Naylor, T. *see* Mukai, K.
Nejad, L.A.M., Williams, D.A., Charnley, S.B. Dynamical models of molecular clouds: nitrogen chemistry, **246**, 183
Neri, L. *see* Mendoza, E.E.
Netzer, H. *see* Laor, A.
New, R. *see* Elsworth, Y.
Nicolson, I.K.M. *see* Forrest, R.W.
Nityananda, R. *see* Sridhar, S.
Norris, R.P. *see* Bailes, M.
Norton, A. *see* Hellier, C.
Nozakura, T. Inhomogeneous distribution of interstellar clouds induced by collisional fragmentations, **243**, 543

O'Dea, C.P. Do quasars with radio spectra peaked at gigahertz frequencies have extremely high redshifts?, **245**, 2P
O'Donoghue, D. Observational evidence for tidal effects in cataclysmic variable accretion discs, **246**, 29
O'Donoghue, D. *see* Hellier, C.
O'Donoghue, D., Wargau, W., Warner, B., Kilkenny, D., Martínez, P., Kanaan, A., Kepler, S.O., Henry, G., Winget, D.E., Clemens, J.C., Grauer, A.D. Whole Earth Telescope observations of the interacting binary white dwarf V803 Cen in its low state, **245**, 140
Offer, A. *see* Flower, D.R.
Ohashi, T. *see* Sakao, T.
Ohashi, T. *see* Turner, M.J.L.
Okamoto, I., Kaburaki, O. Thermodynamical and evolutional properties of Kerr black holes, **247**, 244
Osborne, J.P. *see* Angelini, L.

Padrielli, L. *see* Mantovani, F.
Palle, P.L. *see* Elsworth, Y.
Palmer, P.L., Papaloizou, J., Allen, A.J. Neighbouring equilibria to radially anisotropic spheres: possible end-states for violently relaxed stellar systems, **246**, 415
Palmer, P.L., Papaloizou, J., Allen, A.J. Unstable models of axisymmetric galaxies, **243**, 282
Palmer, P.L., Papaloizou, J. $m = 1$ instabilities in counter-rotating stellar systems, **243**, 263
Palmer, P.L. *see* Allen, A.J.
Pamyatnykh, A.A. *see* Dziembowski, W.A.
Pan, H.C., Stewart, G.C., Pounds, K.A. The variable X-ray absorption and soft X-ray excess of the QSO MR2251 – 178, The variable X-ray absorption and soft X-ray excess of the QSO MR2251 , -, -178, **242**, 177
Papaj, J., Wegner, W., Krelowski, J. Intrinsic energy distributions in spectra of early-type stars, **246**, 408
Papaloizou, J. *see* Allen, A.J.
Papaloizou, J. *see* Palmer, P.L.
Park, C. Large N-body simulations of a universe dominated by cold dark matter, **242**, 59P
Parmar, A.N. *see* Culhane, J.L.
Passot, T. *see* Léorat, J.
Pastoriza, M.G. *see* Bergman, T.S.
Pastoriza, M.G. *see* Terlevich, E.
Pauls, L. *see* Kilkenny, D.
Peach, J.V. *see* Green, M.R.
Peach, J.V. *see* Millington, S.J.C.
Peacock, J.A., Heavens, A.F. Alternatives to the Press–Schechter cosmological mass function, **243**, 133
Peacock, J.A. No evidence for natural bias in elliptical galaxies, **243**, 517
Peacock, J.A. *see* Dunlop, J.S.
Peacock, J.A. *see* Lumsden, S.L.
Peacock, J.A. *see* Miller, L.
Pedlar, A., Ghataure, H.S., Davies, R.D., Harrison, B.A., Perley, R., Crane, P.C., Unger, S.W. The radio structure of NGC , 1275, **246**, 477
Pedlar, A. *see* Chapman, J.M.
Pedlar, A. *see* Saikia, D.J.
Pedlar, A. *see* Unger, S.W.
Pedlar, A. *see* Vila, M.B.
Penninx, W., Lewin, W.H.G., Mitsuda, K., van der Klis, M., van Paradijs, J., Zijlstra, A.A. Quasi-periodic oscillations in GX 17 + 2, **243**, 114
Penston, M.V., Croft, S., Basu, D., Fuller, N. Infall or outflow from a single AGN line profile?, **244**, 357
Penston, M.V. *see* Clavel, J.
Penston, M.V. *see* Mittaz, J.P.D.
Penston, M.V. *see* Unger, S.W.
Pérez, E. *see* Robinson, A.
Perley, R. *see* Pedlar, A.
Perola, G.C. *see* Clavel, J.
Perola, G.C. *see* Fiore, F.
Perotti, F. *see* Coe, M.J.
Persic, M., Salucci, P. Mass decomposition of spiral galaxies from disc kinematics, **245**, 577
Persic, M., Salucci, P. The disc contribution to rotation curves of spiral galaxies, **247**, 349
Pesce, J.E., Fabian, A.C., Edge, A.C., Johnstone, R.M. The influence of cluster cooling flows on imaging X-ray surveys, **244**, 58
Peterson, B.A. *see* Boyle, B.J.
Pettini, M., Hunstead, R.W., Smith, L.J., Mar, D.P.
The Lyman α forest at 6km s^{-1} resolution, **246**, 545 Phillipps, S., Davies, J.I., Disney, M.J. The visibility of high-redshift galaxies, **242**, 235
Phillipps, S., Edmunds, M.G., Davies, J.I. A surface brightness–metallicity relation for dwarf galaxies: the effect of density thresholds for star formation?, **244**, 168
Phillipps, S. *see* Davies, J.I.
Phillipps, S. *see* Disney, M.J.
Phillipps, S. *see* Evans, Rh.
Phillipps, S. *see* Irwin, M.J.
Phillips, K.J.H., Keenan, F.P. Solar chlorine abundance from an X-ray flare spectrum, **245**, 4P
Pierce, M.J. *see* Athanassoula, E.
Pierre, M. *see* Cristiani, S.
Pilipp, W., Hartquist, T.W., Havnes, O. Grains in shocks in weakly ionized clouds – I. A one-fluid treatment of grain dynamics, **243**, 685
Pineau des Forêts, G., Roueff, E., Flower, D.R. The formation of nitrogen-bearing species in dark interstellar clouds, **244**, 668
Pineau des Forêts, G. *see* Flower, D.R.
Pineault, S., Chastenay, P. Radio continuum observations of a galactic field centred on the supernova remnant G73.9 + 0, 9, **246**.169
Piran, T. *see* Laor, A.
Pogosyan, D. *see* Kofman, L.
Pojmański, G. *see* Czerny, B.
Pollacco, D.L., Tadhunter, C.N., Hill, P.W. The evolutionary status of the peculiar variable star V348 Sagittarii, **245**, 204
Pollock, A.M.T. *see* Williams, P.M.

Ponman, T.J., Foster, A.J., Ross, R.R. Self-consistent Comptonized models for the spectra of low-mass X-ray binaries, **246**, 287
Pooley, G. *see* Liu, R.
Pottasch, S.R. *see* Zijlstra, A.A.
Potter, M.M. *see* Cohen, R.J.
Pounds, K.A. *see* Nandra, K.
Pounds, K.A. *see* Pan, H.C.
Pounds, K.A. *see* Turner, M.J.L.
Pounds, K.A. The X-ray spectrum of the broad-line radio galaxy 3C445, **242**, 2P
Pouquet, A. *see* Léorat, J.
Pramesh, A. *see* Subrahmanyan, R.
Prasanna, A.R. *see* Abramowicz, M.A.
Prasanna, A.R. *see* Tripathy, S.C.
Pringle, J.E. *see* Clarke, C.J.
Prinja, R.K. Photospheric absorption lines in the UV spectra of O and B type stars, **246**, 392
Proctor, M.R.E. *see* Weiss, N.O.
Protheroe, R.J. Synchrotron X-ray and gamma-ray haloes of ultra-high-energy gamma-ray sources, **246**, 628
Protheroe, R.J. *see* Mastichiadis, A.
Puchnarewicz, E.M., Mason, K.O., Murdin, P.G., Wickramasinghe, D.T. Low-state spectroscopy of V834 Cen (E1405 – 451), **244**, 20P
Puxley, P.J. *see* Smith, P.A.
Puy, D. *see* Athanassoula, E.

Quadrini, E. *see* Coe, M.J.

Rabolli, M. Globular cluster swapping. The central region of a cluster of galaxies is a dangerous place, **244**, 322
Raine, D.J. *see* Mobasher, B.
Rainger, P.P., Bell, S.A., Hilditch, R.W. The binary system VW Bootis, **246**, 47
Rainger, P.P., Hilditch, R.W., Bell, S.A. The contact binary system TY Bootis, **246**, 42
Rainger, P.P. *see* Bell, S.A.
Rampazzo, R. *see* Capaccioli, M.
Rao, A.R. *see* Singh, K.P.
Rauch, M., Carswell, R.F., Robertson, J.G., Shaver, P.A., Webb, J.K. The heavy element abundance in the $z = 2.076$ absorption system towards the QSO 2206 – 199N, **242**, 698
Rawlings, J.M.C., Williams, D.A. Chemistry in supernova 1987A, **246**, 208
Rawlings, S., Eales, S., Warren, S. The detection of four high-redshift ($0.5 << z \leq 3.22$) radiogalaxies by optical spectroscopy of five blank fields, **243**, 14P
Rawlings, S. *see* Eales, S.A.
Rayner, J.T. *see* Aspin, C.
Rees, M.J. *see* Bithell, M.
Rees, M.J. *see* Fabian, A.C.
Rees, N. A deep 38-MHz radio survey of the area $\delta > +60°$, **244**, 233
Rees, N. Comments on the absolute flux density scale at low radio frequencies, **243**, 637
Reglero, V. *see* Fabregat, J.
Régulo, C. *see* Elsworth, Y.
Reid, N. Proper motion surveys with Schmidt plates – I. The North Galactic Pole, **247**, 70
Rengarajan, T.N., Iyengar, K.V.K. Implications of the correlation between the radio continuum and far-infrared luminosities of spiral galaxies, **242**, 74
Reuter, H.P. *see* Lesch, H.
Reynolds, J.E. *see* Bailes, M.
Reynolds, J.E. *see* Harnett, J.I.
Rhee, G., Roos, N. cD galaxy formation and dissipationless collapse, **243**, 624
Richer, J.S. A compact CO bipolar outflow from NGC 2024 FIR6, **245**, 24P
Rickett, B.J., Lyne, A.G. Intensity variations of the Crab pulsar and refractive interstellar scintillation, **244**, 68
Riley, J. *see* Sopp, H.
Riley, J.M. *see* McGilchrist, M.M.
Riley, J.M., Warner, P.J. A one-sided jet in the giant quasar 4C74.26, **246**, 1P
Ringuelet, A.E. *see* Cuttela, M.
Robertson, J.A. *see* Sinjab, I.M.
Robertson, J.G. *see* Rauch, M.
Robinson, A., Perez, E., Binette, L. Broad emission lines in active galaxies: horns, bumps and shoulders, **246**, 349
Robinson, A., Pérez, E. The response of the broad emission line region to ionizing continuum variations, **244**, 138
Robinson, A. *see* Unger, S.W.
Robson, E.I. *see* Duncan, W.D.
Robson, E.I. *see* Hughes, D.H.
Robson, E.I. *see* Ward-Thompson, D.
Roca Cortés, T. *see* Elsworth, Y.
Rocca-Volmerange, B., Guiderdoni, B. Merging-driven evolution of high-redshift galaxies in a universe with $j_0 = 1$, **247**, 166
Roche, P.F. *see* Smith, C.H.
Rodriguez, L.F. *see* Mendoza, E.E.
Roelfsema, P.R. *see* Zijlstra, A.A.
Rögnvaldsson, O.E. *see* Gudmundsson, E.H.
Rolph, C.D., Scarrott, S.M., Wolstencroft, R.D. Optical polarization studies of Herbig–Haro objects – VI. The HH83/Re 17 complex in Orion, **242**, 109
Rolph, C.D. *see* Eaton, N.
Rolph, C.D. *see* Scarrott, S.M.
Rolph, C.D. *see* Tadhunter, C.N.
Romano, M. *see* Fiore, F.
Romeo, G. *see* Bonifazi, A.
Roos, N. *see* Rhee, G.
Ross, R.R. *see* Ponman, T.J.
Roueff, E. *see* Pineau des Forêts, G.
Rowan-Robinson, M., Hughes, J., Vedi, K., Walker, D.W. Modelling the *IRAS* zodiacal emission, **246**, 273
Rowan-Robinson, M. *see* Efstathiou, A.), **245**, 275
Rowan-Robinson, M. *see* Saunders, W.
Rózyczka, M. *see* Tenorio-Tagle, G.
Russo, G. *see* Covino, E.
Ryden, B.S. Oblate spheroidal mass distributions of varying ellipticity, **244**, 341

Sadler, E.M. *see* Carter, D.
Sagar, R., Hawkins, M.R.S., Cannon, R.D. The giant branch of the Fornax dwarf spheroidal galaxy, **242**, 167
Sagar, R. *see* Cannon, R.D.
Saikia, D.J., Junor, W., Cornwell, T.J., Muxlow, T.W.B., Shastri, P. A VLA and MERLIN study of extragalactic radio sources with one-sided structure, **245**, 408
Saikia, D.J., Muxlow, T.W.B., Junor, W. MERLIN observations of the unusual superluminal quasar 3C395, **245**, 503
Saikia, D.J. *see* Mantovani, F.
Saikia, D.J., Unger, S.W., Pedlar, A., Yates, G.J., Axon, D.J., Wolstencroft, R.D., Taylor, K., Gyldenkerne, K. The Sersic – Pastoriza galaxy NGC 1808 – I. Radio-continuum, optical and H I observations, **245**, 397
Sakao, T., Kohmura, Y., Makishima, K., Ohashi, T., Dotani, T., Kii, T., Makino, F., Nagase, F., Takeshima, T., Turner, M.J.L. When will the peculiar X-ray pulsar GX1 + 4 resume the fast spin-up?, **246**, 11P
Salucci, P., Sciama, D.W. Decaying dark matter and the mass model of the Galaxy, **244**, 9P
Salucci, P. *see* Persic, M.
Sanchez-Saavedra, M.L., Battaner, E., Florido, E. Frequency of warped spiral galaxies at visible wavelengths, **246**, 458
Sandell, G. *see* Chandler, C.J.
Sandell, G. *see* Duncan, W.D.
Sandell, G. *see* Williams, P.M.
Santos-Lleo, M. *see* Clavel, J.
Sarna, M.J. *see* Covino, E.
Saunders, W., Rowan-Robinson, M., Lawrence, A., Efstathiou, G., Kaiser, N., Ellis, R.S., Frenk, C.S. The 60-μm and far-infrared luminosity functions of *IRAS* galaxies, **242**, 318
Scarrott, S.M., Gledhill, T.M., Rolph, C.D., Wolstencroft, R.D. Optical polarization studies of Herbig–Haro objects – VII. HH120 in cometary globule CG30, **242**, 419
Scarrott, S.M., Rolph, C.D., Tadhunter, C.N. Imaging polarimetry of the high-z radio galaxy 3C368, **243**, 5P
Scarrott, S.M., Rolph, C.D., Wolstencroft, R.D. An optical polarization study of the nebulosity associated with OH231.8 + 4,

2, **243**.462
Scarrott, S.M., Rolph, C.D., Wolstencroft, R.D., Walker, H.J., Sekiguchi, K. The nature of the bipolar nebula associated with *IRAS* , 07131 -0147, **245**, 484
Scarrott, S.M. *see* Eaton, N.
Scarrott, S.M. *see* Rolph, C.D.
Scarrott, S.M. *see* Tadhunter, C.N.
Schäfer, G. *see* Blanchet, L.
Scheuer, P.A.G. *see* Matthews, A.P.
Schild, H. *see* Schmid, H.M.
Schilke, P. *see* Flower, D.R.
Schlamminger, L. Aurora borealis during the Maunder minimum, **247**, 67
Schlegel, E.M. A new subclass of Type II supernovae?, **244**, 269
Schmelz, J. *see* Lewis, B.M.
Schmid, H.M., Schild, H. Physical conditions and elemental abundances in the symbiotic novae V 1016 Cyg, HM Sge and HBV 475, **246**, 84
Schmidt, A. *see* Bica, E.
Schmidt, A.A., Bica, E., Alloin, D. Disentangling age and metallicity effects in the blueish nuclear population of M33, NGC 278 and NGC 404, **243**, 620
Schneider, P. *see* Narayan, R.
Scholz, T.T., Walters, H.R.J., Burke, P.G., Scott, M.P. Effective collision strengths for 1*s*–2*s* and 1*s*–2*p* electron–hydrogen atom scattering, **242**, 692
Schou, J. *see* Christensen-Dalsgaard, J.
Sciama, D.W. On the particle mass in the decaying dark-matter hypothesis, **246**, 191
Sciama, D.W. On the role of a strongly flattened galactic halo in the decaying dark matter hypothesis, **244**, 1P
Sciama, D.W. *see* Salucci, P.
Scott, M.P. *see* Scholz, T.T.
Segal, I.E. Apparent superluminal sources, comparative cosmology and the cosmic distance scale, **242**, 423
Sekiguchi, K., Menzies, J.W. Spectral variations in the broad-line region of NGC 6814, **245**, 66
Sekiguchi, K. *see* Scarrott, S.M.
Sekiguchi, K., Stobie, R.S., Buckley, D.A.H., Caldwell, J.A.R. Recurrent nova in the Large Magellanic Cloud - Nova LMC 1990 No. 2, **245**, 28P
Sekiguchi, K., Whitelock, P.A., Feast, M.W., Barrett, P.E., Caldwell, J.A.R., Carter, B.S., Catchpole, R.M., Laing, J.D., Laney, C.D., Marang, F., van Wyk, F. The 1989 outburst of the recurrent nova V745 Sco, **246**, 78
Serras, H. *see* Verheest, F.
Shafer, R.A. *see* Culhane, J.L.
Shandarin, S. *see* Kofman, L.
Shanks, T. *see* Boyle, B.J.
Shanks, T. *see* Fong, R.
Sharples, R., Walker, A., Cropper, M. Kinematics of the late-M giants in Baade's window, **246**, 54
Shastri, P. *see* Saikia, D.J.
Shaver, P. *see* Cristiani, S.
Shaver, P.A. *see* Rauch, M.
Shaw, M.A., Gilmore, G. The luminosity distributions of edge-on spiral and lenticular galaxies – II. Modelling the non-thin disc light in a sample of ten galaxies, **242**, 59
Shibai, H. *see* Koike, C.
Shone, D.L. *see* Jackson, N.
Sienkiewicz, R. *see* Dziembowski, W.A.
Sigalotti, L.D.G. Gravitational collapse of rotating protostellar gas clouds not constrained by the condition of equatorial symmetry, **246**, 243
Simon, N.R. Hydrodynamic models for the RRc stars, **246**, 70
Sinachopoulos, D. *see* Brosche, P.
Singh, K.P., Rao, A.R., Vahia, M.N. X-ray observations of the radio galaxy Pictor A, **246**, 706
Sinjab, I.M., Robertson, J.A., Connon Smith, R. The dissipation factor in contact binaries revisited, **244**, 619
Skillen, I. *see* Fernley, J.A.
Skinner, C.J., Griffin, I., Whitmore, B. Red giants with unusual dust shells – I. The database **243**, 78
Skinner, G.K., Foster, A.J., Willmore, A.P., Eyles, C.J. Localization of one of the Galactic Centre X-ray burst sources **243**, 72
Skinner, G.K. *see* Hanson, C.G.
Smale, A.P. *see* Cropper, M.
Smale, A.P. *see* Hellier, C.
Smale, A.P. *see* Machin, G.
Smale, A.P. *see* Mukai, K.
Smith, C.H., Aitken, D.K., Roche, P.F. Multi-colour, 8–13 μm maps of the central parsec of the Galaxy, **246**, 1
Smith, L.J. *see* Pettini, M.
Smith, M.D., Brand, P.W.J.L. Cool C-shocks and high-velocity flows in molecular clouds, **242**, 495
Smith, M.D., Brand, P.W.J.L. Erratum: Cool C-shocks and high-velocity flows in molecular clouds, **244**, 384
Smith, M.D., Brand, P.W.J.L. H2 profiles of C-type bow shocks, **245**, 108
Smith, M.D., Brand, P.W.J.L. Signatures of C-shocks in molecular clouds, **243**, 498
Smith, M.G. *see* Done, C.
Smith, P.A., Brand, P.W.J.L., Puxley, P.J., Mountain, C.M., Nakai, N. A 450-μm continuum map of M82: comparison with the CO emission, **243**, 97
Snijders, M.A.J. *see* Clavel, J.
Snijders, M.A.J. *see* Mittaz, J.P.D.
Som Sunder, G., Kochhar, R.K., Alladin, S.M. Tidal transfer of energy and angular momentum to spheroidal galaxies, **244**, 424
Sommer-Larsen, J. *see* Vedel, H.
Sommer-Larsen, J., Yoshii, Y. The chemical evolution of star-forming viscous discs – II, **243**, 468
Sommer-Larsen, J., Zhen, C. Armchair cartography – a map of the galactic halo based on observations of local, metal-poor stars, **242**, 10
Sopp, H., Alexander, P., Riley, J. Binary starbursts in normal and colour-selected *IRAS* galaxies, **246**, 143
Sorrell, W.H. The λ 2175 Å feature from irradiated graphitic particles, **243**, 570
Sparks, W.B. *see* Brindle, C.
Spencer, R.E. *see* Akujor, C.E.
Spyromilio, J., Meikle, W.P.S., Allen, D.A. Spectral line profiles or iron and nickel in supernova 1987A. Evidence for a fragmented nickel bubble, **242**, 669
Spyromilio, J. *see* Varani, G.-F.
Sridhar, S., Nityananda, R. Time-dependent dynamics of a planar galaxy model, **245**, 713
Stagni, R. *see* Munari, U.
Stahl, B., Ziegler, H.J., Wiechen, H. Relaxation of collisionless self-gravitating matter: the lowest energy state for systems with non-vanishing total angular momentum, **244**, 260
Staveley-Smith, L. *see* Chapman, J.M.
Steiner, J.E. *see* Busko, I.C.
Stella, L. *see* Angelini, L.
Stephen, J.B. *see* Coe, M.J.
Stevenson, P.R.F. *see* Fong, R.
Stewart, G.C. *see* Edge, A.C.
Stewart, G.C. *see* McHardy, I.M.
Stewart, G.C. *see* Nandra, K.
Stewart, G.C. *see* Pan, H.C.
Stewart, G.C. *see* Turner, M.J.L.
Stobie, R.S. *see* Sekiguchi, K.
Straumann, N. *see* Durrer, R.
Stüwe, J.A. *see* Feitzinger, J.V.
Subrahmanyan, R., Narasimha, D., Pramesh, A., Swarup, G. 1830 – 211 – gravitationally lensed images of a flat-spectrum radio core?, **246**, 263
Subramanian, K., Swarup, G. The gaseous haloes of evolving galaxies: a probe using the linear sizes of radio sources, **247**, 237
Surdej , J. *see* Gosset, E.
Suso, J. *see* Fabregat, J.
Sutherland, W.J. *see* Maddox, S.J.
Swarup, G. *see* Subrahmanyan, R.
Swarup, G. *see* Subramanian, K.
Swings, J.P. *see* Gosset, E.
Szabados, L. The orbital period of the Cepheid binaries XX Cen, X Sgr and V 350 Sgr, **242**, 285
Szuszkiewicz, E. Slim accretion discs with different viscosity prescriptions, **244**, 377
Szymczak, M. An interpretation of asymmetric OH maser emission at 1612 MHz, **243**, 375

Tadhunter, C.N., Scarrott, S.M., Rolph, C.D. The giant bipolar reflection nebula associated with Cygnus A (3C 405), **246**, 163
Tadhunter, C.N. *see* Pollacco, D.L.
Tadhunter, C.N. *see* Scarrott, S.M.
Takano, S. *see* Turner, M.J.L.
Takeshima, T. *see* Sakao, T.
Tanaka, Y. *see* Turner, M.J.L.
Tawara, Y. *see* Day, C.S.R.
Tayler, R.J. *see* Moss, D.L.
Taylor, K. *see* Colless, M.
Taylor, K. *see* Saikia, D.J.
Taylor, K. *see* Unger, S.W.
te Lintel Hekkert. *see* Zijlstra, A.A.
Tenorio-Tagle, G., Bodenheimer, P., Franco, J., Rózyczka, M. On the evolution of supernova remnants – I. Explosions inside pre-existing wind-driven bubbles, **244**, 563
Terlevich, E., Díaz, A.I., Pastoriza, M.G., Terlevich, R., Dottori, H. Detection of Ca II absorption triplet in a circumnuclear H II region of NGC 3310, **242**, 48P
Terlevich, E., Díaz, A.I., Terlevich, R. On the behaviour of the IR Ca II triplet in normal and active galaxies, **242**, 271
Terlevich, R. *see* Terlevich, E.
Terzian, Y. *see* Lewis, B.M.
Thanisch, P.F. *see* Beard, S.M.
Thé, P.S. *see* Williams, P.M.
Thomas, P.A., Fabian, A.C. The formation of dark matter in cooling flows, **246**, 156
Thompson, K. *see* Innis, J.L.
Thompson, M.J. *see* Christensen-Dalsgaard, J.
Thompson, M.J. *see* Gough, D.O.
Thomson, R.C., Wright, A.E. A weak-interaction model for shell galaxies, **247**, 122
Thorstensen, J. *see* Machin, G.
Tissera, P.B., Lambas, D.G. Angular momentum of protogalaxies in a hierarchical scenario, **246**, 151
Titterington, D.J. *see* McGilchrist, M.M.
Tosa, M. *see* Chiba, M.
Tosa, M. *see* Kimura, T.
Tosi, M., Díaz, A.I. Chemical evolution of spiral galaxies: models with star formation proportional to molecular hydrogen, **246**, 616
Tosi, M. *see* Bonifazi, A.
Tout, C.A. *see* Kroupa, P.
Trevese, D. *see* Giallongo, E.
Trimble, V. The distributions of binary system mass ratios: a less biased sample, **242**, 79
Tripathy, S.C., Prasanna, A.R., Das, A.C. Accreting magnetofluid around a compact object with a dipolar magnetic field – Newtonian analysis, **246**, 384
Troup, E.R. *see* Hall, P.J.
Trussoni, E. *see* Bodo, G.
Tsujii, T. *see* Yabushita, S.
Tsuruta, S. *see* Done, C.
Turner, M.J.L. *see* Sakao, T.
Turner, M.J.L., Williams, O.R., Courvoisier, T.J.-L., Stewart, G.C., Nandra, K., Pounds, K.A., Ohashi, T., Makishima, K., Inoue, H., Kii, T., Makino, F., Hayashida, K., Tanaka, Y., Takano, S., Koyama, K. The X-ray emission of 3C273, **244**, 310
Tweedy, R.W. *see* Barstow, M.A.
Tzioumis, A. *see* Harnett, J.I.

Ubertini, P. *see* Coe, M.J.
Ulrich, M.-H. *see* Clavel, J.
Umanas, G. *see* Zijlstra, A.A.
Umebayashi, T., Nakano, T. Magnetic flux loss from interstellar clouds, **243**, 103
Unger, S.W. *see* Chapman, J.M.
Unger, S.W. *see* Pedlar, A.
Unger, S.W. *see* Saikia, D.J.
Unger, S.W., Taylor, K., Pedlar, A., Ghataure, H.S., Penston, M.V., Robinson, A. The nature of the high-velocity gas in NGC 1275: first results with TAURUS-2 on the William Herschel telescope, **242**, 33P

Vahia, M.N. *see* Singh, K.P.
van Amerongen, S., Kuulkers, E., van Paradijs, J. Secular brightness variation of the dwarf nova Z Cha during quiescence, **242**, 522
van der Hucht, K.A. *see* Williams, P.M.
van der Klis, M. *see* Penninx, W.
van der Marel, R.P., Binney, J., Davies, R.L. Models of elliptical galaxies: NGC 3379 4261, 4278 and 4472, **245**, 582
van der Woerd, H. *see* Williams, P.M.
van Paradijs, J. *see* Cropper, M.
van Paradijs, J. *see* Machin, G.
van Paradijs, J. *see* Mukai, K.
van Paradijs, J. *see* Penninx, W.
van Paradijs, J. *see* van Amerongen, S.
van Wyk, F. *see* Kilkenny, D.
van Wyk, F. *see* Kurtz, D.W.
van Wyk, F. *see* Sekiguchi, K.
Varani, G.-F., Meikle, W.P.S., Spyromilio, J., Allen, D.A. Direct observation of radioactive cobalt decay in Supernova 1987A, **245**, 570
Vedel, H., Sommer-Larsen, J. Can elliptical galaxies be formed by merging of spirals?, **245**, 637
Vedi, K. *see* Rowan-Robinson, M.
Verbunt, F. *see* Woodsj J.A.
Verheest, F., Hereman, W., Serras, H. Possible chaotic pulsations in ZZ Ceti and rapidly oscillating Ap stars due to non-linear harmonic mode coupling , **245**, 392
Vietri, M. Non-radial instabilities in collapsing galaxies: an analytically solvable model, **245**, 40
Vikulov, K.A. *see* Burdyuzha, V.V.
Vila, M.B., Pedlar, A., Davies, R.D., Hummel, E., Axon, D.J. Compact radio components in Sbc galaxies, **242**, 379
Vilhu, O. *see* Bedford, D.K.

Wade, R. *see* Israel, F.P.
Wagenblast, R., Hartquist, T.W. Ultraviolet pumping of molecular hydrogen in diffuse cloud shocks, **244**, 265
Waldram, E.M., McGilchrist, M.M. Beam-sets – a new approach to the problem of wide-field mapping with non-coplanar base lines, **245**, 532
Waldram, E.M. *see* McGilchrist, M.M.
Walker, A. *see* Sharples, R.
Walker, D.W. *see* Rowan-Robinson, M.
Walker, H.J. *see* Scarrott, S.M.
Wallerstein, G., Balick, B. Long slit observations of emitting gas in the Vela supernova remnant, **245**, 701
Walters, H.R.J. *see* Scholz, T.T.
Wamsteker, W. *see* Done, C.
Wamsteker, W.M. *see* Williams, P.M.
Ward, M.J. *see* Blanco, P.R.
Ward, M.J. *see* Brindle, C.
Ward, M.J. *see* Done, C.
Ward-Thompson, D., Robson, E.I. Dust around H II regions – II. W49A, **244**, 458
Wardle, M. The stability of magnetohydrodynamic shock waves in molecular clouds, **246**, 98
Wargau, W. *see* O'Donoghue, D.
Wark, R.M. *see* Hall, P.J.
Warner, B. *see* O'Donoghue, D.
Warner, P.J. *see* Buscher, D.F.
Warner, P.J. *see* Hales, S.E.G.
Warner, P.J. *see* McGilchrist, M.M.
Warner,P.J. *see* Riley, J.M.
Warren, S. *see* Rawlings, S.
Webb, J.K. *see* Barcons, X.
Webb, J.K. *see* Rauch, M.
Wegner, W. *see* Papaj, J.
Weinberg, D.H., Gunn, J.E. Large-scale structure and the adhesion approximation, **247**, 260
Weinberger, R. *see* Melmer, D.
Weiss, N.O., Brownjohn, D.P., Hurlburt, N.E., Proctor, M.R.E. Oscillatory convection in sunspot umbrae, **245**, 434
Weiss, W.W. *see* Kreidl, T.J.
White, N.E. *see* Culhane, J.L.
White, R.L., Becker, R.H. G25.5 + 0.2: a very young supernova remnant or a galactic planetary nebula?, **244**, 12P
White, S.D.M. *see* Heisler, J.
Whitehurst, R. *see* King, A.R.
Whitelock, P.A. *see* Evans, A.

Whitelock, P.A. *see* Feast, M.W.
Whitelock, P.A. *see* Sekiguchi, K.
Whiteoak, J.B. *see* Harnett, J.I.
Whiteoak, J.B., Wilson, W.E. Australia Telescope observations of excited-state OH transitions in NGC 4945, **245**, 665
Whitmore, B. *see* Skinner, C.J.
Whittet, D.C.B., Duley, W.W., Martin, P.G. On the abundance of silicon carbide dust in the interstellar medium, **244**, 427
Whittet, D.C.B. *see* Adamson, A.J.
Whittet, D.C.B. *see* Charnley, S.B.
Whittet, D.C.B. *see* Duley, W.W.
Wickramasinghe, D.T. *see* Cropper, M.
Wickramasinghe, D.T. *see* Puchnarewicz, E.M.
Wickramasinghe, D.T. *see* Wu, K.
Wiechen, H. *see* Stahl, B.
Wielebinski, R. *see* Lesch, H.
Wiita, P.J. *see* Krishan, V.
Wilkinson, P.N., de Bruyn, A.G. Shell-like structure in 41.9 + 58, a powerful supernova remnant in M82, **242**, 529
Wilkinson, P.N. *see* Akujor, C.E.
Wilkinson, P.N. *see* Conway, J.E.
Williams, D.A. *see* Charnley, S.B.
Williams, D.A. *see* Hartquist, T.W.
Williams, D.A. *see* Nejad, L.A.M.
Williams, D.A. *see* Rawlings, J.M.C.
Williams, G.P. *see* Fitzsimmons, A.
Williams, I.P. *see* Fitzsimmons, A.
Williams, O.R. *see* Turner, M.J.L.
Williams, P.M., van der Hucht, K.A., Pollock, A.M.T., Florkowski, D.R., van der Woerd, H., Wamsteker, W.M. Multi-frequency variations of the Wolf–Rayet system HD 193793 – I. Infrared, X-ray and radio observations, **243**, 662
Williams, P.M., van der Hucht, K.A., Sandell, G., Thé P.S. illimetre and infrared observations of the wind from the Wolf-ayet star γ Velorum, **244**, 101
Willmore, A.P. *see* Hanson, C.G.
Willmore, A.P. *see* Skinner, G.K.
Wilson, M.J. *see* More, J.G.
Wilson, W.E. *see* Whiteoak, J.B.
Winget, D.E. *see* O'Donoghue, D.
Wlodek, S., Bohme, D.K., Herbst, E. The reaction between Si^+ and H_20. Interstellar implications, **242**, 674
Woan, G., Duffett-Smith, P.J. A limit to the spatial power spectrum of the interplanetary medium on scales greater than 100km, **247**, 118
Woan, G., Duffett-Smith, P.J. The structure of Cassiopeia A at metre wavelengths, **243**, 87
Wolfendale, A.W. *see* Banday, A.J.
Wolfendale, A.W. *see* Chi, X.
Wolstencroft, R.D. *see* Eaton, N.
Wolstencroft, R.D. *see* Menzies, J.W.
Wolstencroft, R.D. *see* Rolph, C.D.
Wolstencroft, R.D. *see* Saikia, D.J.
Wolstencroft, R.D. *see* Scarrott, S.M.
Wood, J.H. Can the quiescent accretion discs in the dwarf novae OY Car and Z Cha be in a steady state?, **243**, 219
Wood, J.H., Horne, K. White dwarf radii and boundary-layer constraints in three dwarf novae, **242**, 630
Wood, J.H. *see* Mineshige, S.
Wood, K.S. *see* Davies, S.R.
Woods, J.A., Drew, J.E., Verbunt, F. Time dependence of the UV resonance lines in the cataclysmic variables SU UMα, RX And and 0623 + 71, **245**, 323
Wozniak, H. *see* Athanassoula, E.
Wright, A.E. *see* Hall, P.J.
Wright, A.E. *see* Thomson, R.C.
Wright, G.S. *see* Blanco, P.R.
Wu, K., Wickramasinghe, D.T. Three-dimensional structured shocks in AM Herculis-type systems – I. The angular dependence of intensity and polarization from axisymmetric shocks, **246**, 686
Wynne, C.G. A new form of spectrograph camera, **247**, 173

Yabushita, S., Tsujii, T. On the dependence on inclination of capture probability of short-period comets, **244**, 663
Yamashita, K. *see* McHardy, I.M.
Yates, G.J. *see* Saikia, D.J.
Yoshii, Y. *see* Sommer-Larsen, J.

Zeilinger, W.W., Galletta, G., Madsen, C. NGC 5084: a massive disc galaxy with a tilted ring, **246**, 324
Zhen, C. *see* Sommer-Larsen, J.
Ziegler, H.J. *see* Stahl, B.
Zijlstra, A.A., Pottasch, S.R., Engels, D., Roelfsema, P.R., te Lintel Hekkert, P., Umanas, G. Mapping the outflow of OH5.89 – 0.39, **246**, 217
Zijlstra, A.A. *see* Penninx, W.
Žižňovský, J. *see* Kreidl, T.J.
Zuckerman, B. *see* Eales, S.A.
Zverko, J. *see* Kreidl, T.J.